





**BOSSPLOW.COM**


See how BOSS continues to BACK YOU UP.  
Get more info, watch videos, find a dealer or chat live.


Call 800-286-4155  
Email sales@bossplow.com



 Ask your dealer or visit bossplow.com to explore the complete lineup of BOSS products, including Truck Equipment, ATV/UTV Equipment, Heavy Equipment, Ice Control Equipment and Accessories.

 Exclusive to BOSS Owners, joining this community gives you a profile page, a free gift and access to special offers and information on BOSS products and services.

 SnowCare for Troops is a nationwide outreach program that performs free snow removal for the families of men and women serving overseas and disabled veterans.



**BOSS PRODUCTS**  
2010 THE BOSS WAY  
P.O. BOX 787  
IRON MOUNTAIN, MI 49801-0787

BOSS SNOWPLOW PRODUCTS  
ARE DESIGNED AND MANUFACTURED IN  
AN APPROVED ISO 9001:2008  
REGISTERED FACILITY.

Patents: www.ticopats.com  
©2017 BOSS PRODUCTS. ALL RIGHTS RESERVED.  
PRINTED IN U.S.A. FORM #450-2017

Hardox is a registered trademark of SSAB Technology. The "T" logo is a registered trademark/service mark of Facebook, Inc. The Twitter logo is a registered trademark/service mark of Twitter, Inc. The YouTube logo is a registered trademark/service mark of Google Inc. The Google+ logo is a service mark of Google Inc. The "in" logo is a registered service mark of LinkedIn Corporation. The Instagram logo is a registered trademark/service mark of Instagram, LLC. The Blogger logo is a registered service mark of Google Inc. The National IPA logo is a service mark of the National Intergovernmental Purchasing Alliance Company. The Advantage International Registrar logo is a trademark of Advantage International Registrar, Inc. All other trademarks belong to BOSS Snowplow.



# ATV/UTV EQUIPMENT 2017

SNOWPLOWS & SPREADERS





BOSS knows that when winter hits, order must be restored to more than just lots and roads. Our durable, reliable ATV and UTV plows are fully featured and pack the same punch as our truck plows, but in a compact size. They're designed to RESTORE ORDER to the sidewalks and trails with speed, efficiency and strength. Because BOSS is always there to BACK YOU UP.

## TABLE OF CONTENTS

- 4 Full-Size UTV Plows
- 6 Mid-Size UTV Plows
- 8 ATV Plows

- 10 Full-Size UTV Hopper Spreader
- 12 Accessories
- 13 Specifications

## FULLY PROVEN FULLY HYDRAULIC

Whether it's snow removal in tight spaces or clearing trails and sidewalks, UTV plows are engineered to perform through even the worst winter conditions. BOSS full-size UTV plows are available in Straight-Blade and V-plow options. And because they're fully hydraulic, you don't have to mess with chains, winches or pulleys. Innovation with you in mind is how BOSS BACKS YOU UP.

### STANDARD FEATURES:

- ▶ Steel V-XT 6'6"
- Poly Straight-Blade 6'

- > **High-Performance Cutting Edge** built using a Hardox® wear plate to provide extended wear resistance and comes with built-in curb guards and snow catcher (V-plow only).
- > **High-Performance Hydraulic Package** delivers reliability and speed.
- > **Enclosed Hydraulics** protects against corrosion and hydraulic freeze-up.
- > **Full Moldboard Trip Design** helps to prevent plow damage when an obstacle is encountered.
- > **Reinforced Moldboard** increases blade rigidity.

- > **Exceptional Ground Clearance** with our sloped-profile undercarriage.
- > **High Blade Lift Height** for superior snow-stacking.
- > **SmartTouch® 2 Controller** features an ergonomic design, large, backlit buttons and advanced technology to make the controls highly intuitive and easy to use.
- > **Patented Snow Catcher** is designed to catch snow at the plow's pivot point, so no snow lines are left behind (V-plow only).



BOSS full-size UTV plows are engineered to bring the innovation and design of BOSS truck plows to your full-size UTV.

\*All images shown may include standard/optional equipment. Please consult your local BOSS Dealer for more information.

## FINGERTIP CONTROL ULTIMATE MANEUVERABILITY

BOSS brings the same exceptional engineering to mid-size utility vehicles as it does to full-size. Durability, toughness and reliability are built in, along with exceptional maneuverability to help you work in hard-to-reach places and remote terrain. The fully hydraulic system delivers maximum efficiency with no winches, chains or pulleys. Easy to use controls for both Straight-Blade and V-plow options help you efficiently and quickly RESTORE ORDER.

- Steel V-XT 5'6"
- Poly Straight-Blade 4', 5'

### STANDARD FEATURES:

The rugged, reliable mid-size UTV Poly Straight-Blade tackles small spaces like sidewalks and trails.

- **Full Blade Trip Design** helps to prevent plow damage when striking obstacles.
- **High-Performance Hydraulic Package** delivers reliability and speed.
- **Enclosed Hydraulics** protects against corrosion and hydraulic freeze-up.
- **Direct Hydraulic Cylinder Lifting System** (no chains or winches) for quicker response and better reliability.
- **High Blade Lift Height** made for superior snow-stacking.
- **SmartTouch® 2 Controller** provides easy weather-resistant control of the blade.
- **Patented Snow Catcher** is designed to catch snow at the plow's pivot point, so no snow lines are left behind (V-plow only).

\*All images shown may include standard/optional equipment. Please consult your local BOSS Dealer for more information.

The SmartTouch® 2 Controller features an ergonomic design, large, backlit buttons and advanced control technology to make BOSS UTV controls highly intuitive and easy to use.



QUESTIONS? CHAT LIVE ONLINE.  
[BOSSPLOW.COM](http://BOSSPLOW.COM)



## PERFORM IN TOUGH TERRAIN

Along with the durability, toughness and reliability you expect from BOSS full-size plows, ATV plows from BOSS feature exceptional maneuverability for hard-to-reach places and tough terrain. The fully hydraulic system delivers maximum efficiency with no winches, chains or pulleys. BOSS ATV plows are available in both Straight-Blade and V-plow options to help you RESTORE ORDER in tough winter conditions.

### STANDARD FEATURES:

- Steel V-XT 5'6"
- Poly 4', 5'

- > **Full Blade Trip Design** helps to prevent plow damage when striking obstacles.
- > **High-Performance Hydraulic Package** delivers reliability and speed.
- > **Enclosed Hydraulics** protects against corrosion and hydraulic freeze-up.
- > **Direct Hydraulic Cylinder Lifting System** (no chains or winches) for quicker response and better reliability.
- > **Patented Snow Catcher** is designed to catch snow at the plow's pivot point, so no snow lines are left behind (V-plow only).

- > **High Blade Lift Height** made for superior snow-stacking.
- > **Handlebar Switch Box Controller** is easy to mount and accessible on the ATV handlebar.



The ATV Switch Box Controller mounts directly to the handlebar for easy access and effortless control. For optional accessories, ask your BOSS Dealer.

The 5'6" V-XT brings all the features, benefits and toughness of BOSS V-plows to a compact ATV/UTV size.



\*All images shown may include standard/optional equipment. Please consult your local BOSS Dealer for more information.



## POWER AND PRODUCTIVITY FOR YOUR UTV

The BOSS VBX 3000 Spreader brings the power and efficiency of the VBX Spreader line to your UTV. It's fully featured for ease of use and delivers maximum productivity. Tough and durable, the BOSS VBX 3000 will give you years of operation no matter the conditions. So when you need the power and precision of BOSS VBX spreaders on your UTV, the BOSS VBX 3000 is there to BACK YOU UP.

▶ VBX 3000 (Auger)

### STANDARD FEATURES:

- ▶ **Shaftless 4" Auger With 4" of Pitch** reduces jamming.
- ▶ **Poly Hopper** is built to outlast the elements.
- ▶ **Vibrator** prevents material bridging for ease of operation.
- ▶ **Tarp With Integral Tie-Downs** to protect spreading material from the elements.
- ▶ **Inverted V-Baffle** reduces material build-up for optimal spreading efficiency.
- ▶ **12" Diameter Urethane Spinner** is durable, corrosion-resistant and ensures consistent distribution.
- ▶ **Spinner Motor** is sealed for durability and maximum spreading efficiency.
- ▶ **Dual Motor Control** adjusts material flow and speed on the fly.

10

11

\*All images shown may include standard/optional equipment. Please consult your local BOSS Dealer for more information.



QUESTIONS? CHAT LIVE ONLINE.  
BOSSPLOW.COM

BOSS *SmartTouch 2*



# BOSS SNOWPLOW AUTHORIZED ACCESSORIES

## FULL-SIZE UTV ACCESSORIES

### SNOW DEFLECTOR

Increase visibility and safety with a rugged snow deflector specifically designed for UTV snowplows from BOSS.

**6'0" UTV STRAIGHT-BLADE SNOW DEFLECTOR** .....MSC04587B  
**6'6" UTV V-XT SNOW DEFLECTOR**.....MSC13099

### URETHANE EDGE KIT

Made of durable 93A durometer polyurethane for optimal scraping.

**6'0" URETHANE EDGE KIT** .....STB09230  
**6'6" URETHANE EDGE KIT DRIVER SIDE**.....BAL13104  
**6'6" URETHANE EDGE KIT PASSENGER SIDE**.....BAR13204

### SMARTLOCK® CYLINDER

Designed to keep blades straight when backdragging.

**6'6" UTV XT**.....HYD18841



### HEADLIGHT KIT

Designed for tough conditions, the optional full-size UTV headlight kit offers a hardened clear glass lens housed in reinforced fiberglass plastic for long-lasting durability. Kit includes the plow-side and vehicle-side wiring harnesses, headlight brackets and all hardware necessary to outfit either style blade on any recommended UTV model.

**6'0" UTV STRAIGHT AND 6'6" UTV V-XT SNOWPLOWS** .....MSC12246

### PLOW SHOE KIT

Help extend the life of the plow's cutting edge by adding a set of durable plow shoes.

**6'0" POLY STRAIGHT-BLADE** .....MSC09588  
**6'6" STEEL V-XT**.....MSC01570

### CASTER WHEELS

Ideal for moving your plow around in the garage or service bay, these utilize existing shoe holders on the blade and make moving the plow a breeze. These heavy-duty wheels feature steel ball bearings for smooth movement and long-lasting life.

**CASTER KIT, 6'0" STRAIGHT-BLADE** .....MSC09249  
**CASTER KIT, 6'6" V-XT**.....MSC09235

## ATV/MID-SIZE ACCESSORIES

### BOX WING KIT

Box Wing Kit easily bolts to the ATV/mid-size UTV Straight-Blades to create a "box"-plow-like effect, allowing the plow to carry more snow.

**BOX WING KIT** .....MSC13870



### SNOW DEFLECTOR

Increase visibility and safety with a rugged snow deflector specifically designed for ATV/mid-size UTV snowplows from BOSS.

**4'0", 5'0" POLY STRAIGHT-BLADE** .....MSC04587B  
**5'6" STEEL POWER V-XT**.....MSC13416

### BLADE EXTENSIONS

Blade Extension Kit easily bolts on to the ATV/mid-size UTV Straight-Blades and extends the plowing width by 12" overall (6" on each side). This kit allows the operator to quickly change the plow's capabilities based on the type of job being done.

**BLADE EXTENSIONS KIT** .....MSC13850



### SKID PLATE ACCESSORY KIT

The BOSS ATV/mid-size UTV Skid Plate is designed specifically to protect your undercarriage when your snowplow is not in use.

**SKID PLATE** .....MSC14600

### PLOW SHOE KIT

Help extend the life of the plow's cutting edge by adding a set of durable plow shoes.

**4'0", 5'0" POLY STRAIGHT-BLADE** .....MSC13040  
**5'6" STEEL POWER V-XT**.....MSC13032



### URETHANE EDGE KIT

Urethane Edge Kits are available for those needing edges that impact pavement less while providing a squeegee effect.

**4'0" URETHANE EDGE KIT** .....STB13802  
**5'0" URETHANE EDGE KIT** .....STB13801  
**5'6" URETHANE EDGE KIT, DRIVER SIDE** .....BAL13407  
**5'6" URETHANE EDGE KIT, PASSENGER SIDE** .....BAR13402

# ATV PLOWS

VEHICLE APPLICATION: ATVs



SPECIFICATIONS	4' Poly Straight	5' Poly Straight	5'6" Steel Power V-XT
<b>Blade Width (Straight)</b>	48" (121.92 cm)	60" (152.40 cm)	66" (168 cm)
<b>Blade Width (V)</b>	N/A	N/A	58½" (149 cm)
<b>Blade Width (Scoop)</b>	N/A	N/A	55⅜" (142 cm)
<b>Plowing Width @ 30° Angle</b>	41⅞" (105.88 cm)	52" (132.08 cm)	57⅞" (145 cm)
<b>Blade Height</b>	22" (55.88 cm)	22" (55.88 cm)	18⅝" inside to 23⅜" outside (47 cm to 59 cm)
<b>Blade Material</b>	⅙" Poly (0.32 cm)	⅙" Poly (0.32 cm)	14 gauge Steel
<b>Vertical Support Ribs</b>	4	4	4 vertical, 1 diagonal
<b>Trip Return Springs</b>	2	2	2
<b>Cutting Edge</b>	¼" x 4" (0.64 cm x 10.16 cm) Reversible	¼" x 4" (0.64 cm x 10.16 cm) Reversible	¼" x 4" (0.64 cm x 10.16 cm) AR450
<b>Plow Shoes</b>	Optional	Optional	Optional
<b>Undercarriage</b>	Low profile (trail compatible)	Low profile (trail compatible)	Low profile (trail compatible)
<b>Plow Lifting</b>	Hydraulic	Hydraulic	Hydraulic
<b>Plow Angling</b>	Hydraulic	Hydraulic	Hydraulic
<b>Hydraulic Package</b>	High performance (comes off with the plow)	High performance (comes off with the plow)	High performance (comes off with the plow)
<b>Attachment System</b>	Quick Attach	Quick Attach	Quick Attach
<b>Paint Finish</b>	SmartShield	SmartShield	SmartShield
<b>Controller</b>	Switch Box	Switch Box	Switch Box
<b>Weight Complete</b>	170 lb (77 kg)	190 lb (86 kg)	245 lb (111 kg)
<b>Tripping Mechanism</b>	Full-blade trip design	Full-blade trip design	Full-blade trip design
<b>Warranty</b>	2-year limited warranty	2-year limited warranty	2-year limited warranty

Consult product selector tool at bossplow.com for recommended applications.

# MID-SIZE UTV PLOWS

VEHICLE APPLICATION: MID-SIZE UTVs



SPECIFICATIONS	5' Poly Straight	5'6" Steel Power V-XT
<b>Blade Width (Straight)</b>	60" (152.40 cm)	66" (168 cm)
<b>Blade Width (V)</b>	N/A	58½" (149 cm)
<b>Blade Width (Scoop)</b>	N/A	55⅜" (142 cm)
<b>Plowing Width @ 30° Angle</b>	52" (132.08 cm)	57⅞" (145 cm)
<b>Blade Height</b>	22" (55.88 cm)	18⅝" inside to 23⅜" outside (47 cm to 59 cm)
<b>Blade Material</b>	⅙" Poly (0.32 cm)	14 gauge Steel
<b>Vertical Support Ribs</b>	4	4 vertical, 1 diagonal
<b>Trip Return Springs</b>	2	2
<b>Cutting Edge</b>	¼" x 4" (0.64 cm x 10.16 cm) Reversible	¼" x 4" (0.64 cm x 10.16 cm) AR450
<b>Plow Shoes</b>	Optional	Optional
<b>Undercarriage</b>	Low profile (trail compatible)	Low profile (trail compatible)
<b>Plow Lifting</b>	Hydraulic	Hydraulic
<b>Plow Angling</b>	Hydraulic	Hydraulic
<b>Hydraulic Package</b>	High performance (comes off with the plow)	High performance (comes off with the plow)
<b>Attachment System</b>	Quick Attach	Quick Attach
<b>Paint Finish</b>	SmartShield	SmartShield
<b>Controller</b>	SmartTouch 2	SmartTouch 2
<b>Weight Complete</b>	190 lb (86 kg)	245 lb (111 kg)
<b>Tripping Mechanism</b>	Full-blade trip design	Full-blade trip design
<b>Warranty</b>	2-year limited warranty	2-year limited warranty

Consult product selector tool at bossplow.com for recommended applications.

## FULL-SIZE UTV PLOWS

VEHICLE APPLICATION: FULL-SIZE UTVs



SPECIFICATIONS	6' Poly Straight	6'6" V-XT Steel
Blade Width (Straight)	72" (183 cm)	78" (198 cm)
Blade Width (V)	N/A	68¾" (175 cm)
Blade Width (Scoop)	N/A	66½" (167 cm)
Plowing Width @ 30° Angle	62½" (159 cm)	72½" (184 cm)
Blade Height	24½" (62 cm)	25" inside to 30½" outside (64 cm to 77 cm)
Blade Material	¼" Poly (0.64 cm)	14 gauge Steel
Vertical Support Ribs	4	6
Trip Return Springs	2	2
Cutting Edge	¼" x 4" (0.64 cm x 10.16 cm)	¼" x 5" (0.64 cm x 13 cm) AR450
Plow Shoes	Optional	Optional
Undercarriage	Sloped profile (trail compatible)	Sloped profile (trail compatible)
Plow Lifting	Hydraulic	Hydraulic
Plow Angling	Hydraulic	Hydraulic
Hydraulic Package	High performance (comes off with the plow)	High performance (comes off with the plow)
Attachment System	RT3 (SmartHitch 2 optional)	RT3 (SmartHitch 2 optional)
Paint Finish	SmartShield	SmartShield
Controller	SmartTouch 2	SmartTouch 2
Weight Complete	314 lb (142 kg)	400 lb (181 kg)
Tripping Mechanism	Full-blade trip design	Full-blade trip design
Warranty	2-year limited warranty	2-year limited warranty

Consult product selector tool at [bossplow.com](http://bossplow.com) for recommended applications.

## SPREADERS

VEHICLE APPLICATION: FULL-SIZE UTVs



SPECIFICATIONS	VBX 3000	SPECIFICATIONS	VBX 3000
Hopper Capacity	12 cu ft (0.34 cu m)	Trough	304 Stainless Steel
Hopper Length	33½" (85 cm)	Cab Controller	Standard
Hopper Overall Length	52" (132 cm)	Single Vibrator	Standard
Hopper Height	28" (71 cm)	Inverted V Baffle	Standard
Hopper Width	50" (127 cm)	Feed System	4" OD x 4" (10 cm x 10 cm) pitch shaftless full length auger
Complete Unit Weight (Empty)	230 lb (104 kg)	Adjustable Deflector	Standard
Hopper Construction	¾" (0.5 cm) Double Wall Polyethylene Hopper	Spinner Assembly	Easily removable
Spread Width	2 ft - 40 ft (0.6 m - 12 m) Dry, free-flowing material	Hopper Tie-Down Kit	Standard
Lighting	Single 55 watt halogen	Spinner	12" (30.5 cm) Diameter Urethane Spinner
Cover	VCP Tarp w/integral tie-downs	Spinner Gearmotor	½ HP Spinner Gearmotor (Located above spinner)
Top Screen	Standard	Minimum Bed Length	33½" (85.1 cm)
Motor	¼ HP Feed Motor	Payload Rating	1,000 lb Bed Capacity Required

VBX 3000: Consult product selector tool at [bossplow.com](http://bossplow.com) for recommended applications.

\*All images shown may include standard/optional equipment. Please consult your local BOSS Dealer for more information.

### TWO-YEAR LIMITED WARRANTY

All BOSS Snowplows and equipment are guaranteed to be free from defects in material and workmanship for two full years from the date of purchase. Stop by any authorized BOSS Dealer to receive complete details on our two-year parts and labor warranty. Please visit [bossplow.com](http://bossplow.com) for more details.

### LEGAL STATEMENT

Vehicles intended to be equipped with a spreader and/or snowplow must comply with the vehicle manufacturers' specifications for equipment application. BOSS Products reserves the right under its product improvement policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications used herein. BOSS Products may be protected by one or more patents; please see [bossplow.com](http://bossplow.com) for more details.

## BOSS EXTENDED FAMILY

# GIVING YOU EVERYTHING YOU NEED TO RESTORE ORDER



QUESTIONS? CHAT LIVE ONLINE.  
[BOSSPLOW.COM](http://BOSSPLOW.COM)



Ask your BOSS Dealer or visit [bossplow.com](http://bossplow.com) to browse the full family of BOSS products, including Truck Equipment, ATV/UTV Equipment, Heavy Equipment, Ice Control Equipment, Accessories and more.

**DON'T FORGET TO ASK ABOUT AVAILABLE FINANCING OPTIONS.**

Ask your BOSS Dealer or visit [bossplow.com](http://bossplow.com) for more details.