



2018 ATV/UTV Equipment Snowplows & Spreaders

BOSSPLOW.COM

See how BOSS continues to BACK YOU UP.
Get more info, watch videos, find a dealer or chat live.

Call 800-286-4155
Email sales@bossplow.com



Ask your dealer or visit bossplow.com to explore the complete lineup of BOSS products, including Truck Equipment, ATV/UTV Equipment, Heavy Equipment, Ice Control Equipment and Accessories.



Exclusive to BOSS Owners, joining this community gives you a profile page, a free gift and access to special offers and information on BOSS products and services.



SnowCare for Troops is a nationwide outreach program that performs free snow removal for the families of men and women serving overseas and disabled veterans.



BOSS PRODUCTS
2010 THE BOSS WAY
P.O. BOX 787
IRON MOUNTAIN, MI 49801-0787

BOSS SNOWPLOW PRODUCTS
ARE DESIGNED AND MANUFACTURED IN
AN APPROVED ISO 9001:2015
REGISTERED FACILITY.

Patents: www.ticopats.com
©2018 BOSS PRODUCTS. ALL RIGHTS RESERVED.
PRINTED IN U.S.A. FORM #SLS-ATV02018

Hardox is a registered trademark of SSAB Technology. The "I" logo is a registered trademark/service mark of Facebook, Inc. The Twitter logo is a registered trademark/service mark of Twitter, Inc. The YouTube logo is a trademark/service mark of Google LLC. The "G+" logo is a registered service mark of Google LLC. The "in" logo is a registered service mark of LinkedIn Corporation. The Instagram logo is a registered service mark of Instagram, LLC. The Blogger logo is a registered service mark of Google LLC. The National IPA logo is a service mark of the National Intergovernmental Purchasing Alliance Company. The Sourcewell logo is a service mark of National Joint Powers Alliance. The Advantage International Registrar logo is a trademark of Advantage International Registrar, Inc. All other trademarks belong to BOSS Snowplow.





BOSS knows that when winter hits, order must be restored to more than just parking lots and roads. Our durable, reliable ATV and UTV plows are fully featured and pack the same punch as our truck plows, but in a compact size. They are designed to RESTORE ORDER to the sidewalks and trails with speed, efficiency and strength. Because BOSS is always there to BACK YOU UP.

TABLE OF CONTENTS

- 4 Full-Size UTV Plows
- 6 Mid-Size UTV Plows
- 8 ATV Plows
- 10 EXACT PATH™ Drop Spreaders
- 12 Full-Size UTV Hopper Spreader / Accessories
- 14 Specifications

FULLY PROVEN FULLY HYDRAULIC

Whether it's snow removal in tight spaces or clearing walkways and sidewalks, UTV plows are engineered to perform in the worst winter conditions. BOSS full-size UTV plows are available in straight-blade and V-plow options. And they are fully hydraulic, which means you don't have to mess with cables, winches or pulleys. Innovation with you in mind is how BOSS BACKS YOU UP.

STANDARD FEATURES:

➤ Steel V-XT 6'6"
Poly Straight-Blade 6'

- **High-Performance Hydraulic Package** delivers reliability and speed.
- **Enclosed Hydraulics** protect against corrosion and hydraulic freeze-up.
- **Full Moldboard Trip Design** helps to prevent plow damage when an obstacle is encountered.
- **Reinforced Moldboard** increases blade rigidity for increased durability.
- **High-Performance Cutting Edge** built using a Hardox® wear plate provides extended wear resistance and comes with built-in curb guards and patented snow catcher (V-plow only).
- **RT3 Attachment System** is simple and easy to use.
- **High Blade Lift Height** provides superior snow-stacking.
- **SmartTouch® 2 Controller** features an ergonomic design, large, backlit buttons and advanced technology to make the controls highly intuitive and easy to use.
- **Patented Snow Catcher** is designed to catch snow at the plow's pivot point, so no snow lines are left behind (V-plow only).
- **Direct Hydraulic Cylinder Lifting System** (no cables or winches) provides quick response and improved reliability.





FINGERTIP CONTROL ULTIMATE MANEUVERABILITY

BOSS brings the same exceptional engineering to mid-size utility vehicles as it does to full-size. Durability, toughness and reliability are built in, along with exceptional maneuverability to help you work in hard-to-reach places and remote terrain. The fully hydraulic system delivers maximum efficiency with no winches, cables or pulleys. Easy-to-use controls for both straight-blade and V-plow options help you efficiently and quickly RESTORE ORDER.

- ▶ Steel V-XT 5'6"
- ▶ Poly Straight-Blade 4', 5'

STANDARD FEATURES:

The rugged, reliable mid-size UTV poly straight-blade tackles small spaces like sidewalks and trails.



The SmartTouch® 2 Controller features an ergonomic design, large, backlit buttons and advanced control technology to make BOSS UTV controls highly intuitive and easy to use.



- ▶ **Full Blade Trip Design** helps to prevent plow damage when striking obstacles.
- ▶ **High-Performance Hydraulic Package** delivers reliability and speed.
- ▶ **Enclosed Hydraulics** protect against corrosion and hydraulic freeze-up.
- ▶ **Direct Hydraulic Cylinder Lifting System** (no cables or winches) provides quick response and improved reliability.
- ▶ **Exceptional Ground Clearance** is achieved with our sloped-profile undercarriage.
- ▶ **High Blade Lift Height** was made for superior snow-stacking.
- ▶ **SmartTouch® 2 Controller** provides easy weather-resistant control of the blade.
- ▶ **Patented Snow Catcher** is designed to catch snow at the plow's pivot point, so no snow lines are left behind (V-plow only).

*All images shown may include standard/optional equipment. Please consult your local BOSS Dealer for more information.

QUESTIONS? CHAT LIVE ONLINE.
BOSSPLOW.COM



PERFORM IN TOUGH TERRAIN

Along with the durability, toughness and reliability you expect from BOSS full-size plows, ATV plows from BOSS feature exceptional maneuverability for hard-to-reach places and tough terrain. The fully hydraulic system delivers maximum efficiency with no winches, cables or pulleys. BOSS ATV plows are available in both straight-blade and V-plow options to help you RESTORE ORDER in tough winter conditions.

8

STANDARD FEATURES:

➤ Steel V-XT 5'6"
Poly 4', 5'

- **Full Blade Trip Design** helps to prevent plow damage when striking obstacles.
- **High-Performance Hydraulic Package** delivers reliability and speed.
- **Enclosed Hydraulics** protect against corrosion and hydraulic freeze-up.
- **Direct Hydraulic Cylinder Lifting System** (no cables or winches) provides quick response and improved reliability.
- **Patented Snow Catcher** is designed to catch snow at the plow's pivot point, so no snow lines are left behind (V-plow only).
- **Exceptional Ground Clearance** is achieved with our sloped-profile undercarriage.

- **High Blade Lift Height** was made for superior snow-stacking.
- **Handlebar Switch Box Controller** is easy to mount and accessible on the ATV handlebar.



The ATV switch box controller mounts directly to the handlebar for easy access and effortless control. For optional accessories, ask your BOSS Dealer.

The 5'6" V-XT brings all the features, benefits and toughness of BOSS V-plows to a compact ATV/UTV size.



*All images shown may include standard/optional equipment. Please consult your local BOSS Dealer for more information.

9

CLEARING THE PATH TO ORDER

Introducing the BOSS EXACT PATH™ drop spreader. Available in 2.5 and 6.0 cubic feet capacity, the EXACT PATH™ is a drop spreader that precisely drops deicing material to protect grass and landscaping. The stainless steel hopper and frame with a polyethylene cover keep materials dry and free-flowing. An exclusive feed gate lever makes adjusting material flow simple—no tools needed. Multiple mounting options are available including a Category 1, 3-point hitch, UTV bed mount and slide-in 2" receiver for select compact vehicle applications. The EXACT PATH™ reduces salt waste and makes working on sidewalks and walkways more profitable for contractors. It's another way the innovations at BOSS are always there to BACK YOU UP.

EXACT PATH™ 2.5, 6.0

STANDARD FEATURES:

- > **8-Position Adjustable Feed Gate** allows you to adjust the material discharge amount without tools for extra flow control.
- > **Stainless Steel Hopper and Frame Construction** are built to outlast the elements.
- > **Solid Poly Hopper Cover With Integrated Tie-Downs** protects against weather and is made to last.
- > **Top Screen With Bag Splitter** easily opens bags and filters deicing material.
- > **Enclosed 12-Volt Electric High-Torque Motor** is weather- and dust-sealed to ensure performance, durability and reliability.

- > **Variable Speed Control** comes standard on all EXACT PATH™ spreaders.

STANDARD AVAILABLE ATTACHMENT STYLES

- > Category 1, 3-point hitch
- > UTV bed
- > Toro Groundsmaster®
- > Compact sidewalk vehicles with a 2" slide-in receiver



EXACT PATH™ 2.5



Adjustable Feed Gate Lever

SEE IT IN ACTION
BOSSPLOW.COM



*All images shown may include standard/optional equipment. Please consult your local BOSS Dealer for more information.

The selection of proper deicing materials can be complex and varies by personal preference, experience and environmental concerns. All factors should be considered before making your selection.

FULL-SIZE UTV HOPPER SPREADER



POWER AND PRODUCTIVITY FOR YOUR UTV

The BOSS VBX 3000 spreader brings the power and efficiency of the full-size truck VBX spreaders line to your UTV. It's fully featured for ease of use and delivers maximum productivity. Tough and durable, the BOSS VBX 3000 will give you years of operation no matter the conditions. So when you need the power and precision of a BOSS VBX spreader on your UTV, the BOSS VBX 3000 is there to BACK YOU UP.

*All images shown may include standard/optional equipment. Please consult your local BOSS Dealer for more information.

12

STANDARD FEATURES:

> VBX 3000 (Auger)

- > **Shaftless 4" Auger With 4" of Pitch** reduces jamming.
- > **Poly Hopper** is built to outlast the elements.
- > **Vibrator** prevents material bridging for ease of operation.
- > **Tarp With Integrated Tie-Downs** protects spreading material from the elements.
- > **Inverted V-Baffle** reduces material build-up for optimal spreading efficiency.
- > **12" Diameter Urethane Spinner** is durable and corrosion-resistant and ensures consistent distribution.
- > **Dual Motor Control** adjusts material flow and speed on the fly.
- > **Spinner Motor** is sealed for durability and maximum spreading efficiency.
- > **Work Lights** for ease of visibility.
- > **Covered Motor Compartment** shields weather from the motors and vibrator.
- > **Heavy-Duty Top Screen** filters deicing material.
- > **Integrated Lifting Handles**
- > **High-Torque Spinner Motor**



The selection of proper deicing materials can be complex and varies by personal preference, experience and environmental concerns. All factors should be considered before making your selection.



BOSS SNOWPLOW AUTHORIZED ACCESSORIES

FULL-SIZE UTV ACCESSORIES

SNOW DEFLECTOR

Increase visibility and safety with a rugged snow deflector specifically designed for UTV snowplows from BOSS.

6'0" UTV STRAIGHT-BLADE SNOW DEFLECTOR	MSC04587B
6'6" UTV V-XT SNOW DEFLECTOR	MSC13099

URETHANE EDGE KIT

Urethane edge kits are available for those needing edges that impact pavement less while providing a squeegee effect.

6'0" URETHANE EDGE KIT	STB09230
6'6" URETHANE EDGE KIT DRIVER SIDE	BAL13104
6'6" URETHANE EDGE KIT PASSENGER SIDE	BAR13204

SMARTLOCK® CYLINDER

Designed to keep blades straight when backdragging.

6'6" UTV XT	HYD18841
-------------------	----------



HEADLIGHT KIT

Designed for tough conditions, the optional full-size UTV headlight kit offers a hardened clear glass lens housed in reinforced fiberglass plastic for long-lasting durability. Kit includes the plow-side and vehicle-side wiring harnesses, headlight brackets and all hardware necessary to outfit either style blade on any recommended UTV model.

6'0" UTV STRAIGHT AND 6'6" UTV V-XT SNOWPLOWS	MSC12246
---	----------

PLOW SHOE

Help extend the life of the plow's cutting edge by adding a set of durable plow shoes.

6'0" POLY STRAIGHT-BLADE (1)	MSC09588
6'6" STEEL V-XT (1)	MSC01570

CASTER WHEELS

Ideal for moving your plow around in the garage or service bay, these utilize existing shoe holders on the blade and make moving the plow a breeze. These heavy-duty wheels feature steel ball bearings for smooth movement and long-lasting life.


CASTER KIT, 6'0" STRAIGHT-BLADE	MSC09249
CASTER KIT, 6'6" V-XT	MSC09235

ATV/MID-SIZE ACCESSORIES

BOX WING KIT

Box wing kit easily bolts to the ATV/mid-size UTV straight-blades to create a "box"-plow-like effect, allowing the plow to carry more snow.

BOX WING KIT	MSC13870B
--------------------	-----------




SNOW DEFLECTOR

Increase visibility and safety with a rugged snow deflector specifically designed for ATV/mid-size UTV snowplows from BOSS.

4'0", 5'0" POLY STRAIGHT-BLADE	MSC04587B
5'6" STEEL POWER V-XT	MSC13416

BLADE EXTENSIONS

Blade extension kit easily bolts on to the ATV/mid-size UTV straight-blades and extends the plowing width by 12" overall (6" on each side). This kit allows the operator to quickly change the plow's capabilities based on the type of job being done.



BLADE EXTENSION KIT	MSC13850B
---------------------------	-----------

SKID PLATE ACCESSORY KIT

The BOSS ATV/mid-size UTV skid plate is designed specifically to protect your undercarriage when your snowplow is not in use.


SKID PLATE	MSC14600
------------------	----------

13

PLOW SHOE KIT

Help extend the life of the plow's cutting edge by adding a set of durable plow shoes.

4'0", 5'0" POLY STRAIGHT-BLADE	MSC13040
5'6" STEEL POWER V-XT	MSC13032



URETHANE EDGE KIT

Urethane edge kits are available for those needing edges that impact pavement less while providing a squeegee effect.

4'0" URETHANE EDGE KIT	STB13802
5'0" URETHANE EDGE KIT	STB13801
5'6" URETHANE EDGE KIT, DRIVER SIDE	BAL13407
5'6" URETHANE EDGE KIT, PASSENGER SIDE	BAR13402

MID-SIZE UTV PLOWS

VEHICLE APPLICATION: MID-SIZE UTVs



Specifications	5' Straight Poly	5'6" V-XT Steel	6' Straight Poly	6'6" V-XT Steel
Blade Width (Straight) Curb Guard Width*	60" (152.4 cm) N/A	66" (168 cm) 68.75" (174.6 cm)	72" (183 cm) N/A	78" (198 cm) 80.25" (203.8 cm)
Blade Width (V) Curb Guard Width*	N/A	58½" (149 cm) 61" (154.9 cm)	N/A	68¾" (175 cm) 71.25" (180.9 cm)
Blade Width (Scoop) Curb Guard Width*	N/A	55⅜" (142 cm) 62.25" (158.1 cm)	N/A	66½" (169 cm) 73.5" (186.7 cm)
Plowing Width @ 30° Angle	52" (132.1 cm)	57½" (145 cm)	62½" (159 cm)	72½" (184 cm)
Blade Height	22" (55.9 cm)	18½" inside to 23⅜" outside (47 cm to 59 cm)	24½" (62 cm)	25" inside to 30½" outside (64 cm to 77 cm)
Blade Material	¼" poly (0.32 cm)	14-ga steel	¼" poly (0.64 cm)	14-ga steel
Vertical Support Ribs	4	4 vertical, 1 diagonal	4	6
Trip Return Springs	2	2	2	2
Cutting Edge	¼" x 4" (0.64 cm x 10.2 cm) reversible	¼" x 4" (0.64 cm x 10.2 cm) AR450	¼" x 4" (0.64 cm x 10.2 cm)	¼" x 5" (0.64 cm x 13 cm) AR450
Plow Shoes	Optional	Optional	Optional	Optional
Undercarriage	Low profile	Low profile	Sloped profile (trail-compatible)	Sloped profile (trail-compatible)
Plow Lifting	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Plow Angling	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Hydraulic Package	High-performance (comes off with the plow)	High-performance (comes off with the plow)	High-performance (comes off with the plow)	High-performance (comes off with the plow)
Attachment System	Quick Attach	Quick Attach	RT3 (SmartHitch® 2 optional)	RT3 (SmartHitch® 2 optional)
Paint Finish	SmartShield®	SmartShield®	SmartShield®	SmartShield®
Controller	SmartTouch® 2	SmartTouch® 2	SmartTouch® 2	SmartTouch® 2
Weight Complete	190 lb (86 kg)	245 lb (111 kg)	314 lb (142 kg)	400 lb (181 kg)
Tripping Mechanism	Full blade trip design	Full blade trip design	Full blade trip design	Full blade trip design
Warranty	2-year limited warranty	2-year limited warranty	2-year limited warranty	2-year limited warranty

*Maximum product width. Consult product selector tool at bossplow.com for recommended applications.

ATV PLOWS

VEHICLE APPLICATION: ATVs



Specifications	4' Straight Poly	5' Straight Poly	5'6" V-XT Steel
Blade Width (Straight)	48" (121.9 cm)	60" (152.4 cm)	66" (168 cm)
Blade Width (V)	N/A	N/A	58½" (149 cm)
Blade Width (Scoop)	N/A	N/A	55⅜" (142 cm)
Plowing Width @ 30° Angle	41⅜" (104.3 cm)	52" (132.1 cm)	57½" (145 cm)
Blade Height	22" (55.88 cm)	22" (55.9 cm)	18½" inside to 23⅜" outside (47 cm to 59 cm)
Blade Material	¼" poly (0.32 cm)	¼" poly (0.32 cm)	14-ga steel
Vertical Support Ribs	4	4	4 vertical, 1 diagonal
Trip Return Springs	2	2	2
Cutting Edge	¼" x 4" (0.64 cm x 10.2 cm) reversible	¼" x 4" (0.64 cm x 10.2 cm) reversible	¼" x 4" (0.64 cm x 10.2 cm) AR450
Plow Shoes	Optional	Optional	Optional
Undercarriage	Low profile	Low profile	Low profile
Plow Lifting	Hydraulic	Hydraulic	Hydraulic
Plow Angling	Hydraulic	Hydraulic	Hydraulic
Hydraulic Package	High-performance (comes off with the plow)	High-performance (comes off with the plow)	High-performance (comes off with the plow)
Attachment System	Quick Attach	Quick Attach	Quick Attach
Paint Finish	SmartShield®	SmartShield®	SmartShield®
Controller	Switch box	Switch box	Switch box
Weight Complete	170 lb (77 kg)	190 lb (86 kg)	245 lb (111 kg)
Tripping Mechanism	Full blade trip design	Full blade trip design	Full blade trip design
Warranty	2-year limited warranty	2-year limited warranty	2-year limited warranty

Consult product selector tool at bossplow.com for recommended applications.

FULL-SIZE UTV PLOWS

VEHICLE APPLICATION: FULL-SIZE UTVs



ICE CONTROL EQUIPMENT

EXACT PATH™

VEHICLE APPLICATION: UTV, TRACTOR



Specifications	EXACT PATH™ 2.5	EXACT PATH™ 6.0
Capacity Volume	2.5 cu ft (0.07 cu m)	6.0 cu ft (0.17 cu m)
Empty Weight	150 lb (68 kg)	175 lb (79.4 kg)
Full Weight	375 lb (@ 90 lb cu ft)	715 lb (@ 90 lb cu ft)
Overall Depth	13¾" (35 cm)	16½" (42 cm)
Overall Height	21¾" (55 cm) (with cover installed)	29¾" (76 cm) (with cover installed)
Overall Width	47¾" (120 cm)	47¾" (120 cm)
Hopper Length	12½" (31 cm)	16" (41 cm)
Hopper Width	39¾" (100 cm)	39¾" (100 cm)
Spreading Width	40" (102 cm)	40" (102 cm)
Controller	Variable speed	Variable speed
Feed Gate	8-position adjustable	8-position adjustable
Feed Drum	Stainless steel	Stainless steel
Feed Baffle	Polyurethane	Polyurethane
Hopper Construction	Stainless steel	Stainless steel
Motor	¼ hp / 12-volt DC	¼ hp / 12-volt DC
Attachments	2" receiver, 3-point, UTV Bed Mount	2" receiver, 3-point, UTV Bed Mount
Top Screen	Standard	Standard
Cover Construction	Standard poly	Standard poly
Drum Guard/Bed Shield	Standard; stainless steel	Standard; stainless steel
Gearbox Ratio	137:1 right angle worm	137:1 right angle worm
Minimum Bed Capacity	500 lb (226.8 kg)	1,000 lb (453.6 kg)

SPREADERS

VEHICLE APPLICATION: FULL-SIZE UTVs

Specifications	VBX 3000	Specifications	VBX 3000
Hopper Capacity	12 cu ft (0.34 cu m)	Trough	11-ga stainless steel
Hopper Length	42" (106.7 cm)	Dual Variable Speed Control	Standard
Overall Length	52" (132 cm)	Variable Speed Vibrator	80 lb (36.3 kg) 1 standard
Hopper Height	28" (71 cm)	Inverted V Baffle	Standard
Hopper Width	50" (127 cm)	Feed System	4" OD x 4" (10 cm x 10 cm) pitch shaftless full-length auger
Complete Unit Weight (Empty)	230 lb (104 kg)	Adjustable Deflector	Standard
Hopper Construction	¾" (0.5 cm) double wall polyethylene hopper	Spinner Assembly	Easily removable
Spreading Width	2' - 40' (0.6 m - 12 m) dry, free-flowing material	Hopper Tie-Down Kit	Standard
Max Feed Rate	1.0 cu ft (0.022 cu m) per minute	Spinner	12" (30.5 cm) diameter urethane
Lighting	Single 55-watt halogen	Spinner Gearmotor	½ hp spinner gearmotor (located above spinner)
Cover	VCP tarp w/integral tie-downs	Minimum Bed Length	33½" (85.1 cm)
Top Screen	Standard	Vehicle Application	Full-size UTVs
Gearbox Ratio	40:1 right angle worm	Minimum Bed Capacity	1,000 lb (454 kg)
Motor	¼ hp feed motor		

VBX 3000: Consult product selector tool at bossplow.com for recommended applications.

All images shown may include standard/optional equipment. Please consult your local BOSS Dealer for more information.

TWO-YEAR LIMITED WARRANTY

All BOSS snowplows and equipment are guaranteed to be free from defects in material and workmanship for two full years from the date of purchase. Stop by any authorized BOSS Dealer to receive complete details on our two-year parts and labor warranty. Please visit bossplow.com for more details.

LEGAL STATEMENT

Vehicles intended to be equipped with a spreader and/or snowplow must comply with the vehicle manufacturers' specifications for equipment application. BOSS Products reserves the right under its product improvement policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications used herein. BOSS Products may be protected by one or more patents; please see bossplow.com for more details.

To comply with federal regulations and to assure a safe vehicle, do not exceed the front gross axle weight rating (FGAWR), rear gross axle weight rating (RGAWR), gross vehicle weight rating (GVWR) or maximum vehicle payload ratings at any time. Combinations of equipment such as snowplows and spreaders, density of material being spread and the number of vehicle occupants should be taken into consideration. Ensuring these limitations are not exceeded may require weighing the vehicle and adding ballast as necessary. For receiver hitch-mounted products, do not exceed hitch rating at any time. Completed vehicle must not exceed front GAWR or GVWR.