

Greensmaster® 1000 Accessories

Greensmaster 1000

The Greensmaster 1000 has earned a legendary reputation in greens mowing worldwide. It's the mower of choice for many prestigious golf courses for its precision and accuracy.

The Greensmaster 1000 is equipped with more than 25 attachments and accessories to ensure you have the right tools to match any turf conditions.





- 3.7 HP (2.7 kW) engine
- Uniquely weighted, front to rear, for deeper penetration into the turf's surface for a lower, more consistent height of cut, and straight tracking
- Excellent for mowing flat greens



Greensmaster 1000 California CARB Compliant 04034

- Adheres to CARB emissions standards
- Only sold in California

Standard Equipment



Narrow Wiehle Roller 99-6241

- .200"(5.0 mm) groove spacing, aluminum roller
- Low penetration into turf



Tournament Bedknife 93-4263

- Height of cut range 1/8" to 1/2" (3.2 12.7mm)
- Thick blade for longer lasting bedknife

Bedknife & Bedbar Options



Aggressive Bedbar | 112-9279-03

- Designed for firm greens for a more aggressive cut is needed for more aggressive cultivars
- Recommended for use when reel diameter has worn down to allow low heights of cut
- Not recommended for use in soft turf conditions or periods of high stress



Microcut Bedknife 93-4262

- Height of cut range 5/64" 3/16" (2.0mm 4.8mm)
- Optimal for the lowest heights of cut

Low Cut Bedknife | 93-4264

- Height of cut range 3/16"- 1.0" (4.8 25.4mm)
- Thicker blade for longer lasting bedknife

EdgeMax[™] Microcut Bedknife | 115-1880

- Tool steel bedknife for extended wear
- Height of cut range 5/64" 3/16" (2.0mm 4.8mm)

EdgeMax[™] Tournament Bedknife | 115-1881

- Tool steel bedknife for extended wear
- Height of cut range 1/8" to 1/2" (3.2 12.7 mm)

Height of Cut Adjustment Bar 94-9010

• Adjustment bar used to adjust cutting height



©2009 The Toro Company 8111 Lyndale Ave. S. Bloomington, MN 55420-1196 Printed in the U.S.A.

Specifications subject to change. Please contact your Toro distributor for details



8-Blade Reel | 93-6087

Reel Option

 Recommended for use on higher heights of cut, such as tee boxes or aprons surrounding greens

Greensmaster® 1000 Accessories

Roller Options



Wide Wiehle Roller | 88-6790

- .430" (11mm) groove spacing, aluminum roller
- Deeper penetration into turf
- Recommended for cutting tee boxes, aprons surrounding greens, and higher heights of cut



Long Front Wiehle Roller | 93-9045

- 2 1/2" (6.3 cm) diameter, 24" (61 cm) width,
- Improves edge support and prevents edge marking of cutting unit
- Use in soft turf conditions



Full Roller | 104-2642

- Least stressful roller option
- Use in soft conditions or high stress periods to prevent thinning of turf



Swaged Roller 52-3590

- 2 ½" (6.3 cm) diameter, aluminum
- Offers slightly more penetration into turf than the narrow Wiehle roller
- Center does not touch ground for less impact on turf, while maintaining edge support



Cast Iron Wiehle Roller 71-1550

 Heavier roller adds additional weight to cutting unit for increased penetration into turf



Front Roller Extension Kit | 65-8560

- Roller extension wheels that attach to the outside of front roller shaft
- Use on soft turf or heavily undulated greens to prevent edge marking of cutting unit

Grooming Options



Groomer | 04131

- Carbide-tipped groomer blades
- Controls grain growth and lifts grass blades for a crisp, clean cut



Groomer Brush Assembly 105-9640

• Spiral rotating brush used to condition grass before cutting

Note: Groomer brush may increase the amount of clippings deposited into the basket when set to more aggressive settings.



Thatching Kit (dynaBLADE) 04109

- Vertically cuts into turf to reduce thatch and control horizontal grass growth
- Only recommended when machine is set up strictly for dethatching

Scraper Options



Smooth Scraper | 112-9285

 \bullet Scraper bar that clears roller of dirt, grass & debris buildup

Wide Wiehle Roller Scraper | 112-9288

 Scraper bar that clears the wide Wiehle roller of dirt, grass & debris buildup



Scraper Brush | 112-9286

 Conditions surface of turf before cutting, while clearing the roller of dirt, grass & debris buildup

Narrow Wiehle Roller Scraper 112-9289

• Scraper bar that clears the narrow Wiehle roller of dirt, grass & debris buildup



Scraper Comb | 112-9287

 Conditions surface of turf before cutting, while clearing the roller of dirt, grass & debris buildup

Greensmaster® 1000 Accessories

Traction Unit Accessories



Light Kit 04061

• Allows operator to mow in low light conditions



Operator Presence Bail Kit | 112-9282

- Safety feature that kills engine if operator releases handle
- Required for CE Compliance



Traction Slow Down Kit 115-1886

- Sixteen-tooth pulley used to reduce traction speed and increase frequency of clip to achieve higher quality of cut
- Gives smaller operators more control of machine and improves ease of use



Push Broom Brush | 04119

- Conditions grass prior to cut
- Primarily used on Bermuda, Bent, or other warm season grasses to stand and straighten grass blades for a crisp, clean cut

Hour Meter Kit | 105-5350

- Records hours used on engine
- Standard on all F'09 models



Jet Main Kit #62 98-8735

- High-altitude engine application
- Use for heights between 3,000-6,000 ft (914 1829m)

let Main Kit #60 98-8736

- High-altitude engine application
- Use for elevations above 6,000 ft (1829m)



Wheel Kit 04123

• Used to transport mower



Clip Kit | 65-9000

- Alters clip frequency for an improved quality of cut at higher cutting heights
- Use for tee boxes, aprons and higher heights of cut
- Alternative option to purchasing an 8-blade reel to reduce frequency of clip



Spark Arrestor Kit 117-1441

• Prevents sparks from emitting from the engine

Additional Accessories & Older Models Available



Operator Presence Bail Kit | 105-5370

- Safety feature that kills engine if operator releases handle
- Used for 2007 models and older



Light Kit 110-3463

• Light kit for 2007 models and older



Turf Evaluator 04399

 Mirror device used to assess the condition of the turf