




# THE BRAND PROFESSIONALS TRUST

From Manchester United and Real Madrid football clubs to St Andrews Links, professionals count on Toro to deliver exceptional quality and results.









#### **INNOVATION**

Toro products are rich with innovative features made just for homeowners. With over 100 residential patents, innovation is at the heart of Toro's success. Look for our to easily identify innovative, smart features developed by Toro to enhance your mowing experience.



#### **BUILT TO LAST**

Season after season, we've got you covered. Which is why we offer some of the best warranty programmes in the business. Enjoy peace of mind knowing you're covered by a 3-year residential warranty or 300-hour commercial-grade engine warranty across the range of Toro TimeCutter® and Titan® zero turn mowers.\*



 ${}^*\!R$ efer to operator's manual or your local dealer for complete warranty information.

#### **LEGACY OF EXCELLENCE**

Since 1919, The Toro Company has built, tested and led innovative solutions to care for your turf. Today, Toro continues to lead by focusing on creating high performance, environmentally friendly solutions to help our customers around the world preserve the beauty, productivity and sustainability of the land.



Learn more at **Toro.com** 

# MOW LIKE A PRO WITH EASY-TO-USE FEATURES



Feature highlighted in **blue** point to innovative,

■ smart features developed by Toro® to enhance your mowing experience.

#### MORE **PRODUCTIVITY**



# » MYRIDE® SUSPENSION SYSTEM

Controls the motion of the operator platform, providing a smoother ride than a standard suspension seat. With three coil-over-shock assemblies and adjustable rear shocks for an up to 40% smoother ride!

BLUE



#### MORE EASE-OF-USE



#### **EASY OPERATION**

Lever steering is as intuitive as driving a shopping cart. Push or pull as shown to steer where you want to go.









STOP

MORE **VERSATILITY** 




#### > SMART SPEED®

Toro's Smart Speed control system lets you choose from three ground speed ranges, trim, tow, or mow, making it easy to learn how to drive.

BLUE

#### Mow around obstacles in one easy movement!





TRADITIONAL TRACTOR

ZERO-TURN MOWER

# DUAL-ELEMENT AIR FILTER VENTS ALLOW ENGINE FAN TO BLOW DEBRIS OUT OF AIR FILTER HOUSING

#### **TORO® PREMIUM ENGINES**

# THE RIGHT ENGINE FOR YOUR MOWER.

Toro® commercial engines were specifically created to deliver optimal performance in our mowers by matching the torque curve of the engine to the needs of the Toro decks they power. Intelligent design and tight tolerances help the governor respond faster with more power when you need it, so you're ready to handle your toughest outdoor tasks. With heavy-duty components and innovative features, Toro engines are the perfect match for the job you need to do.



## > SELF-CLEANING AIR FILTER HOUSING

This patent-pending system features a dual-element air filter and a sloped floor that keeps debris out of the engine — maximising filter life and engine performance.





## TWO-BARREL CARBURETTOR

The two-barrel carburettor allows a stream of air and fuel mixture to be dedicated to each cylinder separately for maximum power and performance.



#### **» QUICK-DRAIN OIL HOSE**


Just pop the hose out of its holder to drain the oil and pop it back in its holder when finished, no tools required.

BLUE



# AUTOMOTIVE-STYLE TRIPLE PISTON RING DESIGN

Triple ring design reduces engine oil consumption and blowby for maximum power.



CAST-IRON CYLINDER LINERS

Durable construction delivers extended wear for longer engine life.



**5-BOLT HEADS** 

Heavy-duty cylinder heads provide tighter seal for added durability.



#### **EASY-TO-USE FEATURES**



#### > PICK YOUR PACE

Get total control over your mowing speed, while never sacrificing blade tip speed, thanks to Toro's Smart Speed® Technology. Use Trim range for closer trimming at low speeds, Tow range for towing attachments at medium speeds, or Mow range to mow large open areas at high speeds.





#### > NO MORE ROCKY RIDES

Save your body from the toughest terrain and avoid slow mowing speeds with the MyRide suspension system\*. MyRide keeps you perched above the action, and any blows from your lawn are absorbed by the mower, not you. \*available on select models.





#### **ADJUST ON THE GO**

Easily adjust the cutting height without having to stop with an easy to use lever or an optional Foot Lift Assist

#### **CUT MOWING TIME UP TO 50%**\*

With the zero-turn steering system you'll be amazed how quickly you'll move around obstacles without sacrificing the quality of cut. With a variety of cutting widths, the Toro TimeCutter gets you back to enjoying life faster.



ZERO-TURN MOWER

# TRADITIONAL TRACTOR

#### **RIDE IN STYLE**

Tackle tough jobs with style while you mow with a handcrafted seat that provides the ultimate in padding and back support.



Keep Mother Nature off your back while you mow with protective mud guards. Unlike the competition, these are standard on all TimeCutters. Not only do the guards shield your engine from tire spray, they also prevent backsplash on you.



### HASSLE-FREE MAINTENANCE

Spend less time maintaining your mower with tool-less oil change and filter, and belt cover. Simply unlatch the belt cover and easily sweep away debris to prevent deck corrosion and belt wear. Self-cleaning air filter keeps the engine running smoothly and efficiently.





**EASY CLEANING** 

Blast away grass buildup, caked-on mud and other debris under your cutting deck with washout ports you can directly attach to your garden hose.





122 cm & 137 cm Zero-Turn Mowers

Professional Grade Results, Durable, and Comfortable

# BEYOUR OWN LAWN CARE PRO





Take reign over your domain with a machine fit for the toughest job. Featuring the same technology used in our commercial line, the Toro Titan will give you professional-level performance and will keep your garden looking better than ever for years to come.

#### **EASY-TO-USE FEATURES**



#### **PRO DNA**

Our commercial mowers' DNA courses through these lawn mowers' veins from front to back, giving you the same technology and durability professionals depend on to do the job right the first time, every time.



#### NO MORE ROCKY RIDES

Save your body from the toughest terrain and avoid slow mowing speeds with the MyRide suspension system\*. MyRide keeps you perched above the action, and any blows from your lawn are absorbed by the mower, not you. \*available on select models.





#### > PICK YOUR PACE

Get total control over your mowing speed, while never sacrificing blade tip speed, thanks to Toro's Smart Speed® Technology. Use Trim range for closer trimming at low speeds, Tow range for towing attachments at medium speeds, or Mow range to mow large open areas at high speeds.



#### **BUILT FOR THE TOUGHEST CONDITIONS**

Built for tough conditions, the 50 grade 10-gauge high strength cutting deck with bull nose reinforced leading edge is ready for the toughest hits.

#### **SMOOTH MOVES**

Enjoy smooth steering that's less jerky than the competition with shockabsorbing dampers. And you'll glide over the grass with a fully tubular front axle with wide front casters.

#### **HANDCRAFTED COMFORT**

Ride your mower in style with a handcrafted high-back seat with arm rests and Toro's iconic bullhorn logo. You can trust your seat provides the ultimate in padding and back support.



#### **HASSLE-FREE MAINTENANCE**

Spend less time maintaining your mower with tool-less oil change and filter. Simply flip open the air filter to replace it, and the easy removal of the oil drain tube allows for fast drainage and refilling.





GET A GRIP

Keep your grip and

your shoes with a cast

aluminum stomp pad.



The lineup of Toro® mowers won't change how often you mow, but they will change how well you mow. Enhance your mowing experience by adding accessories to your Toro riding mower.



**ANTI-VIBRATION FLOOR MAT** 

Part #132-6921 – TimeCutter® ZS, 81 cm Part #140-2060 – TimeCutter ZS, 107 cm Part #140-2061 – TimeCutter MX, 127 cm




**ARMRESTS** 

Part #140-2058 – TimeCutter ZS, 107 cm



**HOUR METER** 



**LEAF BAG ENHANCEMENT KIT** 

Part #139-7478 – TimeCutter Part #140-5121 – Titan®, 122 cm Part #140-5122 – Titan, 137 cm



SUNSHADE

Part #79011 - TimeCutter, 81 cm Part #140-2054 – TimeCutter, 107 & 127 cm Part #137-7011 - Titan, 122 & 137 cm



**DECK LIFT ASSIST KIT** 

Part #79010 - TimeCutter, 81 cm Part #140-2059 – TimeCutter, 107 & 127 cm



PRODUCT COVER

Part #490-7516 – TimeCutter Part #137-7012 – TItan



ROPS KIT

Part #79485 - TimeCutter Part #139-2638 - Titan



**BUCKET MOUNT KITS** 

Part #140-2066 - Titan Part #133-2533 - Toro 5-Gallon Bucket



STEP KIT / ASSIST HANDLE

Part #140-2052



#### **TWIN BAGGER**

Part #79390 - TimeCutter ZS, 81 cm

Part #79410 - TimeCutter ZS, 107 cm

Part #79411 – TimeCutter ZS, 107 cm, MyRide

Part #79412 - TimeCutter, 127 cm, MyRide

Part #79346 - Titan

**Contact your** local dealer for additional kits and accessories.

# TORO® GENUINE PARTS

Protect the reliability and productivity of your equipment with parts designed specifically for your Toro® products. Made from premium materials and engineered to enhance the safety and performance of your Toro equipment, every part we ship comes with a one-year full warranty.



# TORO® PREMIUM FUEL TREATMENT

To maximize the performance of your Toro product, we highly recommend using Toro oil, which has been specifically formulated for best results.

PART#	DESCRIPTION
131-6572	Toro Engine Maintenance Kit, Single Cylinder (TimeCutter® & Titan®)



#### MAINTENANCE KITS

Perform regular maintenance including replacing the air filter, spark plug and oil each season to ensure optimum performance with Toro maintenance kits. Kits include: 532 ml (18 oz.) bottle of oil, replacement air filter, spark plug and petrol stabilizer.

PART#	DESCRIPTION
139-0650	Maintenance Kit, Single Cylinder (TimeCutter)
139-0649	Maintenance Kit, Twin Cylinder (TimeCutter)
139-0646	Maintenance Kit, Twin Cylinder (Titan)



#### **GENUINE TORO BLADES**

Keeping your mower blade sharp will give you the best quality of cut, and Toro has the right blade for every application and turf condition. Using sharp, genuine Toro mower blades will help produce a crisp, quality cut and contribute to the ongoing vitality of your garden – every time you mow.

PART # DESCRIPTION		CATEGORY		
80-4430-03	81 cm TimeCutter Blade	81 cm TimeCutter		
117-5376-03	107 cm TimeCutter Blade Kit (2 blades)	107 cm TimeCutter		
115-5062-03	102 cm TimeCutter Blade Kit (3 blades)	127 cm TimeCutter		
117-7278-03	122 cm Titan Blade	122 cm Titan		
115-4999-03	137 cm Titan Blade	137 cm Titan		



#### **SEAT COVER**

Put over your current Toro seat to protect from typical wear and tear.

PART#	DESCRIPTION		
117-0096	For models without armrests		
117-0097	For models with armrests		





# OUR DEALERS MAKE THE DIFFERENCE

# REAL PEOPLE. REAL SUPPORT.

Our authorised service dealers are trained to keep your Toro® mower performing at its best. By using Genuine Toro parts, they are able to tune and repair your mower so it lasts for years to come.

#### Here are some basic maintenance tips to consider:

Refer to owner's manual for specific information on your model.

- Check the blade and engine mounting fasteners
  Make sure they are all tight.
- Clean/replace air filter periodically
- Drain and refill engine crankcase with fresh oil Start engine to allow engine oil to warm up. (4-cycle models)
- ✓ Clean built-up grass clippings and dirt
- Clean grass clippings and debris under belt cover and drive belt (self-propelled models)
- **☑** Grease rear height adjuster brackets (self-propelled models)

For more tips, go to www.youtube.com/ToroEurope



Protect the reliability and productivity of your equipment with parts designed specifically for your Toro® products. Made from premium materials and engineered to enhance the safety and performance of your Toro equipment, every part we ship comes with a one-year full warranty.

# THE RECYCLER®

ADVANTAGE

#### **✓ TIME SAVING**

Spend less time emptying grassbags.

#### **✓** BENEFICIAL TO YOUR TURF

Nutrient-rich clippings are returned to the soil where they quickly feed the roots for a healthy, lush garden.

#### ENVIRONMENTALLY FRIENDLY

No need for disposal, which eliminates transportation costs and landfill use.

\* Consumer use only - Professional use warranties may differ, please refer to www.toro.com or Operator's Manual for full details.



LAWN SIZE	Up to 5000 m²	Up to 7000 m <sup>2</sup>			10,000 m <sup>2</sup> +
	Time-Saving, Extra Comfortable and Convenient				
MODEL	TIMECUTTER® ZS 3200S 74650 / 74682	TIMECUTTER ZS 4200S 74685	TIMECUTTER ZS 4200T 74687	TIMECUTTER MX 4275T 74690	TIMECUTTER MX 5075T 74694
EASY TO USE FEATURES	Recycler, Hitch Kit, Washout Port	>> Smart Speed®, Easy Ingress, Onboard Storage	Smart Speed, Easy Ingress, Onboard Storage	>> Smart Speed, Easy Ingress, MyRIDE®	Smart Speed, Easy Ingress, MyRIDE
CUTTING WIDTH	81 cm	<b>→</b> 107 cm	107 cm	107 cm	<b>→</b> 127 cm
DECK CONSTRUCTION	Stamped Deck	Stamped Deck	Stamped Deck	>> Fabricated Deck	Fabricated Deck
ENGINE	Toro® 452cc Single	Toro 452cc Single	>> Toro 708cc V Twin	Toro 708cc V Twin	Toro 708cc V Twin
TRANSMISSIONS	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic
HEIGHT OF CUT	38-114 mm	38-114 mm	38-114 mm	38-114 mm	38-114 mm
GRASSBAG CAPACITY	Optional, 227 L	Optional, 227 L	Optional, 227 L	Optional, 227 L	Optional, 227 L
WEIGHT	248 kg	232 kg	247 kg	267 kg	288 kg
FUEL TANK CAPACITY	11.3 L	11.3 L	11.3 L	11.3 L	11.3 L
TIRE DIMENSIONS FRONT REAR	28 cm x 10 cm Ribbed 46 cm x 15 cm - 20 cm	28 m x 10 cm Smooth 46 cm x 19 cm - 20 cm	28 cm x 10 cm Smooth 46 cm x 19 cm - 20 cm	28 cm x 10 cm Smooth 46 cm x 19 cm -20 cm	28 cm x 15 cm Smooth 46 cm x 24 cm -20 cm
WARRANTY HOME OWNER*	3 Year, Limited	3 Year, Limited	3 Year, Limited	3 Year, Limited	3 Year, Limited
WARRANTY COMMERCIAL*	30 days	30 days	30 days	30 days	30 days

ARMRESTS	-	-	-	Standard	Standard
ANTI-SCALP ROLLERS	-	Standard	Standard	Standard	Standard
НІТСН КІТ	Standard	Standard	Standard	Standard	Standard
RECYCLER	Standard	Standard	Standard	Standard	Standard
WASH-OUT PORT	Standard	Standard	Standard	Standard	Standard
DUAL HEADLIGHTS	-	-	-	-	-
SEAT - BACK HEIGHT	38 cm	41 cm	41 cm	<b>&gt;&gt;</b> 46 cm	46 cm
SEAT - ADJUSTABLE SLIDE	-	-	-	-	-
HOUR METER	Optional	Optional	Optional	Optional	Optional
ANTI-VIBRATION MAT	Optional	Optional	Optional	Optional	Optional
KIT-TWIN BAGGER	Optional Powered Bagger Kit				
DECK LIFT	Hand-lift Standard, Foot-lift Optional	Hand-lift Standard, Foot-lift Optional	Hand-lift Standard, Foot-lift Optional	Hand-life Standard, Foot-lift Optional	Hand-lift Standard, Foot-lift Standard

	10,000 m <sup>2</sup> +	10,000 m <sup>2</sup> +					
	Professional Grade	Professional Grade Results, Durable, and Comfortable					
MODEL	TITAN® X4850 74874	TITAN XS4850 74887	TITAN X5450 74877	TITAN XS5450 74889			
EASY TO USE FEATURES	Smart Speed	>> Smart Speed, MyRIDE	Smart Speed	>> Smart Speed, MyRIDE			
CUTTING WIDTH	122 cm	122 cm	<b>→</b> 137 cm	137 cm			
DECK CONSTRUCTION	Fabricated Deck	Fabricated Deck	Fabricated Deck	Fabricated Deck			
ENGINE	Toro® 708cc V Twin	Toro 708cc V Twin	Toro 708cc V Twin	Toro 708cc V Twin			
TRANSMISSIONS	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic			
HEIGHT OF CUT	38-114 mm	38-114 mm	38-114 mm	38-114 mm			
GRASSBAG CAPACITY	Optional, 227 L	Optional, 227 L	Optional, 227 L	Optional, 227 L			
WEIGHT	344 kg	360 kg	351 kg	373 kg			
FUEL TANK CAPACITY	18.9 L	18.9 L	18.9 L	18.9 L			
TIRE DIMENSIONS FRONT REAR	33 cm x 16.5 cm Smooth 56 cm x 28 cm	33 cm x 16.5 cm Smooth 56 cm x 28 cm	33 cm x 16.5 cm Smooth 56 cm x 28 cm	33 cm x 16.5 cm Smooth 56 cm x 28 cm			
WARRANTY HOME OWNER*	3 Year, Limited or 300 hrs	3 Year, Limited or 300 hrs	3 Year, Limited or 300 hrs	3 Year, Limited or 300 hrs			
WARRANTY COMMERCIAL*	3 Year, Limited or 300 hrs	3 Year, Limited or 300 hrs	3 Year, Limited or 300 hrs	3 Year, Limited or 300 hrs			
APMRESTS	Standard	Standard	Standard	Standard			

ARMRESTS	Standard	Standard	Standard	Standard
ANTI-SCALP ROLLERS	Standard, 3	Standard, 3	Standard, 3	Standard, 3
нітсн кіт	Standard	Standard	Standard	Standard
RECYCLER	Standard	Standard	Standard	Standard
WASH-OUT PORT	Standard, 2	Standard, 2	Standard, 2	Standard, 2
HEADLIGHTS	Optional LED Kit	Optional LED Kit	Optional LED Kit	Optional LED Kit
SEAT - BACK HEIGHT	46 cm	46 cm	46 cm	46 cm
SEAT - ADJUSTABLE SLIDE	Lever Slide - 6 Positions, 10 cm travel			
HOUR METER	Standard	Standard	Standard	Standard
ANTI-VIBRATION MAT	Standard	Standard	Standard	Standard
KIT-TWIN BAGGER	Optional Powered Bagger Kit			
DECK LIFT	Foot-lift Standard	Foot-lift Standard	Foot-lift Standard	Foot-lift Standard

 $<sup>\</sup>hbox{-Not Available } \hbox{$I$ $\Rightarrow$ Step-up Feature} \\ \hbox{$^*$ For full warranty terms and conditions, please refer to the operator's manual on www.toro.com}$ 







Every product that carries the Toro® brand is backed by over 100 years of history, innovation and timeless dependability. We never stop investing in research and development to give our customers the latest features. That's why Toro is one of the best-known, most trusted brands in the business. We also stand behind our products with a global network of knowledgeable dealers for parts and service support.

#### The Brand Professionals Trust.



#### Count on it.









facebook.com/TheToroCompany twitter.com/TheToroCompany youtube.com/ToroCompanyEurope

toro.com Worldwide Headquarters The Toro Company 8111 Lyndale Ave. So. Bloomington, MN 55420 U.S.A. Phone: (1) 952 888 8801 Fax: (1) 952 887 8258

©2020 The Toro Company. All Rights Reserved.

#### 20-502-MASTER

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your distributor for details on all our warranties.