

**TORO**

# LAWN & GARDEN RANGE

Hand Held / Walk Mowers / Zero-Turn



## RESIDENTIAL EQUIPMENT

NEW!



NEW!





**TORO**

# THE BRAND PROFESSIONALS TRUST

From Manchester United and Real Madrid football clubs to St Andrews Links, professionals count on Toro to deliver exceptional quality and results.

Learn more at Toro's History,  
at [Youtube.com/TOROEUROPE](https://www.youtube.com/TOROEUROPE)





## INNOVATION

With well over 1500 patents related to turf maintenance, innovation is at the heart of Toro's success. Continued investment in R&D and new technologies make Toro the preferred choice for all.



## CUSTOMER CARE

Our global network of dealers and distributors is here to provide the best support to keep your equipment in peak condition.

Visit [toro.com](https://www.toro.com) to locate your nearest Toro dealer.



## LEGACY OF EXCELLENCE

Since 1919, The Toro Company has built, tested and led innovative solutions to care for your turf. Today, Toro continues to lead by focusing on creating high performance, environmentally friendly solutions to help our customers around the world preserve the beauty, productivity and sustainability of the land.



Learn more at  
[Toro.com](https://www.toro.com)

# MOW LIKE A PRO

# EASY-TO-USE FEATURES



Blue MEANS MORE FOR YOU WITH Smart FEATURES FROM TORO®

Feature highlighted in **blue** point to innovative, smart features developed by Toro® to enhance your mowing experience.

## MORE EASE-OF-USE



### » AUTOMATIC DRIVE SYSTEM

AutoMatic Drive System senses and smoothly adjusts to your preferred walking pace. Slight pressure on the handle propels the mower to the exact speed you want to go.

Available on select models.



NEW!

### » POWERREVERSE™

AutoMatic Drive System handle delivers power to front wheels to provide a reverse assist for easy maneuvering.

Available on select models.



## MORE PRODUCTIVITY




### 76CM MOWING DECK

The wide 76cm mowing deck lets you handle large areas of grass quickly and easily, reducing mowing time by up to 40%<sup>^</sup>.

Available on select models.

<sup>^</sup> Time savings via wider cutting path and enhanced speed of TimeMaster vs. 21" Toro® mower, and will vary with mowing conditions.



NEW!

### » ISO-FLEX™ HANDLE

Vibration isolation and gliding height range for the ultimate operator comfort and control.

Available on select models.



## MORE VERSATILITY



### » SMARTSTOW®

Save up to 70%<sup>^</sup> floor space by storing the mower upright, with no fuel or oil leaks.

Available on select models.



<sup>^</sup> compared to other Toro® 55 cm walk mowers



### » RECYCLE® ON DEMAND

Quickly switch from recycling to bagging in seconds by flipping the quick-change lever.

Available on select models.



Not all features shown are available on all products. See specific product pages for more details.

\*For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

# 0 WITH FEATURES

**NEW!**

## POWERVERSE™

AutoMatic Drive System senses and delivers power to front wheels to provide a reverse assist for easy maneuvering.



## BLADE BRAKE CLUTCH

The clutch stops the cutterblade but enables the engine to continue running. This minimises re-starts, and saves you time while emptying the grassbag, it is also useful when travelling over non-grassed areas.

## TRACTION ASSIST HANDLE

Maintains constant speed on challenging areas with uneven terrain.

## SMARTSTOW®

Stores vertically, reducing the storage footprint needed by up to 70%\*.

\*Space savings are in relation to the space consume by a Toro 55cm Walk-Power Mower that is stored with the handle in the standard operating position.



## ELECTRIC START (ES)

Electric key start offers effortless engine starting on the turn of a key.

## RECYCLE-ON-DEMAND

Quickly switch from recycling to bagging in seconds by flipping the quick-change lever.



## AUTOMATIC DRIVE SYSTEM

Senses and smoothly adjusts to your walking speed, even on slopes.

## HEIGHT ADJUSTABLE HANDLEBAR

Handlebar can be easily adjusted to different heights to suit the operator.

## QUICK STORAGE HANDLEBAR

Release the lever to stow the handlebar in the upright lock position. The grass bag can be stored on the handlebar, saving space and allowing the grass bag to dry effectively.



**NEW!**

## ISO-FLEX™ HANDLE

Vibration isolation and gliding height range for the ultimate operator comfort and control.



## EASY FOLDING HANDLEBARS

Handlebars fold for easy transport and compact storage.



## WASHOUT PORT

Connect a hose to the washout port to easily clean grass cuttings from under the deck. This prevents grass build up, and maintains better performance.

*Shown on the PoweReverse™ 55cm Recycler®, see pages 24-25*

**Not all features shown are available on all products. See specific product pages for more details.**

NEW!

# POWERFUL IN BOTH DIRECTIONS

The NEW PoweReverse™ 55cm Recycler® makes mowing easier with power assist in both directions!

For more information see pages 24–25.



## AVAILABLE WITH SMARTSTOW®

Model 20965 only



# FAST. COMFORTABLE. HEAVY DUTY.

The TimeCutter® HD features the new MyRIDE® Suspension System with three coil-over-shock assemblies and adjustable rear shocks for an up to 40% smoother ride\*!

For more information see pages 36–37.

\*As compared to Toro TimeCutter HD without MyRIDE suspension. Based on testing per ISO 2631 on uneven, hard surfaces at typical mowing speeds. Results will vary based on terrain, speed, operator, and suspension settings.



**POWERFUL. DURABLE.**

# POWER PLEX™ 40V MAX\* LITHIUM ION

**NEW!**

Interchangeable batteries work with every product in the line, so you can go from one job to another with no cords, no petrol and no oil to worry about.

Actual products may vary.  
\*Battery manufacturer rating = 40V maximum & 36V typical usage. Actual voltage varies with load.  
\*\*Based on lowest speed in controlled laboratory testing of product.

Turn the page for more information

UP TO  
**40**  
CUTS  
PER CHARGE\*\*



 **BRUSHLESS DC CHAINSAW**

UP TO  
**60**  
MINUTE  
RUN TIME\*\*



 **BRUSHLESS DC BLOWER**

<b>T90</b>	<b>LITHIUM +ION</b>		
	BATTERY		
<b>40V</b> MAX*	<b>2.5</b> AMP HOURS	<b>90</b> WATT HOURS	<b>60</b> MINUTE CHARGE

UP TO  
**60**  
MINUTE  
RUN TIME\*\*



 **HEDGE TRIMMER**

UP TO  
**45**  
MINUTE  
RUN TIME\*\*



 **STRING TRIMMER/EDGER**



40V MAX\* LITHIUM ION PRODUCTS

# INTRODUCING POWER ⚡ PLEX™

## 40V MAX\* LITHIUM ION PRODUCTS

Designed for homeowners with more work to do than time to get it done; homeowners who appreciate the century of innovation and durability established by time-tested Toro® products.

Toro's new family of cordless 40V MAX\* PowerPlex™ Lithium Ion garden tools give you more power and save you more time with an interchangeable **T90** battery that **CHARGES IN JUST 60 MINUTES.**

Three of the five products in the PowerPlex line carry a **BRUSHLESS MOTOR**, providing a more powerful, more efficient, and longer life than their brushed motor counter-parts.

Featuring a **3 YEAR FULL WARRANTY**, Toro's PowerPlex products are backed by one of the best garden tool warranties in the industry, keeping you running season after season.

Actual products may vary.

\*Battery manufacturer rating = 40V maximum & 36V typical usage. Actual voltage varies with load.

^Based on lowest speed in controlled laboratory testing of product.

### QUICK CHARGER

MODEL 88527

- Fits Toro **POWER ⚡ PLEX™** tools
- Table top or wall mount option
- Charges T90 in 60 minutes, T180 in 120 Minutes



### T90 BATTERY

MODEL 88525

- Fits Toro **POWER ⚡ PLEX™** tools
- 40-Volt max, 2.5 Amp-Hour, 90 Watt-Hour
- Comes standard with **POWER ⚡ PLEX™** tools
- On-board power meter



### T180 BATTERY

MODEL 88526

- Fits Toro **POWER ⚡ PLEX™** tools
- 40-Volt max, 5.0 Amp-Hour, 180 Watt-Hour
- LED Flashlight lasts up to 60 min
- USB charging port for charging small devices
- Folding handle makes carrying easier
- On-board power meter







**NEW!**

## BATTERY ENERGY COMPARED TO A PETROL TANK\*\*

VOLTS	×	AMP-HOURS	=	WATT-HOURS
				SIZE OF PETROL TANK Total Energy

**BATTERY ENERGY CAN CHANGE BASED ON VOLTAGE OR AMP-HOUR CELL STRUCTURE**

18V (20V Max)	2.0 AH	36 WH	
36V (40V Max)	2.5 AH	90 WH	≡ T90
36V (40V Max)	5.0 AH	180 WH	≡ T180
18V (20V Max)	10.0 AH	180 WH	

**Designed for the future, PowerPlex battery housing will hold more fuel in the same tank.**

When selecting a battery product, compare both competitive cost and watt-hours.

**A HIGHER WATT-HOUR WILL INCREASE RUNTIME ON THE SAME TOOL**

UP TO **60** MINUTE RUN TIME<sup>▲</sup>


60 min. charge time (Hedge Trimmer)

120 min. charge time (Hedge Trimmer)

UP TO **120** MINUTE RUN TIME<sup>▲</sup>



### RELATION OF SPEED TO RUNTIME



Low Speed High Runtime  
Graph illustrates 40V Blower and String Trimmers with variable speed

Actual products may vary.

\*Battery manufacturer rating = 40V maximum & 36V typical usage. Actual voltage varies with load.

\*\*Analogy for general battery information. Not for technical specifications.

▲Based on lowest speed in controlled laboratory testing of product.

## BRUSHLESS DC BLOWER

MODEL 51134

### TURBO BOOST POWER WITH SPEED LOCK

Up to 815 m<sup>3</sup>/h to move more faster†

**BRUSHLESS MOTOR** More power, more runtime and longer life than brushed motor

### ACCESSORY ATTACHMENT COLLAR & SPEED NOZZLE

Increases air speed and fits Toro Gutter Cleaning Kit

**VARIABLE SPEED** Lower Speed = Longer Run Time  
Higher Speed = More Power

**OPTIONAL ACCESSORIES:** Gutter Cleaning Kit (51667)

UP TO  
**60**  
MINUTE  
RUN TIME<sup>▲</sup>



## 35 CM BRUSHLESS DC CHAINSAW

MODEL 51138

**BRUSHLESS MOTOR** More power, more runtime and longer life than brushed motor

**NO PULL EASY START** Simply push the button

**REDUCED KICKBACK** Chain, bar tip indicator, chain brake, and metal bucking teeth

**AUTOMATIC CHAIN OIL** With oil level indicator to know when to refill

**TOOL-FREE CHAIN TENSIONING** Adjust by turning knobs with fingers

UP TO  
**40**  
CUTS  
PER CHARGE<sup>▲</sup>  
15 cm x 15 cm



## 61 CM HEDGE TRIMMER

MODEL 51136

### 61 CM HARDENED STEEL BLADES

Sturdy, thick and robust

**90° ROTATING HANDLE** Quick, easy vertical trimming

**DUAL-ACTION CUTTING SYSTEM** Reduces vibration

UP TO  
**60**  
MINUTE  
RUN TIME<sup>▲</sup>



## 33 CM STRING TRIMMER/EDGER

### MODEL 51130

**ADJUSTABLE LENGTH SHAFT** Custom fit to operator height

**2 MM THICK SINGLE LINE WITH AUTO FEED** Thicker, longer lasting line

**TRIMMER TO EDGER** One button push and twist between modes

**VARIABLE SPEED** Lower Speed = Longer Run Time  
Higher Speed = More Power

UP TO  
**45**  
MINUTE  
RUN TIME<sup>^</sup>



## 36 CM BRUSHLESS STRING TRIMMER

### MODEL 51132

**BRUSHLESS MOTOR** More power, more runtime and longer life than brushed motor

**2 MM DUAL LINE WITH BUMP FEED** Durable, productive line control

**CAST-ALUMINUM HEAD** For long-lasting durability

**VARIABLE SPEED** Lower Speed = Longer Run Time  
Higher Speed = More Power

**STRAIGHT, FOLDABLE SHAFT** For easy storage and transport

UP TO  
**40**  
MINUTE  
RUN TIME<sup>^</sup>



	BRUSHLESS BLOWER	35 CM BRUSHLESS CHAINSAW	61 CM HEDGE TRIMMER	33 CM STRING TRIMMER/EDGER	36 CM BRUSHLESS STRING TRIMMER
<b>MODEL</b>	51134	51138	51136	51130	51132
<b>T90 BATTERY* 88540</b>					
Volts - Ah			40V - 2.5		
Run time <sup>^</sup>	10-60 min	35-45 cuts/battery	90 min	45 min	40 min
Recharge			60 min		
<b>MOTOR</b>	Brushless DC	Brushless DC	Brushed DC	Brushed DC	Brushless DC
<b>SPEED (UP TO)</b>	241 km/h 815 m <sup>3</sup> /h	11 m/s	3,200 SPM	N/A	N/A
<b>CUTTING LENGTH</b>	N/A	35 cm Bar	61 cm	33 cm	36 cm

\*Battery manufacturer rating = 40V maximum & 36V typical usage. Actual voltage varies with load.

<sup>^</sup>Based on lowest speed in controlled laboratory testing of product.

<sup>†</sup>Performance claims based on controlled laboratory testing.

## ELECTRIC BLOWER/VACS



### LARGER METAL IMPELLER

This serrated metal impeller on the Ultra reduces 88% of mulched debris to less than 1¼ cm and the UltraPlus will reduce 97% of debris to less than 1¼ cm, significantly reducing leaf volume and producing fine compost ready mulch.



### VARIABLE SPEED CONTROL

Match the air-speed to the task in both blower and vac mode for optimum performance.



### SHREDZ-ALL™ SHRED RING

For increased bagging efficiency on the Ultra Plus model only, the Shredz-All shred ring pulverizes vacuumed material into a fine mulch, reducing the number of bags required.

# GET THE JOB DONE FASTER

When fallen leaves spread across the lawn, these lightweight electric blower/vacs make light work of clearing them from your garden. The new Ultra and UltraPlus models are 3 machines in 1; a powerful blower, high speed vacuum and leaf shredder. With a powerful jet of air they effortlessly propel garden leaves into a pile, where they can be collected or shredded ready for the compost heap. Detachable power cord included.



MODEL	51563	51681
	Ultra	UltraPlus
SPEED CONTROL	Variable	Variable
MAXIMUM AIR SPEED	up to 250 mph	up to 250 mph
LOW AIR SPEED	100 mph	100 mph
SHREDZ-ALL™ SHRED RING	–	» Standard
OSCILLATING NOZZLE	–	» Standard

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)  
**Not all features shown are available on all products. See specifications pages for more details.**

» = Step-up Feature

**SUPPLIED WITH MULTIPLE TUBES FOR SPECIALISED USES**



**MAIN TUBE**  
Moves debris away from house, shrubs, etc.



**POWER INSERT**  
Moves debris into rows and creates piles



**CONCENTRATOR**  
Moves debris out of cracks, edging and shifts stubborn leaves

**OSCILLATING NOZZLE**  
Reduces time and fatigue when clearing hard surfaces, and clears a wider path.



**IMPROVED CORD MANAGEMENT**  
Built-in cord lock and cord storage hook included.



## ELECTRIC MOWERS

36 cm • 41 cm



### ALUMINIUM SKELETON CHASSIS

Built with tough, high impact polymer construction is both lightweight and durable.  
*(21141 only)*

### CORD MANAGEMENT

Locks cord into place to prevent it from disconnecting during use.



**1-POINT HEIGHT OF CUT**

Makes changing the height of cut quick and effortless with a spring assisted lever.



**PUSH START**

Quickly starts the mower, while the comfortable full width handlebar provides maximum control.



**HIGH IMPACT ABS DECK**

Durable, lightweight and can be used in Recycler®, rear discharge or rear collection modes.

# LIGHT, QUIET, POWERFUL AND EASY TO USE

The perfect solution for small gardens – Toro® Electric Mowers, available in 36 cm and 41 cm models, are lighter than petrol models and have great manoeuvrability. The units are equipped with long life induction motors, which provide a quiet, smooth performance. And the 41 cm unit has an aluminum skeleton chassis that is as tough as it is lightweight.



MODEL	21136	21141
CUTTING WIDTH	36 cm	» 41 cm
LAWN AREA	Small	Small
MOTOR	1400 Watt	» 1500 Watt

» = Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)  
 Not all features shown are available on all products. See specifications pages for more details.

## RECYCLER®

41 cm • 46 cm • 48 cm Mowers



### RECYCLER® TECHNOLOGY

Front throw chamber and Atomic blade lift are designed to suspend and re-cut clippings into a fine mulch which promotes a healthy, lush lawn.



### 3-IN-1 VERSATILITY

You can use the mower:

- 1) As a Recycler®
- 2) To collect grass
- 3) In Side or Rear discharge mode  
(Varies by model - see specification tables on page 42)



### HEIGHT ADJUSTABLE HANDLEBAR\*

Handlebar can be easily adjusted to different heights to suit the operator.

# GREAT GARDENS START HERE

Toro® Recycler® mowers are a cut above your ordinary mulching mowers. The patented Recycler cutting system processes clippings up to 15 times before they are forced back into the turf where they decompose quickly and provide nutrients and moisture to the soil. Rear collection comes as standard too, for when conditions are not ideal for recycling (for example, at the start or end of the season, when the grass may be longer).



MODEL	21131	21132	20942	20943	20950	20952
KEY FEATURES	-	Rear Wheel Drive	» Washout Port	» Washout Port, High Wheel	» AutoMatic Drive System, Recycle on Demand, Height Adjustable Handlebar	» AutoMatic Drive System, Recycle on Demand, Height Adjustable Handlebar, Electric Start
Cutting Width	41 cm	41 cm	46 cm	46 cm	>48 cm	48 cm
Lawn Area	Small	Small	>Medium	Medium	Medium	Medium
Engine	Briggs & Stratton® Series 575 Quantum 140cc	Briggs & Stratton Series 575 Quantum 140cc	Toro OHV 159cc	Briggs & Stratton 140cc	Toro OHV 159cc	Toro OHV 159cc with Alternator

» = Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)  
Not all features shown are available on all products. See specifications pages for more details.





**AUTOMATIC DRIVE SYSTEM**  
Matches your step and pace. When you speed up, the mower speeds up. When you slow down, the mower does too.

**ROBUST WHEELS**  
Large diameter wheels with rubber tyres and ball race bearings.



**RECYCLE-ON-DEMAND**  
Just a simple move of a lever changes the mower from grass collection to recycling mode.

**RECYCLER®**  
53 cm • 55 cm Mowers



**AUTOMATIC DRIVE SYSTEM**  
Senses and smoothly adjusts to your preferred walking pace.

**WASHOUT PORT**  
Makes cleaning easy. Just attach a hose to clean underneath the deck.



### AUTOMATIC DRIVE SYSTEM

Senses and smoothly adjusts to your walking speed, even on slopes.



### RECYCLE-ON-DEMAND

Recycle-on-Demand gives you the ability to switch between Recycle and Collect modes with an easy to use lever.



### BLADE BRAKE CLUTCH

The BBC stops the cutterblade but enables the engine to continue running, while emptying the bag or travelling over non-grassed areas. (20958 only)

# YOUR GARDEN YOUR WAY

Choose between front, rear and all-wheel drive options. With available step-up features that include SmartStow®, AutoMatic Drive System, electric start, Blade Brake Clutch and All-Wheel Drive. Toro has thought of everything.



model 20956 shown




MODEL	29732	29734	20954	20955	20956	20958
KEY FEATURES	Rear Wheel Drive	Electric Start, Rear Wheel Drive	» Washout Port	» AutoMatic Drive System, Recycle on Demand, Height Adjustable Handlebar, Washout Port	AutoMatic Drive System, Recycle on Demand, Washout Port, Electric Start	» AutoMatic Drive System, Recycle on Demand, Blade Brake Clutch
CUTTING WIDTH	53 cm	53 cm	» 55 cm	55 cm	55 cm	55 cm
LAWN AREA	Medium	Medium	Large	Large	Large	Large
ENGINE	Briggs & Stratton® Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 190cc	Briggs & Stratton Series 675 190cc


» = Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)  
**Not all features shown are available on all products. See specifications pages for more details.**

**SMARTSTOW®**  
55 cm RECYCLER® MOWER




**RECYCLER® CUTTING SYSTEM**  
Front throw chamber and Atomic® blade are designed to lift, suspend and re-cut clippings into a fine mulch which promotes a healthy, lush lawn.



**SMARTSTOW**  
Mower stores vertically, reducing the storage footprint needed by up to 70%\*.

\*Space savings are in relation to the space consumed by a Toro 55cm Walk-Power Mower that is stored with the handle in the standard operating position.  
Not all features shown are available on all products. See specifications pages for more details.



**EASY TO STORE, EASY TO MAINTAIN**

SmartStow® technology folds, locks and stores your mower vertically in three simple steps.

**AUTOMATIC DRIVE SYSTEM**

Senses and smoothly adjusts to your walking speed, even on slopes.



# THE PERFECT FIT

Our Recycler® with SmartStow® is a first-of-its-kind, space-saving petrol mower, coupled with the proven durability, reliability and superior quality of cut of Toro's Recycler cutting system. Breakthrough Mow 'n' Stow™ engine technology from Briggs & Stratton® allows the mower to be stored vertically after every use without petrol or oil leaks. This reduces the storage footprint needed for your mower by up to 70%+, and offers easier access to clean under the deck and check the blade.

— TAKES UP TO —  
**70%+**  
**LESS SPACE**  
**IN YOUR GARAGE**



MODEL	20959	20961
KEY FEATURES	SmartStow®, Washout Port	» AutoMatic Drive System, SmartStow, Recycle on Demand, Washout Port
CUTTING WIDTH	55 cm	55 cm
LAWN AREA	Large	Large
ENGINE	Briggs & Stratton® Series 675 Quantum 190cc	Briggs & Stratton Series 675 EXI 163cc

» = Step-up Feature

\*Space savings are in relation to the space occupied by a Toro 55cm walk-power Mower that is stored with the handle in the standard operating position.

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

Not all features shown are available on all products. See specifications pages for more details.

**ALL-WHEEL DRIVE (AWD)**  
55 cm MOWER



**AUTOMATIC DRIVE SYSTEM WITH TRACTION ASSIST**

The traction assist handle helps keep you mowing at a steady speed and senses and smoothly adjusts to your preferred walking pace.



**RECYCLE ON DEMAND**

Quickly switch from Recycling to collecting with just the flip of a lever.



**ALL-WHEEL DRIVE SYSTEM**

Makes mowing hilly, tough terrain easy. Front and rear wheels engage independently, distributing the right amount of traction where needed.

# TACKLE TOUGH HILLS AND SLOPES

Toro's new All-Wheel Drive Recycler® mower takes the muscle out of mowing hills, soft wet conditions and other tough mowing challenges. Extra traction makes it easy to manoeuvre with less effort, while the AutoMatic Drive system and traction assist handle keep you mowing at a comfortable pace on inclines up to 15 degrees.



<b>MODEL</b>	<b>20960</b>
<b>KEY FEATURES</b>	<b>AutoMatic Drive System, Washout Port, Recycle on Demand</b>
<b>CUTTING WIDTH</b>	55 cm
<b>LAWN AREA</b>	Medium/Large
<b>ENGINE</b>	Briggs & Stratton® Series 675 EX1 163cc (from Spring 2016)

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)  
Not all features shown are available on all products. See specifications pages for more details.



**DUAL VARIABLE TRANSMISSIONS**  
Deliver true independent variable engagement, resulting in smooth forward and reverse manoeuvring.

**RUGGED WHEEL DESIGN**  
Provides added traction in tough mowing conditions.

**NEW!**



**POWERREVERSE® AUTOMATIC DRIVE SYSTEM**  
Powers the front and rear wheels for easy forward and backward mowing.



**SMARTSTOW®**  
Stores vertically, reducing the storage footprint needed by up to 70%.  
(20965 only)  
(compared to other Toro® 55cm walk mowers)



**ISO-FLEX™ HANDLE**  
Isolates vibration with a gliding height range for comfort and control.  
(20965 only)

**Make mowing easier with power assist in both directions.**



\*Space savings are in relation to the space consume by a Toro 55cm Walk-Power Mower that is stored with the handle in the standard operating position.  
Not all features shown are available on all products. See specifications pages for more details.






### PowerReverse™

AutoMatic Drive System senses and delivers power to front wheels to provide a reverse assist for easy maneuvering.



### Iso-Flex™ HANDLE

Isolates vibration with a gliding height range for comfort and control. (20965 only)



### RECYCLE ON DEMAND

Quickly switch from Recycling to collecting with just the flip of a lever.

# POWERFUL IN BOTH DIRECTIONS

Every garden has that tough spot. One that gives you a hard time every time you mow. The playground set, fence corners, or rolling hills. Are you tired of putting your body through its paces? Take charge with Toro's NEW, easiest way to mow.

— TAKES UP TO —  
**70%+**  
**LESS SPACE**  
**IN YOUR GARAGE**

(20965 only)



model 20965 shown



MODEL	20964	20965
KEY FEATURES	AutoMatic Drive System with PowerReverse, Height Adjustable Handlebar, Washout Port, Recycle on Demand	» AutoMatic Drive System with PowerReverse, SmartStow®, Iso-Flex™ Handle, Height Adjustable Handlebar, Washout Port, Recycle on Demand
CUTTING WIDTH	55 cm	55 cm
LAWN AREA	Large	Large
ENGINE	Briggs & Stratton® Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc

» = Step-up Feature

\*Space savings are in relation to the space occupied by a Toro 55cm walk-power Mower that is stored with the handle in the standard operating position.

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

Not all features shown are available on all products. See specifications pages for more details.

**TIMEMASTER™**  
76 cm MOWERS

**TRACTION ASSIST**  
Maintains constant speed on  
challenging areas with uneven terrain.



**BLADE BRAKE CLUTCH**  
Stops the cutterblade but keeps the  
engine running while traveling over  
non-grassed areas or emptying the bag.

**2-POINT HEIGHT OF CUT**  
Adjusts cutting height with just  
two levers.



**DUAL-FORCE™ CUTTING SYSTEM**

Unique twin blade system chops clippings repeatedly into tiny bits and forces them back into the turf where they decompose quickly and provide nutrients and moisture to the soil.



**AUTOMATIC DRIVE SYSTEM WITH TRACTION ASSIST**

The traction assist handle helps keep you mowing at a steady speed and senses and smoothly adjusts to your preferred walking pace.




**QUICK STORAGE HANDLEBAR**

Handle stores vertically for easy compact storage and adjusts to ensure a comfortable mowing experience for any operator.

# MOW UP TO 40% FASTER+

For homeowners with large gardens or grassed areas to mow, the Toro® TimeMaster™ covers more ground in far less time. The sleek, lightweight body is surprisingly easy to manoeuvre, making it simple to circle trees or shrubs. The Dual-Force™ twin blade cutting system combined with Toro Atomic blades makes light work of grass cutting on a large scale and whether you collect or recycle the clippings, you're sure of a superior quality of cut.



**SAVE UP TO 40% OF YOUR MOWING TIME**

+ Time savings via wider cutting path and enhanced speed of TimeMaster vs. 21" Toro® mower, and will vary with mowing conditions.



MODEL	20976	20978
KEY FEATURES	AutoMatic Drive System, Blade Brake Clutch, Height Adjustable Handlebar, Quick Storage Handlebar, Washout Port	» AutoMatic Drive System, Blade Brake Clutch, Electric Start, Height Adjustable Handlebar, Quick Storage Handlebar, Washout Port
CUTTING WIDTH	76 cm	76 cm
LAWN AREA	Extra Large	Extra Large
ENGINE	Briggs & Stratton® Series 1000 Quantum 223cc	Briggs & Stratton Series 1000 Quantum 223cc

» = Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)  
 Not all features shown are available on all products. See specifications pages for more details.

**SUPER RECYCLER®**  
48 cm • 53 cm MOWERS



**RECYCLE-ON-DEMAND**

Just a simple move of a lever changes the mower from grass collection to recycling mode.



**SINGLE-POINT HEIGHT OF CUT**

Select the desired height of cut in one easy move.




**QUICK STORAGE HANDLEBAR**

When you are finished mowing, flip the blue levers to raise the handles for compact storage.

# BUILT TO LAST

Super Recycler® mowers are Toro's best residential recycling mowers. The durable cast aluminium cutting deck, combined with strategically placed kickers, provides the best quality of cut and recycling performance, so you can save time mowing, whilst achieving an excellent quality finish. They are built to last, with a full 5-year warranty for total peace of mind.



MODEL	20836	20838	20837	20792	20797
KEY FEATURES	AutoMatic Drive System, Recycle on Demand, Height Adjustable Handlebar, Quick Storage Handlebar, Washout Port	Recycle on Demand, Electric Start, Height Adjustable Handlebar, Quick Storage Handlebar, Washout Port	» AutoMatic Drive System, Recycle on Demand, Height Adjustable Handlebar, Quick Storage Handlebar, Washout Port	AutoMatic Drive System, Height Adjustable Handlebar, Quick Storage Handlebar, Washout Port	» AutoMatic Drive System, Electric Start, Height Adjustable Handlebar, Quick Storage Handlebar, Washout Port
CUTTING WIDTH	48 cm	48 cm	48 cm	» 53 cm	53 cm
LAWN AREA	Medium	Medium	Medium	Medium/Large	Medium/Large
ENGINE	Toro® OHV 159cc	Toro OHV 159cc ES	Honda® GCV OHV 160cc	Briggs & Stratton® Series 675, EXI 163cc	Briggs & Stratton Series 675, EXI 163cc

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)  
Not all features shown are available on all products. See specifications pages for more details.

» = Step-up Feature



**AUTOMATIC DRIVE SYSTEM**

Senses and smoothly adjusts mower speed to your preferred walking pace.

**SUPER RECYCLER® CUTTING SYSTEM**

The blade, deck and bagging system work together to deliver excellent recycling or bagging performance for a healthy, lush-looking lawn.

**DURABLE ALUMINIUM DECK**

The die-cast deck is lightweight and corrosion resistant. Precision casting also produces outstanding quality of cut for improved performance.

**SUPER BAGGER**  
53 cm MOWERS



**AUTOMATIC DRIVE SYSTEM**  
Senses and smoothly adjusts to  
your preferred walking pace.



**CAST ALUMINIUM DECK**

The die-cast deck is lightweight and corrosion resistant. Precision casting also produces outstanding quality of cut for improved performance.



**BLADE BRAKE CLUTCH**

Stops the blade but enables the engine to continue running, while emptying the grass bag or travelling over non-grassed areas.



**CUTTERBLADE ACCELERATOR**

Specifically designed to increase airflow, the result is improved grass collection.

# FOR SUPERIOR GRASS COLLECTION

The robust cast aluminium decks on Toro's Super Bagger mowers have a large rear discharge opening that allows more grass to flow into the bag. An innovative inter-lock switch eliminates the need for a rear flap, making it faster and easier to empty the grassbag.



**LARGE REAR DISCHARGE OPENING**

Creates optimal airflow to pull clippings into the bag.



model 2089 shown



MODEL	20899	20897
KEY FEATURES	AutoMatic Drive System, Height Adjustable Handlebar, Quick Storage Handlebar	» AutoMatic Drive System, Blade Brake Clutch, Height Adjustable Handlebar, Quick Storage Handlebar
CUTTING WIDTH	53 cm	53 cm
LAWN AREA	Medium/Large	Medium/Large
ENGINE	Honda® GCV OHV 160cc	Honda GCV OHV 160cc

» = Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)  
 Not all features shown are available on all products. See specifications pages for more details.

**TIMECUTTER® SW**

81 cm • 107 cm • 127 cm ZERO TURN MOWERS

**SMART PARK™  
BRAKING SYSTEM**

**SUPER SMOOTH PEDAL  
SPEED CONTROL**

**HEAVY-DUTY FRONT AXLES**  
Cast iron and steel front axles for  
years of dependable performance





### TORO® V-TWIN ENGINE

This premium Toro® engine features a patent pending Max-Flo™ self-cleaning airbox filtration system, quick-drain oil hose, double barrel carburettor and is built to the Toro standard of quality for trusted reliability and dependability.



### SMART PARK™ BRAKING SYSTEM

Toro's unique braking system automatically stops the blade and sets the parking brake when you get off the mower.



### TILTING STEERING COLUMN

An adjustable column and intuitive steering wheel make the TimeCutter® easy to get on and off, and comfortable to drive.

# GO ANYWHERE WITH THE TIMECUTTER® SW

Now you can have your tractor and your zero turn too. Toro's TimeCutter® SW mowers are the perfect blend of both. You get the controls and side hill stability of a tractor, with the manoeuvrability and time savings of a zero turn mower. A variety of attachments are also available including baggers.



**SPEND 45% LESS TIME MOWING**

*\*Time savings are from 2008-2012 survey results for Toro residential zero-turn mowers, as reported by owners.*



MODEL	74670	74676	74680
	SW 3200	SW 4200	SW 5000
KEY FEATURES	Smart Park	Smart Park	Smart Park
LAWN AREA	up to 5,000m <sup>2</sup>	up to 7,000m <sup>2</sup>	up to 10,000m <sup>2</sup>
CUTTING WIDTH	81 cm	» 107 cm	» 127 cm
ENGINE	Toro® 452cc Single	» Toro 708cc V Twin	Toro 708cc V Twin
DECK TYPE	1-Blade Recycler®, Side Discharge	» 2-Blade Recycler, Side Discharge	» 3-Blade Recycler, Side Discharge

» = Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)  
**Not all features shown are available on all products. See specifications pages for more details.**

# TIMECUTTER® ZS

81 cm • 107 cm • 127 cm ZERO TURN MOWERS



**AUTOMATIC PARKING BRAKE**  
Automatically sets whenever the control levers are moved outward.

**HEAVY-DUTY CONSTRUCTION**  
10 gauge frame provides superb strength, durability and reliability.

## EASY OPERATION

Lever steering is as intuitive as driving a shopping cart. Push or pull as shown to steer where you want to go.



FORWARD



TURN RIGHT



STOP



TURN LEFT



REVERSE



### SMART SPEED® - 3 SPEEDS TO CHOOSE FROM

Operate at the right speed for optimal performance by selecting different ground speed ranges without affecting the blade or engine speeds. Mow large open areas at high speed, collect or tow at medium speed, and use low speed for controlled manoeuvring.

### FUN, EASY TO USE LEVERS

Two easy-to-use levers replace the hand and foot controls on a tractor, controlling forward, reverse, left and right movements.

### ACCESSORIES


A range of accessories are available to help you in the garden including baggers and product covers.

# MAKE MOWING FAST & EASY

The TimeCutter® ZS series of Zero Turn mowers are reliable, dependable, easy to use and best of all, fun to drive, so you can now spend more time enjoying your garden and less time mowing it. The Toro TimeCutter is so manoeuvrable, it can cut your mowing time almost in half\*\*. The steering levers are surprisingly easy to use; in no time almost you will be moving around obstacles in your garden with ease.



TRADITIONAL TRACTOR



ZERO-TURN MOWER

**Mow around obstacles in one easy movement!**



MODEL	74650	74665	74667	74661
	ZS 3200S	ZS 4200S	ZS 4200T	ZS 5000
KEY FEATURES	Smart Speed®	Smart Speed	Smart Speed	Smart Speed
LAWN AREA	up to 5,000m <sup>2</sup>	up to 7,000m <sup>2</sup>	up to 7,000m <sup>2</sup>	up to 10,000m <sup>2</sup>
CUTTING WIDTH	81 cm	» 107 cm	107 cm	» 127 cm
ENGINE	Toro® 452cc Single cylinder OHV	Toro 452cc Single cylinder OHV	» Toro 708cc Twin cylinder OHV	» Toro 708cc Twin cylinder OHV
DECK TYPE	1 Blade Recycler®, Side Discharge	» 2 Blade Recycler, Side Discharge	2 Blade Recycler, Side Discharge	» 3 Blade Recycler, Side Discharge

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

\*\*Time savings are from 2008-2012 survey results for Toro residential zero-turn mowers, as reported by owners.

Not all features shown are available on all products. See specifications pages for more details.

» = Step-up Feature

**TIMECUTTER® HD**  
122 cm • 137 cm ZERO TURN MOWERS



**MYRIDE® SUSPENSION SYSTEM\*\***

Controls the motion of the operator platform, providing a smoother ride than a standard suspension seat.



**HEAVY-DUTY CONSTRUCTION**

This unbeatable combination of features is designed for durability in the toughest conditions. It all adds up to a mower that's built to last.



**SMART SPEED® WITH TOW MODE**

Choose from three ground speed ranges for optimal performance. Use low **Trim** range for closer trimming, medium **Tow** range for towing attachments, or high **Mow** range to mow large open areas.

# FAST. COMFORTABLE. HEAVY DUTY. YOU DESERVE IT ALL.

The TimeCutter® HD zero-turn mower does more than cut grass to perfection. It can also cut your mowing time almost in half\*. But when you are bouncing around on rough terrain, speed won't do you any good without superior comfort to match. The smooth MyRIDE® Suspension System\*\* features a suspended operator platform that cushions you from bumps and vibrations, so you can be more productive and stay comfortable. And the heavy-duty GRADE 50 high-strength steel deck is nearly 50% stronger than other decks<sup>1</sup>, so you can power through tough grass. You'll not only enjoy mowing — you'll enjoy more free time.



model 74865 shown

	74864	74866	74865	74867
<b>MODEL</b>	X 4850	XS 4850	X 5450	XS 5450
<b>KEY FEATURES</b>	Smart Speed®	» Smart Speed, MyRIDE®	Smart Speed	» Smart Speed, MyRIDE
<b>LAWN AREA</b>	up to 10,000+m <sup>2</sup>	up to 10,000+m <sup>2</sup>	up to 10,000+m <sup>2</sup>	up to 10,000+m <sup>2</sup>
<b>CUTTING WIDTH</b>	122 cm	122 cm	» 137 cm	137 cm
<b>ENGINE</b>	Toro® V Twin 708cc	Toro V Twin 708cc	Toro V Twin 708cc	Toro V Twin 708cc
<b>DECK TYPE</b>	3-Blade, Recycler®	3-Blade, Recycler	3-Blade, Recycler	3-Blade, Recycler


» = Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

\*\*Time savings are from 2008-2012 survey results for Toro residential zero-turn mowers, as reported by owners.

<sup>1</sup>Compared to regular 11-gauge steel decks.

Not all features shown are available on all products. See specifications pages for more details.



**EXCELLENT HANDLING AND  
MANOEUVRABILITY**

Large rear tyres ensure better handling and manoeuvrability, plus a smoother ride.

**SUPERIOR CUTTING PERFORMANCE**

The front tunnel design and high blade tip speed create a vacuum that lifts grass straight up for a crisp, clean cut and healthier garden.



# OUR DEALERS MAKE THE DIFFERENCE

## REAL PEOPLE. REAL SUPPORT.

Our authorized service dealers are trained to keep your Toro® mower performing at its best. By using Genuine Toro parts, they are able to tune and repair your mower so it lasts for years to come.

Here are some basic maintenance tips to consider: *(refer to owner's manual for specific information on your model)*

- Check the blade and engine mounting fasteners, making sure they are all tight.
- Clean/replace air filter periodically.
- Drain and refill engine crankcase with fresh oil. Start engine to allow engine oil to warm up. *(4-cycle models)*
- Clean built-up grass clippings and dirt.
- Clean grass clippings and debris under belt cover and drive belt. *(self-propelled models)*
- Grease rear height adjuster brackets. *(self-propelled models)*
- Sharpen or replace blade annually.

For more tips, go to [www.youtube.com/ToroEurope](http://www.youtube.com/ToroEurope)

## TOP 10 REASONS TO BUY FROM A TORO® DEALER


10. Factory-Trained Service Technicians
  9. Genuine Toro Parts and Accessories
  8. Products Professionally Set Up, Serviced and Ready To Go
  7. Competitive Financing Options
  6. On-Site Product Demonstrations *(where available)*
  5. Best Selection of Products to Fit Your Needs
  4. Delivery Available
  3. Competitive Prices
  2. Experienced, Knowledgeable and Courteous Staff
- And the #1 Reason ...*
1. Locally Owned and Operated



Protect the reliability and productivity of your equipment with parts designed specifically for your Toro® products. Made from premium materials and engineered to enhance the safety and performance of your Toro equipment, every part we ship comes with a one-year full warranty.

# TORO® GENUINE PARTS


Protect the reliability and productivity of your equipment with parts designed specifically for your Toro Products.



## TORO® OIL & PREMIUM FUEL TREATMENT

To maximize the performance of your Toro product, we highly recommend using Toro oil, which has been specifically formulated for best results.

PART#	DESCRIPTION
38916	Toro® Standard SAE Oil (.53 L bottle)
38903	Toro Standard SAE Oil (1 L bottle)
117-0066	Toro Full Synthetic Oil 10W30 / SAE30 (1 L bottle)
131-6572	Toro Premium Fuel Treatment (.35 L bottle)
132-4877	Toro Engine Maintenance Kit, Single Cylinder (TimeCutter®)
132-4878	Toro Engine Maintenance Kit, Twin Cylinder (TimeCutter)



## MAINTENANCE KITS

Perform regular maintenance including replacing the air filter, spark plug and oil each season to ensure optimum performance with Toro maintenance kits. Kits include: 18 oz. bottle of oil, replacement air filter, spark plug and petrol stabilizer.

PART#	DESCRIPTION
20234	Maintenance Kit: Briggs & Stratton® Engine
20239	Maintenance Kit: Toro® Engine (2012 & prior)
20240	Maintenance Kit: Toro Engine (2013 - 2016)
132-4877	Maintenance Kit, Single Cylinder (TimeCutter® SW, ZS)
132-4878	Maintenance Kit, Twin Cylinder (TimeCutter SW, ZS, HD)



## GENUINE TORO BLADES

Keeping your mower blade sharp will give you the best quality of cut, and Toro has the right blade for every application and turf condition. Using sharp, genuine Toro mower blades will help produce a crisp, quality cut and contribute to the ongoing vitality of your

garden – everytime you mow.

PART #	DESCRIPTION	CATEGORY
108-3759-03	Bagging Blade	53 cm Super Recycler®
108-3762-03	Recycling Blade	53 cm Super Recycler
131-4547-03	Atomic® Blade	55 cm Recycler® (FWD, RWD & AWD)
108-0954-03	Atomic Blade	53 cm Recycler
120-9500-03	Atomic Medium Lift Blade	76 cm TimeMaster®
20120P	Blade Kit (includes 2 medium lift blades)	76 cm TimeMaster
116-6358-03	Individual Atomic Hi-lift Blade	76 cm TimeMaster
20122P	Atomic Blade Kit (includes 2 Hi-lift blades)	76 cm TimeMaster
80-4430-03	81 cm TimeCutter blade	81 cm TimeCutter®
131-3939-03P	107 cm TimeCutter Blade kit (2 blades)	107 cm TimeCutter
79016P	102 cm TimeCutter Blade kit (3 blades)	102 cm TimeCutter
117-7278-03	122 cm TimeCutter HD Blade	122 cm TimeCutter
115-4999-03	137 cm Timecutter HD Blade	137 cm TimeCutter



## REPLACEMENT BAGS

Replace your worn or damaged bag to keep delivering a beautiful after-cut appearance with your Toro walk behind mower.

PART #	DESCRIPTION	CATEGORY
111-4025	Replacement Bag	41 cm Recycler®
134-0149	Replacement Bag	46 cm Recycler
117-9365	Replacement Bag	48 cm Super Recycler
110-7255	Replacement Bag	48 cm Recycler
117-4191	Replacement Bag	53 cm Super Bagger
130-6744	Replacement Bag	53 cm Recycler
114-2664	Replacement Bag	53 cm Super Recycler & AWD
115-4673	Replacement Bag	55 cm Recycler RWD
59305	Replacement Bag	55cm Recycler FWD
121-5770	Replacement Bag	76 cm TimeMaster™
111-0045-03	Bag Frame only	41 cm Recycler
134-0138	Bag Frame only	46 cm Recycler
114-5374	Bag Frame only	48 cm Recycler
117-9363-03	Bag Frame only	48 cm Super Recycler
131-9697-03	Bag Frame only	53 cm Recycler
112-8750-03	Bag Frame only	53 cm Super Bagger
132-4529-03	Bag Frame only	53 cm Super Recycler
114-2679-03	Bag Frame only	55 cm Recycler RWD
132-4483-03	Bag Frame only	55 cm Recycler AWD
121-5766-03	Bag Frame only	76cm TimeMaster



## TORO MESH UTILITY BAG

Use Toro mesh utility bags for personal storage or picking up trash. Hangs conveniently behind the mower with on/off straps.

PART#	DESCRIPTION
490-7318	Toro® Small Walk Behind Bag
490-7322	Large Walk Behind Bag (no logo)
490-7325	Small Walk Behind Bag (no logo)

# ENHANCE YOUR MOWER


The lineup of Toro® mowers won't change how often you mow, but they will change how well you mow. Enhance your mowing experience by adding accessories to your Toro walk behind or riding mower.



## PRODUCT COVER

Protect your investment with a water-abrasion- and tear-resistant cover.

PART#	DESCRIPTION
490-7461	For 76 cm Toro WPMs (cover w/Toro logo)
490-7462	For all 46–55 cm Toro WPMs (cover w/Toro logo)
490-2012	For Toro SmartStow® in storage position (cover w/Toro logo)
490-7516	For Toro TimeCutter ZS & SW (cover w/Toro logo)
490-7319	For Toro TimeCutter HD (cover w/Toro logo)



## STRIPING KITS

Attaches easily and can be used with or without a bagger. Create everything from simple stripes to an eye-catching work of art.

PART#	DESCRIPTION
20601	For all 50 – 55 cm Toro WPM
20602	For 76 cm Toro WPM
137-5030	For 107 cm TimeCutter
119-3380	For 122 cm TimeCutter HD
120-7905	For 127 cm TimeCutter
117-5319	For 137 cm TimeCutter HD



## TRACTION ASSIST HANDLE

Allows you to use your hands to control the speed of your mower with AutoMatic Drive System. The fixed assist handle allows you to squeeze the traction bar to adjust the mower speed without changing walking speed. Useful when turning tight corners

and mowing hills.

PART#	DESCRIPTION
108-8120	Super Recycler & Recycler® mowers with AutoMatic Drive System (clamp-on)



## SEAT COVER

Put over your current Toro seat to protect from typical wear and tear.

PART#	DESCRIPTION
117-0096	For models without armrests
117-0097	For models with armrests



**ANTI-VIBRATION FLOOR MAT**  
132-6921 – Lever Steer  
132-6920 – Steering Wheel




**ARMRESTS**  
Part #105-6978 – 107 & 127 cm SW & ZS



**HOURLY METER**  
Part #116-5461



**BUCKET MOUNT KITS**  
Part #136-7494 (TimeCutter HD)  
Part #133-2533 (Toro 5-Gallon Bucket)



**LEAF BAG ENHANCEMENT KIT**  
Part #119-3381 (122 cm TimeCutter HD)  
Part #117-7202 (137/152 cm TimeCutter HD)



**SUNSHADE**  
Part #79011



**DECK LIFT ASSIST KIT**  
Part #79010



**TWIN BAGGER\***  
Part #79390 – 81 cm TimeCutter SW & ZS  
Part #79391 – 107 cm TimeCutter SW & ZS  
Part #79392 – 127 cm TimeCutter SW & ZS  
Part #79392 – 137 cm TimeCutter SW & ZS  
Part #79435 – TimeCutter HD



**ROPS KIT**  
Part #136-7495



**STEP KIT / ASSIST HANDLE**  
Part #79339  
(Cannot be installed at same time as Jack Mount Kit 126-5251)



**HD AIR CLEANER KIT**  
Part #136-7860 - Kit  
Part #108-3811 - Replacement Filter





**40V MAX\* LITHIUM ION PRODUCTS**

	Brushless Blower	35 cm Brushless Chainsaw	61 cm Hedge Trimmer	33 cm String Trimmer/Edger	36 cm Brushless String Trimmer
<b>COMPLETE TOOL</b> (T90 battery & charger Included)	<b>51134</b>	<b>51138</b>	<b>51136</b>	<b>51130</b>	<b>51132</b>
<b>BARE TOOL</b> (Battery & charger not included)	<b>51134T</b>	<b>51138T</b>	<b>51136T</b>	<b>51130T</b>	<b>51132T</b>
<b>CUTTING LENGTH</b>	N/A	35 cm Bar	61 cm Bar	33 cm	36 cm
<b>MOTOR</b>	Brushless DC	Brushless DC	Brushed DC	Brushed DC	Brushless DC
<b>SPEED</b> (Up to)	150 MPH, 480 CFM	11 m/s	2,800 SPM	N/A	N/A
<b>CUTTING TYPE</b>	N/A	3/8" Pitch Chain	Dual action	Single .080"	Dual .080"
<b>COMFORT</b>	Variable Speed, Speed Lock	Low-kickback Chain and Metal Bucking Teeth	90° Rotating Handle	Variable Speed Telescoping Shaft; Adjustable Assist Handle	Variable Speed Adjustable Assist Handle
<b>WEIGHT</b> (With battery / without battery)	3.8 kg / 2.8 kg	6.2 kg / 5.2 kg	4.2 kg / 3.2 kg	3.8 kg / 2.8 kg	4.2 kg / 3.2 kg
<b>T90 BATTERY* (Included w/complete tool)</b>					
<b>VOLTS – AH</b>	40 V – 2.5	40 V – 2.5	40 V – 2.5	40 V – 2.5	40 V – 2.5
<b>RUN TIME^ (UP TO)</b>	60 min	40 cuts/battery**	60 min	45 min	40 min
<b>RECHARGE</b> (Charger included w/ complete tool)	60 min	60 min	60 min	60 min	60 min
<b>T180 BATTERY* (Sold separately)</b>					
<b>VOLTS – AH</b>	40 V – 5.0	40 V – 5.0	40 V – 5.0	40 V – 5.0	40 V – 5.0
<b>RUN TIME^ (up to)</b>	120 min	80 cuts/battery**	120 min	90 min	80 min
<b>RECHARGE</b> (Charger included w/ complete tool)	120 min	120 min	120 min	120 min	120 min

**WARRANTY**

3-Year Full on Tools, 2-Year Full on Battery

**PRICE**

**T90 BATTERY**

**MODEL 88525**

- Fits Toro **POWER + PLEX** tools
- 40-Volt max, 2.5 Amp-Hour, 90 Watt-Hour
- Comes standard with **POWER + PLEX** tools
- On-board power meter



**T180 BATTERY**

**MODEL 88526**

- Fits Toro **POWER + PLEX** tools
- 40-Volt max, 5.0 Amp-Hour, 180 Watt-Hour
- LED Flashlight
- USB charging port for charging small devices
- Folding handle makes carrying easier
- On-board power meter



Actual products may vary.

\*Battery manufacturer rating = 40V maximum & 36V typical usage. Actual voltage varies with load.

\*\*Analogy for general battery information. Not for technical specifications.

^Based on lowest speed in controlled laboratory testing of product.

†Weights are approximate.



**BLOWER / VACS**

	<b>51558 Ultra</b>	<b>51558 UltraPlus</b>
<b>Model</b>	<b>51558 Ultra</b>	<b>51558 UltraPlus</b>
<b>MAXIMUM AIR SPEED</b>	up to 402 km/h	up to 402 km/h
<b>SPEED CONTROL</b>	Variable	Variable
<b>LOW AIR SPEED</b>	161 km/h	161 km/h
<b>MOTOR</b>	12,0 Amps	12,0 Amps
<b>AIR VOLUME</b> (Blower mode)	9,91 m <sup>3</sup> /min	9,91 m <sup>3</sup> /min
<b>AIR VOLUME</b> (Vacuum mode)	11,6 m <sup>3</sup> /min	11,6 m <sup>3</sup> /min
<b>AIR HORSE POWER</b>	0,7	0,7
<b>LEAF REDUCTION</b>	88% to 1¼ cm	» 97% to 1¼ cm
<b>WEIGHT</b>	3,8 kg	4,0 kg
<b>SHREDZ-ALL® SHRED RING</b>	–	» Standard
<b>OSCILLATING NOZZLE</b>	–	» Standard

**PRICE**



	ELECTRIC		41CM RECYCLER®		46CM RECYCLER		48CM RECYCLER	
<b>MODEL</b>	21136	21141	21131	21132	20942	20943	20950	20952
<b>GARDEN AREA</b>	Small	Small	Small	Small	Small/Medium	Small/Medium	Medium	Medium
<b>CUTTING WIDTH</b>	36 cm	» 41 cm	41 cm	41 cm	» 46 cm	46 cm	» 48 cm	48 cm
<b>ENGINE/MOTOR</b>	1400 Watt	» 1500 Watt	Briggs & Stratton® Series 575 Quantum 140cc	Briggs & Stratton Series 575 Quantum 140cc	Toro OHV 159cc	Briggs & Stratton 140cc	Toro OHV 159cc	Toro OHV 159cc with alternator
<b>DRIVE SYSTEM</b>	Push	Push	Push	» Fixed Speed, Rear-Wheel Drive	Fixed Speed, Rear-Wheel Drive	Fixed Speed, Rear-Wheel Drive, High Wheel	» <b>AutoMatic Drive System</b> , Rear-Wheel Drive	<b>AutoMatic Drive System</b> , Rear-Wheel Drive
<b>STARTER</b>	Electric	Electric	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	» Electric/Recoil, Zone Start
<b>HEIGHT OF CUT</b>	1-point, 13–60 mm	» 1-point, 13–65 mm	1-point, 13–65 mm	1-point, 13–65 mm	1-point, 25–70 mm	1-point, 25–70 mm	2-point, 21–98 mm	2-point, 21–98 mm
<b>DECK TYPE</b>	Polymer	» Aluminium/ Polymer	Aluminium/ Polymer	Aluminium/ Polymer	Steel	Steel	Steel	Steel
<b>WEIGHT</b>	21 kg	28 kg	29 kg	32 kg	29 kg	35 kg	35 kg	38 kg
<b>KEY FEATURES</b>	-	-	-	-	» Washout Port	» Washout Port	» Height Adjustable Handlebar, <b>Recycle on Demand</b>	Height Adjustable Handlebar, <b>Recycle on Demand</b>
<b>GRASSBAG CAPACITY</b>	38 L	» 55 L	55 L	55 L	» 60 L	60 L	60 L	60 L
<b>FUEL TANK CAPACITY</b>	-	-	1.0 L	1.0 L	1.0 L	1.0 L	1.0 L	1.0 L
<b>DIMENSIONS</b> (Length x Width x Height, mm)								
<b>COLLAPSED</b>	735 x 396 x 380	845 x 445 x 445	845 x 445 x 445	845 x 445 x 445	1230x530x560	1230x530x560	1050 x 512 x 428	1050 x 512 x 428
<b>ASSEMBLED</b>	1360 x 450 x 1040	1380 x 480 x 1060	1370 x 475 x 1050	1370 x 475 x 1050	1480x530x1050	1480x545x1480	1014 x 1490 x 512	1014 x 1490 x 512
<b>WARRANTY HOME OWNER*</b>	2 Year Full Coverage*	2 Year Full Coverage*	2 Year Limited Coverage* 2 Year - GTS**	2 Year Limited Coverage* 2 Year - GTS**	2 Year Limited Coverage* 2 Year - GTS**	2 Year Limited Coverage* 2 Year - GTS**	2 Year Full Coverage* 2 Year - GTS**	2 Year Full Coverage* 2 Year - GTS**
<b>WARRANTY COMMERCIAL*</b>	-	-	90 Days	90 Days	30 Days	30 Days	90 Days	90 Days
<b>PRICE</b>								
<b>BLADE ACCELERATOR</b>	-	-	-	-	-	-	-	-
<b>DECK KICKERS</b>	-	-	-	-	-	-	» Standard	Standard
<b>WHEEL BEARINGS</b>	-	-	» Front only	Front only	» Standard	Standard	-	-
<b>DUAL BLADES</b>	-	-	-	-	-	-	-	-
<b>TRACTION ASSIST</b>	-	-	-	-	-	-	-	-
<b>2-IN-1</b>	Standard	Standard	Standard	Standard	-	-	Standard	Standard
<b>3-IN-1</b>	-	-	-	-	»Standard	Standard	-	-



	53CM RECYCLER®		55CM RECYCLER			
<b>MODEL</b>	29732	29734	20954	20955	20956	20958
<b>GARDEN AREA</b>	Medium	Medium	Large	Large	Large	Large
<b>CUTTING WIDTH</b>	» 53 cm	53 cm	» 55 cm	55 cm	55 cm	55 cm
<b>ENGINE/MOTOR</b>	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 Quantum 163cc
<b>DRIVE SYSTEM</b>	Variable Speed, Rear-Wheel Drive	Variable Speed, Rear-Wheel Drive	Variable Speed, Front-Wheel Drive	» AutoMatic Drive System, Rear-Wheel Drive	AutoMatic Drive System, Rear-Wheel Drive	AutoMatic Drive System, Rear-Wheel Drive
<b>STARTER</b>	Recoil, Zone Start	» Electric/Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	» Electric/Recoil, Zone Start	Recoil, Zone Start
<b>HEIGHT OF CUT</b>	2-point, 32–95 mm	2-point, 32–95 mm	4-point, 25–114 mm	4-point, 25–102 mm	4-point, 25–102 mm	4-point, 25–102 mm
<b>DECK TYPE</b>	Steel	Steel	Steel	Steel	Steel	Steel
<b>WEIGHT</b>	30 kg	34 kg	36 kg	36 kg	40 kg	40 kg
<b>KEY FEATURES</b>	–	–	» Washout Port	» Height Adjustable Handlebar, Recycle on Demand, Washout Port	Height Adjustable Handlebar, Recycle on Demand, Washout Port	» Blade Brake Clutch, Height Adjustable Handlebar, Recycle on Demand, Washout Port
<b>GRASSBAG CAPACITY</b>	» 70 L	70 L	» 74 L	74 L	74 L	74 L
<b>FUEL TANK CAPACITY</b>	0.95 L	0.95 L	0.9 L	0.9 L	0.9 L	0.9 L
<b>DIMENSIONS</b> (Length x Width x Height, mm)						
<b>COLLAPSED</b>	965 x 581 x 432	965 x 581 x 432	1029 x 597 x 406	1029 x 597 x 406	1029 x 597 x 406	1029 x 597 x 406
<b>ASSEMBLED</b>	1400 x 560 x 1020	1400 x 560 x 1020	1500 x 580 x 1070	1500 x 580 x 1070	1500 x 580 x 1070	1500 x 580 x 1070
<b>WARRANTY HOME OWNER*</b>	2 Year Full Coverage*	2 Year Full Coverage*	2 Year Full Coverage* 2 Year - GTS**	2 Year Full Coverage* 2 Year - GTS**	2 Year Full Coverage* 2 Year - GTS**	2 Year Full Coverage* 2 Year - GTS**
<b>WARRANTY COMMERCIAL*</b>	90 Days	90 Days	90 Days	90 Days	90 Days	90 Days
<b>PRICE</b>						
<b>BLADE ACCELERATOR</b>	–	–	–	» Standard	Standard	–
<b>DECK KICKERS</b>	–	–	» One	One	One	One
<b>WHEEL BEARINGS</b>	–	–	–	–	–	–
<b>DUAL BLADES</b>	–	–	–	–	–	–
<b>TRACTION ASSIST</b>	–	–	–	» Optional	Optional	Optional
<b>2-IN-1</b>	–	–	–	–	–	–
<b>3-IN-1</b>	» Standard	Standard	Standard	Standard	Standard	Standard

– Not Available | » Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

\*\* GTS = Guaranteed to start

†To be confirmed.



	SMARTSTOW®		AWD	POWERVERSE™		TIMEMASTER™	
MODEL	20959	20961	20960	20964	20965	20976	20978
GARDEN AREA	Large	Large	Large	Large	Large	Extra-Large	Extra-Large
CUTTING WIDTH	55cm	55 cm	55 cm	55 cm	55 cm	»76 cm	76 cm
ENGINE/MOTOR	Briggs & Stratton® Series 675 Quantum 190cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Briggs & Stratton Series 1000 Quantum 223cc	Briggs & Stratton Series 1000 Quantum 223cc
DRIVE SYSTEM	Variable Speed, Front-Wheel Drive, High Wheel	» AutoMatic Drive System, Rear-Wheel Drive, High Wheel	» AutoMatic Drive System w/Traction Assist, All-Wheel Drive	» AutoMatic Drive System w/ PoweReverse™	» AutoMatic Drive System w/ PoweReverse™, High Wheel	AutoMatic Drive System w/ Traction Assist, Rear-Wheel Drive	AutoMatic Drive System w/ Traction Assist, Rear-Wheel Drive
STARTER	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	Recoil, Zone Start	» Recoil/Electric, Zone Start
HEIGHT OF CUT	4-point, 25-102 mm	4-point, 25-102 mm	4-point, 25-102 mm	4-point, 25-102 mm	4-point, 25-102 mm	2-point, 32-108 mm	2-point, 32-108 mm
DECK TYPE	Steel	Steel	Steel	Steel	Steel	Steel	Steel
WEIGHT	35 kg	35 kg	35 kg	35 kg	38 kg	62 kg	65 kg
KEY FEATURES	SmartStow®, Washout Port	» SmartStow, Recycle on Demand, Washout Port	Recycle on Demand, Washout Port	» PoweReverse, Height Adjustable Handlebar, Washout Port, Recycle on Demand	» PoweReverse, Iso-Flex™ Handlebar, Height Adjustable Handle, Washout Port, Recycle on Demand	Blade Brake Clutch, Height Adjustable Handlebar, Quick Storage Handlebar, Washout Port	Blade Brake Clutch, Height Adjustable Handlebar, Quick Storage Handlebar, Washout Port
GRASSBAG CAPACITY	74 L	74 L	74 L	74 L	74 L	» 88 L	88 L
FUEL TANK CAPACITY	0.9 L	0.9 L	0.9 L	0.9 L	0.9 L	» 1.1 L	1.1 L
<b>DIMENSIONS</b> (Length x Width x Height, mm)							
COLLAPSED	990 x 602 x 445	1029 x 597 x 406	1029 x 597 x 406	1030 x 597 x 406	1030 x 597 x 406	1041 x 813 x 533	1041 x 813 x 533
ASSEMBLED	1500 x 580 x 1070	1500 x 580 x 1070	1500 x 580 x 1070	1500 x 580 x 1070	1500 x 580 x 1070	1630 x 810 x 1120	1630 x 810 x 1120
WARRANTY HOME OWNER*	2 Year Full Coverage* 2 Year - GTS**	2 Year Full Coverage* 2 Year - GTS**	2 Year Full Coverage* 2 Year - GTS**	2 Year Full Coverage* 2 Year - GTS**	2 Year Full Coverage* 2 Year - GTS**	3 Year Full Coverage* 3 Year - GTS**	3 Year Full Coverage* 3 Year - GTS**
WARRANTY COMMERCIAL*	90 Days	90 Days	90 Days	90 Days	90 Days	90 Days	90 Days
<b>PRICE</b>							
BLADE ACCELERATOR	Standard	Standard	Standard	Standard	Standard	-	-
DECK KICKERS	One	One	One	One	One	-	-
WHEEL BEARINGS	-	-	-	-	-	» Standard	Standard
DUAL BLADES	-	-	-	-	-	» Standard	Standard
TRACTION ASSIST	-	Standard	» Standard	Optional	Optional	Standard	Standard
2-IN-1	-	-	-	-	-	-	-
3-IN-1	Standard	Standard	Standard	Standard	Standard	Standard	Standard



	SUPER RECYCLER®					SUPER BAGGER	
MODEL	20836	20838	20837	20792	20797	20899	20897
GARDEN AREA	Medium	Medium	Medium	Medium / Large	Medium / Large	Medium / Large	Medium / Large
CUTTING WIDTH	48 cm	48 cm	48 cm	» 53 cm	53 cm	53 cm	53 cm
ENGINE/MOTOR	Toro® OHV 159cc	Toro OHV 159cc ES	Honda® GCV OHC 160cc	Briggs & Stratton® Series 675 EXI 163cc	Briggs & Stratton Series 675 EXI 163cc	Honda GCV OHC 160cc	Honda GCV OHC 160cc
DRIVE SYSTEM	AutoMatic Drive System w/ Traction Assist, Rear-Wheel Drive	AutoMatic Drive System w/ Traction Assist, Rear-Wheel Drive	AutoMatic Drive System w/ Traction Assist, Rear-Wheel Drive	AutoMatic Drive System, Rear-Wheel Drive	AutoMatic Drive System, Rear-Wheel Drive	AutoMatic Drive System, Rear-Wheel Drive	AutoMatic Drive System, Rear-Wheel Drive
STARTER	Recoil, Zone Start	» Recoil/Electric, Zone Start	Recoil, Zone Start	Recoil, Zone Start	» Recoil/Electric, Zone Start	Recoil, Zone Start	Recoil, Zone Start
HEIGHT OF CUT	1-point, 25-102 mm	1-point, 25-102 mm	1-point, 25-102 mm	4-point, 32-108 mm	4-point, 32-108 mm	4-point, 30-108 mm	4-point, 30-108 mm
DECK TYPE	» Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
WEIGHT	37 kg	37 kg	36 kg	38 kg	41 kg	36 kg	40 kg
KEY FEATURES	Height Adjustable Handlebar, Quick Storage Handlebar, Recycle on Demand, Washout Port	Height Adjustable Handlebar, Quick Storage Handlebar, Recycle on Demand, Washout Port	Height Adjustable Handlebar, Quick Storage Handlebar, Recycle on Demand, Washout Port	Height Adjustable Handlebar, Quick Storage Handlebar, Washout Port	Height Adjustable Handlebar, Quick Storage Handlebar, Washout Port	Height Adjustable Handlebar, Quick Storage Handlebar	» Blade Brake Clutch, Height Adjustable Handlebar, Quick Storage Handlebar
GRASSBAG CAPACITY	60 L	60 L	60 L	» 65 L	65 L	65 L	65 L
FUEL TANK CAPACITY	1.1 L	1.1 L	1.1 L	0.9 L	0.9 L	» 1.1 L	1.1 L
DIMENSIONS (Length x Width x Height, mm)							
COLLAPSED	965 x 597 x 432	965 x 597 x 432	965 x 597 x 432	1321 x 581 x 406	1321 x 581 x 406	965 x 514 x 432	965 x 581 x 432
ASSEMBLED	1520 x 530 x 1090	1520 x 530 x 1090	1520 x 530 x 1090	1650 x 560 x 1040	1650 x 560 x 1040	1590 x 560 x 1100	1590 x 585 x 1080
WARRANTY HOME OWNER*	5 Year Limited Coverage* 5 Year - GTS**	5 Year Limited Coverage* 5 Year - GTS**	5 Year Limited Coverage* 5 Year - GTS**	5 Year Limited Coverage* 5 Year - GTS**	5 Year Limited Coverage* 5 Year - GTS**	5 Year Limited Coverage* 5 Year - GTS**	5 Year Limited Coverage* 5 Year - GTS**
WARRANTY COMMERCIAL*	90 Days	90 Days	90 Days	90 Days	90 Days	90 Days	90 Days
PRICE							
BLADE ACCELERATOR	Standard	Standard	Standard	Standard	Standard	Standard	-
DECK KICKERS	Standard	Standard	Standard	Standard	Standard	-	-
WHEEL BEARINGS	Standard	Standard	Standard	-	-	-	-
DUAL BLADES	-	-	-	-	-	-	-
TRACTION ASSIST	Standard	Standard	Standard	-	-	-	-
2-IN-1	Standard	Standard	Standard	-	-	-	-
3-IN-1	-	-	-	» Standard	Standard	Standard	Standard

- Not Available | » Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

\*\* GTS = Guaranteed to start

<sup>†</sup>To be confirmed.



	TIMECUTTER® ZS				TIMECUTTER SW		
<b>MODEL</b>	<b>74650</b> ZS 3200S CE	<b>74665</b> ZS 4200S CE	<b>74667</b> ZS 4200T CE	<b>74661</b> ZS 5000 CE	<b>74670</b> SW 3200 CE	<b>74676</b> SW 4200 CE	<b>74680</b> SW 5000 CE
<b>LAWN AREA</b>	up to 5000m <sup>2</sup>	up to 7000m <sup>2</sup>	up to 7000m <sup>2</sup>	up to 10,000m <sup>2</sup>	up to 5000m <sup>2</sup>	up to 7000m <sup>2</sup>	up to 10,000m <sup>2</sup>
<b>CUTTING WIDTH</b>	81 cm	» 107 cm	107 cm	» 127 cm	81 cm	» 107 cm	» 127 cm
<b>ENGINE</b>	Toro® 452cc Single	Toro 452cc Single	Toro 708cc V Twin	Toro 708cc V Twin	Toro 452cc Single	Toro 708cc V Twin	Toro 708cc V Twin
<b>TRANSMISSIONS</b>	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic
<b>DECK TYPE</b>	1-Blade, Recycler, Side Discharge	2-Blade, Recycler, Side Discharge	2-Blade, Recycler, Side Discharge	3-Blade, Recycler, Side Discharge	1-Blade, Recycler, Side Discharge	2-Blade, Recycler, Side Discharge	3-Blade, Recycler, Side Discharge
<b>HEIGHT OF CUT</b>	1-point, 38-114 mm	1-point, 38-114 mm	1-point, 38-114 mm	1-point, 38-114 mm	1-point, 38-114 mm	1-point, 38-114 mm	1-point, 38-114 mm
<b>GRASSBAG CAPACITY</b>	Optional, 227 L	Optional, 228 L	Optional, 227 L	Optional, 227 L	Optional, 227 L	Optional, 227 L	Optional, 227 L
<b>WEIGHT</b>	238 kg	254 kg	254 kg	290 kg	207 kg	226 kg	267 kg
<b>KEY FEATURES</b>	Smart Speed	Smart Speed	Smart Speed	Smart Speed	» Smart Park	Smart Park	Smart Park
<b>FUEL TANK CAPACITY</b>	11.3 L	11.3 L	11.3 L	11.3 L	11.3 L	11.3 L	11.3 L
<b>DIMENSIONS</b> (Length x Width x Height, mm)							
<b>ASSEMBLED</b>	1824 x 994 x 947	1824 x 1367 x 1054	1824 x 1367 x 1054	1852 x 1600 x 1054	2004 x 919 x 1153	2004 x 1143 x 1153	2004 x 1356 x 1153
<b>TIRES</b>	28 cm x 10 cm Ribbed (Front) 46 cm x 15 cm - 20 cm (Rear)	28 m x 10 cm Ribbed (Front) 46 cm x 19 cm - 20 cm (Rear)	28 cm x 10 cm Ribbed (Front) 46 cm x 19 cm - 20 cm (Rear)	33 cm x 13 cm Ribbed (Front) 46 cm x 24 cm - 20 cm (Rear)	28 cm x 10 cm Ribbed (Front) 46 cm x 15 cm - 20 cm (Rear)	33 cm x 13 cm Ribbed (Front) 46 cm x 19 cm - 20 cm (Rear)	33 cm x 13 cm Ribbed (Front) 46 cm x 24 cm - 20 cm (Rear)
<b>WARRANTY HOME OWNER*</b>	3 Year, Limited	3 Year, Limited	3 Year, Limited	3 Year, Limited	3 Year, Limited	3 Year, Limited	3 Year, Limited
<b>WARRANTY COMMERCIAL*</b>	2 Year, Limited or 300 hrs	2 Year, Limited or 300 hrs	2 Year, Limited or 300 hrs	2 Year, Limited or 300 hrs	2 Year, Limited or 300 hrs	2 Year, Limited or 300 hrs	2 Year, Limited or 300 hrs
<b>PRICE</b>							
<b>ARMRESTS</b>	-	-	» Standard	Standard	-	-	» Standard
<b>ANTI-SCALP ROLLERS</b>	-	» Standard	Standard	Standard	-	» Standard	Standard
<b>WASH-OUT PORT</b>	Standard	Standard	Standard	Standard	Standard	Standard	Standard
<b>DUAL HEADLIGHTS</b>	-	-	-	-	-	-	-
<b>SEAT - BACK HEIGHT</b>	38 cm	38 cm	» 46 cm	46 cm	38 cm	38 cm	» 46 cm
<b>SEAT - ADJUSTABLE SLIDE</b>	-	-	-	-	-	-	-
<b>HOUR METER</b>	Optional	Optional	Optional	Optional	Optional	Optional	Optional
<b>ANTI-VIBRATION MAT</b>	Optional	Optional	Optional	Optional	Optional	Optional	Optional
<b>KIT-TWIN BAGGER</b>	Optional	Optional	Optional	Optional	Optional	Optional	Optional



### TIMECUTTER™ HD

MODEL	74864	74866	74865	74867
	X4850CE	XS4850CE	X5450CE	XS5450CE
LAWN AREA	up to 10,000+m <sup>2</sup>	up to 10,000+m <sup>2</sup>	up to 10,000+m <sup>2</sup>	up to 10,000+m <sup>2</sup>
CUTTING WIDTH	122 cm	122 cm	» 137 cm	137 cm
ENGINE	Toro® 708cc V Twin	Toro 708cc V Twin	Toro 708cc V Twin	Toro 708cc V Twin
TRANSMISSIONS	Dual Hydrostatic with charge pumps	Dual Hydrostatic with charge pumps	Dual Hydrostatic with charge pumps	Dual Hydrostatic with charge pumps
DECK TYPE	3-Blade, Recycler	3-Blade, Recycler	3-Blade, Recycler	3-Blade, Recycler
HEIGHT OF CUT	1-point, 38-114 mm	1-point, 38-114 mm	1-point, 38-114 mm	1-point, 38-114 mm
GRASSBAG CAPACITY	Optional, 227 L	Optional, 227 L	Optional, 227 L	Optional, 227 L
WEIGHT	337 <sup>†</sup> kg	360 <sup>†</sup> kg	344 <sup>†</sup> kg	367 <sup>†</sup> kg
KEY FEATURES	Smart Speed	» Smart Speed, MyRIDE®	Smart Speed	» Smart Speed, MyRIDE
FUEL TANK CAPACITY	18.9 L	18.9 L	18.9 L	18.9 L
<b>DIMENSIONS</b> (Length x Width x Height, mm)				
ASSEMBLED	2083 x 1331 x 1118	2083 x 1331 x 1118	2083 x 1466 x 1118	2083 x 1466 x 1118
TIRES	33 cm x 16.5 cm smooth (Front) 56 cm x 25 cm - 25 cm (Rear)	33 cm x 16.5 cm smooth (Front) 56 cm x 25 cm - 25 cm (Rear)	33 cm x 16.5 cm smooth (Front) 56 cm x 25 cm - 25 cm (Rear)	33 cm x 16.5 cm smooth (Front) 56 cm x 25 cm - 25 cm (Rear)
WARRANTY HOME OWNER*	3 Year, Limited or 300 hrs	3 Year, Limited or 300 hrs	3 Year, Limited or 300 hrs	3 Year, Limited or 300 hrs
WARRANTY COMMERCIAL*	3 Year, Limited or 300 hrs	3 Year, Limited or 300 hrs	3 Year, Limited or 300 hrs	3 Year, Limited or 300 hrs
<b>PRICE</b>				
ARMRESTS	Standard	Standard	Standard	Standard
ANTI-SCALP ROLLERS	Standard, 3	Standard, 3	Standard, 3	Standard, 3
WASH-OUT PORT	Standard, 2	Standard, 2	Standard, 2	Standard, 2
DUAL HEADLIGHTS	Optional LED Kit	Optional LED Kit	Optional LED Kit	Optional LED Kit
SEAT - BACK HEIGHT	46 cm	46 cm	46 cm	46 cm
SEAT - ADJUSTABLE SLIDE	Lever Slide - 8 Positions, 12 cm travel	Lever Slide - 8 Positions, 12 cm travel	Lever Slide - 8 Positions, 12 cm travel	Lever Slide - 8 Positions, 12 cm travel
HOUR METER	Standard	Standard	Standard	Standard
ANTI-VIBRATION MAT	Standard	Standard	Standard	Standard
KIT-TWIN BAGGER	Optional Powered Bagger Kit	Optional Powered Bagger Kit	Optional Powered Bagger Kit	Optional Powered Bagger Kit

– Not Available | » Step-up Feature

\* For full warranty terms and conditions, please refer to the operator's manual on [www.toro.com](http://www.toro.com)

\*\* GTS = Guaranteed to start

<sup>†</sup>To be confirmed.



Every product that carries the Toro® brand is backed by over 100 years of history, innovation and timeless dependability. We never stop investing in research and development to give our customers the latest features. That's why Toro is one of the best-known, most trusted brands in the business. We also stand behind our products with a global network of knowledgeable dealers for parts and service support.

**The Brand Professionals Trust.**



**Count on it.**



toro.com  
Worldwide Headquarters  
The Toro Company  
8111 Lyndale Ave. So.  
Bloomington, MN 55420 U.S.A.  
Phone: (1) 952 888 8801  
Fax: (1) 952 887 8258

©2018 The Toro Company.  
All Rights Reserved.  
Printed in the USA

200-8059NA MASTER

*Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your distributor for details on all our warranties.*



facebook.com/TheToroCompany  
twitter.com/TheToroCompany  
youtube.com/ToroCompanyEurope

