

SNOWBLOWER PRODUCTS ELECTRIC / GAS / COMMERCIAL





Winter weather is tough enough. Make snow removal easy with a powerful Toro* snowblower. From the electric Power Shovel to the heavy-duty Power Max* HD, our snowblowers combine outstanding durability with advanced technology so you can clear snow like a pro. In fact, more professionals rely on Toro snowblowers than any other brand.* With Toro, reliability is built in — so you can count on performance winter after winter. It's a choice you'll be glad you made every time it snows.

MORE PRODUCTIVITY



POWER CURVE® TECHNOLOGY

A curved rotor and inverted funnel housing help move more snow in less time and virtually eliminate clogging.

Standard on electric and all single-stage models.



ANTI-CLOGGING SYSTEM (ACS)

Reduces clogging while maximizing impeller speed and snowblowing velocity.

Standard on all two-stage models.

MORE DURABILITY



HIGH-STRENGTH AUGER GEAR BOX

Special hardened gears designed to withstand the highest stresses provide worry-free performance.

Standard on all two-stage models.





MORE POWER FOR HEAVY SNOW

Toro's snow engines give you the performance you need to clear snow quickly and efficiently. The heavy flywheel delivers more inertia under load to help the engine plow through heavier snow. And just like our mower engines, snow engines have a special governor design that delivers fast power when you need it most.



Look for this blue icon throughout the brochure pointing you to innovative and smart features from Toro.



SUB ZERO MATERIAL

Chute, deflector and ACS are made of a special cold-weather material durable to -104° F and guaranteed for life. It's also rust-free and snow and ice won't stick.

Standard on all two-stage models.

MORE **EASE-OF-USE**



> QUICK STICK CHUTE CONTROL

An innovative joystick control allows you to change the chute and deflector direction quickly and easily, even on the go.

Standard on all two-stage models.





PERSONAL PACE® SELF-PROPEL

Toro's innovative Personal Pace self-propel system automatically senses and adapts to your walking speed.

Standard on Snowmaster® models.







EASY-TO-USE CONTROLS

Simple, intuitive operation with left or right hand.

Standard on 1500 and 1800 Power Curve®.



QUICK CHUTE LEVER

Aim snow on the go with no cranking needed. Standard on 1800 Power Curve.



LIGHTWEIGHT DESIGN

The lightweight Power Shovel weighs only 13 lbs., so it's easier to maneuver than a gas unit.



YOUR SHOVELING DAYS ARE OVER

Toro's compact electric snowblowers are lightweight and easy to store for clearing your deck, sidewalk or patio. But don't let the compact size fool you. **These models are powerful enough to throw snow up to 30 ft and clear down to the pavement.** They're also maintenance-free, which means there is no gas and oil to mix. Just plug them in and go.



TORO° POWER SHOVEL

"I bought a Toro Power Curve 1800 nearly 20 years ago and it prevented a lot of back aches if I had to shovel snow. I have a neighbor who is a disabled veteran so I ordered a new Toro Power Curve 1800 for myself and gave him my original machine that still works perfectly. The new Toro has improved features. The ratchet deflector holds the deflector in place, whereas the old deflector could not be locked into position and it always went high."

★★★★★ b3677 via Toro.com

POWER CURVE

IDEAL FOR:

- Concrete and Asphalt Surfaces
- Sidewalks and Decks
- 2-4 Car Driveways
- Snow 2" to 6" / 5 cm to 15 cm Deep





See your dealer for full details on warranties.





POWER PROPEL™ SELF-PROPEL SYSTEM

Reduce your effort while clearing down to the pavement. The innovative pivoting scraper keeps the rotor in constant contact with the ground, self-propelling the snowblower through the snow. Select models only.



POWER CURVE® TECHNOLOGY

Curved rotor and inverted funnel housing efficiently remove snow while reducing clogging.



COMPACT STORAGE

Fold-down handle and chute make storage or transport simple. These models are powerful enough to handle big jobs but small enough for easy storage.

Select models only.



TAKE ON SERIOUS SNOW WITH LESS EFFORT

As our best-selling models, Power Clear snowblowers are strong enough to take on serious snow, yet easy for anyone to maneuver. And with Toro's 2-Year Guaranteed to Start Warranty*, you're ready for whatever winter has in store. No wonder professional snow removal crews use Toro single-stage snowblowers more than any other brand or type of snowblower to help them get their job done.**



TORO POWER CLEAR® 518

"Very happy with the decision to buy this product. My husband travels often and having a snow thrower I can easily operate and start is important. We had several storms this year and I had no trouble keeping our drive and walkways clear."

★★★★ JulieT via Toro.com

POWER CLEAR

IDEAL FOR:

- Concrete and Asphalt Surfaces
- 4-8 Car Driveways
- Snow 2" to 9" / 5 cm to 23 cm Deep





*See your dealer for full details on warranties.

SNOWMASTER® WITH IN-LINE TWO-STAGE AUGER TECHNOLOGY **EASY TO MANEUVER** Toro's innovative Personal Pace® selfpropel system automatically senses and adapts to your walking speed, and automatic steering allows easy turning. BLUE **ENHANCED THROW DISTANCE** Throw snow farther with the tall chute and beveled opening. **EASY-TO-USE CONTROLS** Quick Stick* and EZ Turn chute controls let you change chute direction and angle on the go with one hand. CLEAR



IN-LINE TWO-STAGE AUGER TECHNOLOGY

Tall, open auger housing is free of obstacles and reduces clogging in deep snow. The all-steel rotor has a helical design — which quickly breaks up and gathers snow to the center section to throw snow far through its tall chute opening.



>> PERSONAL PACE® SELF-PROPEL

Toro's innovative Personal Pace self-propel system automatically senses and adapts to your walking speed.





REVOLUTIONARY SNOW-CLEARING DESIGN

Looking for a snowblower that's easy enough for anyone to handle yet still powers through tough end-of-driveway snow? The new SnowMaster is for you. This innovative design delivers impressive power, amazing maneuverability and user-friendly controls. It all adds up to clearing 25% more snow per minute, which can save you 30% more time* and get you back in the warmth, faster.

"Snow in Southern Ontario this morning was very wet and heavy. The SnowMaster 824 powered through without difficulty. Other snowblowers were plugging up, but the Toro had no issues. Personal Pace system was smooth and easy to use. This snowblower handles like a sports car - maneuverable and quick. The 824 is also very well powered. Engine is smooth and starts easily with the electric start."

★★★★ Nunki via Toro.com



- Concrete and Asphalt Surfaces
- 4-10 Car Driveways
- Snow 6" to 18" /
 15 cm to 46 cm Deep





See your dealer for full details on warranties.







AUTOMATIC STEERING

New design allows smooth, tight turning without pulling or straining — no triggers or levers required.

Power Max® 37781 only.



HIGH-STRENGTH AUGER GEAR BOX

Special, hardened gears are designed to withstand the highest of stresses and provide worry-free performance — no shear pins needed.



ONE-HAND OPERATION

Convenient controls allow you to keep one hand free so you can adjust the chute without stopping.

PROVEN POWER AND PERFORMANCE

Blizzard in the forecast? No worries. Toro Power Max two-stage snowblowers are made for tough conditions. With durable components and a patented Anti-Clogging System (ACS), they make quick work of hard, compacted snow. They're also compact and easy to handle. It's the perfect mix of Toro dependability and snow-clearing muscle for longer driveways and heavier snowfalls.

This machine does the job. Since purchased we have had a lot of snow and this 7240E clears it well. It starts easily, even when not using the electric start. The chute directional system makes pinpoint adjustment on the fly easy. It is powerful enough to chomp through the packed snow after the plows come and clog the end of the driveway."

★★★★ louc3 via Toro.com

POWER MAX

IDEAL FOR:

- Concrete, Asphalt and Gravel Surfaces
- 4-10 Car Driveways
- Snow 6" to 20" / 15 cm to 51 cm Deep






See your dealer for full details on warranties.







COMMERCIAL-GRADE AUGER GEAR BOX

Special hardened gears are designed to withstand the highest of stresses. No shear pins are needed, so there are none to replace.



POWER STEERING

Turn on a dime! Wheels can be disengaged independently or simultaneously with trigger controls, making turning, reversing, and steering easy for anyone.



HAND WARMERS

Keep warm and comfortable in subzero temperatures.

Models 38801 & 38802 only.

HEAVY SNOW? WE'VE GOT YOU COVERED

When the snowplow goes by, just smile and wave. Toro's heavy-duty Power Max® HD snowblowers make it easy to cut through tough, compacted snow at the end of the driveway. With high-performing engines, commercial-grade auger gear boxes and oversized 14" diameter augers, they're the toughest models in the line. And that means you'll be ready for the toughest conditions.

"This is a fantastic snowblower and with the 28 inch width, I got my driveway done so quickly, I had time to do three other neighbors' driveways, all within one hour! Not only do you want more snow to fall, but it can make you a Good Samaritan with your neighbors and it's very fun to use."

★★★★ Carltonrey1 via Toro.com







See your dealer for full details on warranties

POWER MAX HD

IDEAL FOR:

- Concrete, Asphalt and Gravel Surfaces
- 6+ Car Driveways
- Snow 6+" / 15+ cm Deep





TIRE CHAIN KIT Part #107-3813



SNOW CAB KIT Part #127-5960



TURF CASTER Part #116-8228



LIGHT KIT Part #116-8234



CONCRETE/SNOW BRISTLE DISCS Part #116-8232



TURF BRISTLE DISCS Part #116-8233

DON'T DO ALL THE **HEAVY LIFTING.**

Equipped with high performance engines and commercial grade gearbox. This is the toughest model in the line to make your job easier.



REINFORCED **HANDLE** For added durability

and strength.



DRIFT CUTTERS Knocks down large drifts, allowing auger to collect and throw deep snow.



CAST IRON SKID SHOES Extra wide .5" skids provide maximum life

and reliability. The added weight on the front helps to chew through deep snow piles.





COMPACT, JOB-**READY POWER**

Save time and make more money by adding a Toro® single-stage snowblower to your fleet. It's light enough to throw in the back of a truck yet powerful enough to do the job fast.



EXTENDED LIFE PADDLES

Designed to last over twice as long as standard Toro paddles for less downtime.



REFLECTIVE ERGONOMIC HANDLE

Less operator fatigue and more control — reflective for increased visibility.



ENHANCED HANDLE

Attached with four bolts for maximum rigidity.

"I now have four of these for my business. It's a great performer, relatively easy for a single man to get in and out of a truck. It's much quicker than the two-stages and has far less potential to damage concrete by comparison. I would confidently recommend this to anyone who needs a blower."

★★★★ icutgrassllc via Toro.com





GET THE MOST FROM YOUR SNOWBLOWER

Protect the reliability of your snowblower with parts designed specifically for your Toro® model. Genuine Toro parts are made from premium materials and engineered to enhance the safety and performance of your Toro equipment. Plus, every part we ship comes with a one-year full warranty.



BLADES / PADDLES

Extended life paddles replace your worn single-stage paddles with thicker, heavy-duty paddles designed to last up to twice as long. Standard paddles are also available as replacement parts.

PART#	DESCRIPTION	CATEGORY
38205	Extended Life Paddle Kit	Power Clear 21"



To maximize the performance of your Toro product, we highly recommend using Toro oil, which has been specifically formulated for best results. Premium fuel treatment also helps ensure clean, reliable engine performance and protection against ethanol's harmful effects.



PART#		DESCRIPTION
131-657	72	Toro Premium Fuel Treatment — 12 oz
38907		Toro 4-Cycle Winter Oil 5W30 — 12 oz bottle
38908		Toro 4-Cycle Winter Oil 5W30 — 20 oz bottle
38910		Toro 4-Cycle Winter Oil 5W30 — 32 oz bottle
38913		Toro Full Synthetic Winter Oil 0W30 – 20 oz bottle



TORO T-150 PROTECTIVE SPRAY

Use on the snowblower blades, chutes and other metal surfaces that need protection from snow and ice build-up.

PART#	DESCRIPTION
29100	T-150 Protective Spray



POWER BROOM ACCESSORIES

PART#	DESCRIPTION
135-2311	Turf Caster Kit
116-8229	Dirt Deflector Kit
116-8230	Debris Box Kit
116-8232	Black Snow/Ice Wafers
116-8233	Yellow Turf Wafers
116-8234	Light Kit
126-0023	Electrical Power Kit
107-3813	Tire Chain Kit
127-5960	Snow Cab

TORO ALL SEASON FUEL

131-3824

Ethanol Free Fuel, Engineered for Maxii recor smoo

2-Cycle Fuel

Maximum Pe	FUEL	
recommende	Company	
smooth perfo	CONT.	
PART#	DESCRIPTION	
131-3823	4-Cycle Fuel	





TIRE CHAINS

Provides additional traction and helps keep drive wheels from slipping in heavy snow and icy conditions. Great for sloped surfaces.

PART#	DESCRIPTION	CATEGORY
38214	13" Tire Chains	Power Max® with 13" x 4" Tires
38215	16" Tire Chains	Power Max HD
107-3813	15" Tire Chains	Power Max with 15" Tires



DRIFT BREAKER KIT

Breaks down drifts in front of auger housing, minimizing snow accumulation across the top of the housing.

PART#	DESCRIPTION
38213	Power Max
107-3816	Power Max HD 26"
107-3817	Power Max HD 28"



SNOW CAB

Protects you from the frigid wind and snow. Heavy-duty vinyl with clear, freeze-resistant windows. *Now fits both Power Max & Power Max HD*

PART#	DESCRIPTION	CATEGORY
127-5960	Snow Cab	Power Max
107-3815	Weight Kit (used with snow cab)	Power Max HD



PROTECTIVE COVER

Protect your snowblower with a water-, abrasionand tear-resistant cover.

PART#	DESCRIPTION
490-7464	Single-Stage Toro Cover
490-7466	2-Stage Toro Cover





SKIDS

Extra wide .5" heavy-duty cast iron skids provide maximum life and reliability. The added weight on the front helps to chew through deep snow piles. You can also protect your driveway and sidewalk surfaces by using non-marking poly skids. Both are reversible for double the life.

PART#	DESCRIPTION	CATEGORY
130-9619	Standard Skid	SnowMaster® 724 ZXR, 724 OXE & 824 OXE 36001/36002/36003
130-9619P	Skid Kit (includes 2 skids & hardware)	SnowMaster
106-4588-01	Standard Skid	
120-3098-03	Heavy Duty Cast Iron Skid	
38212	Heavy Duty Cast Iron Skid Kit (includes 2 skids and hardware)	Power Max Power Max HD
121-6600	Non-Marking Poly Skid	Power Max HD Commercial
38211	Non-Marking Poly Skid Kit (includes 2 skids and hardware)	

SNOWBLOWER SPECIFICATIONS

	POWER SH	10VEL / POW	ER CURVE°		POWER CLEAR®				SNOWMASTER*		
MODELS	POWER SHOVEL 38361	1500 POWER CURVE 38371	1800 POWER CURVE 38381	518 ZR/ZE 38472 / 38473	721 R/E 38741 / 38742	721 R-C 38751 COMMERCIAL	721 QZE 38744	724 ZXR 36001	724 QXE 36002	824 QXE 36003	
ENGINE	7.5 Amp Series Wound Electric	>> 12 Amp Series Wound Electric	>> 15 Amp Series Wound Electric	Toro* Premium 99cc OHV 4-cycle	>> Toro Premium 212cc OHV 4-cycle	Toro Premium 212cc OHV 4-cycle	Toro Premium 212cc OHV 4-cycle	Toro Premium 212cc OHV 4-cycle	Toro Premium 212cc OHV 4-cycle	>> Toro Premium 252cc OHV 4-cycle	
STARTER	On/Off Switch	On/Off Switch	On/Off Switch	Recoil / Electric	Recoil / Electric	Recoil	» Electric Start	Recoil	» Electric Start	Electric Start	
FUEL CAPACITY	-	-	-	1.6 Quarts (1.5 L)	1.1 Quarts (1.0 L)	1.1 Quarts (1.0 L)	1.1 Quarts (1.0 L)	2.3 Quarts (2.2 L)	2.3 Quarts (2.2 L)	>> 3.1 Quarts (3.0 L)	
PERFORMANCE											
THROW DISTANCE*	Up to 20' (6 m)	» Up to 25' (7.6 m)	» Up to 30' (9 m)	Up to 25' (8 m)	» Up to 35' (11 m)	Up to 35' (11 m)	Up to 35' (11 m)	Up to 40' (12 m)	Up to 40' (12 m)	Up to 40' (12 m)	
CLEARING WIDTH	12" (31 cm)	» 15" (38 cm)	» 18" (46 cm)	18" (46 cm)	» 21" (53 cm)	>> 21" (53 cm) w/ Extended Life Paddles	21" (53 cm)	24" (61 cm)	24" (61 cm)	24" (61 cm)	
STEERING	-	_	-	-	-	-	-	Automatic Steering	Automatic Steering	Automatic Steering	
SPEEDS	_	-	-	-	-	-	-	Infinitely Variable (0 - 3.5 mph)	Infinitely Variable (0 - 3.5 mph)	Infinitely Variable (0 - 3.5 mph)	
DRIVE SYSTEM	-	-	-	Rotor Propelled	» Power Propel* Self-Propel	Power Propel Self-Propel	Power Propel Self-Propel	Personal Pace®	Personal Pace	Personal Pace	
ROTOR STYLE OR AUGER SYSTEM, AUGER DIAMETER & GEARBOX	Power Curve* Rotor	Power Curve® Rotor	Power Curve® Rotor	Power Curve* Rotor	Power Curve Rotor	Power Curve Rotor	Power Curve Rotor	In-line 2-Stage, 10" /25 cm Dia.	In-line 2-Stage, 10" /25 cm Dia.	In-line 2-Stage, 10" /25 cm Dia.	
SNOW CUT DEPTH – 1 PASS	6" (15 cm)	» 12" (31 cm)	12" (31 cm)	12" (31 cm)	» 12.5" (31.75 cm)	12.5" (31.75 cm)	12.5" (31.75 cm)	18" / 46 cm	18" / 46 cm	18" / 46 cm	
USER-FRIENDLY	FEATURES										
HANDLE	Telescoping Handle	-	_	Straight	Straight	» Reflective and Ergonomic	Ergonomic	Ergonomic	Ergonomic	Ergonomic	
CHUTE / DEFLECTOR TYPE		≫ Zip Deflector	Zip Deflector	Curved w/ Zip Deflector	Curved Steel w/ Friction Deflector	Curved Steel w/ Friction Deflector	High CapacityPolyethylene w/Zip Deflector	Sub Zero Material w/ Zip Deflector	Sub Zero Material	Sub Zero Material	
CHUTE CONTROL	-	> Chute Lever (180° Rotation)	» Quick Lever (180° Rotation)	Chute-Mounted Handle (210° Rotation)	Chute-Mounted Handle (210° Rotation)	Chute-Mounted Handle (210° Rotation)	» Quick Shoot (210° Rotation)	EZ Turn (200° Rotation)	» Quick Stick® (200° Rotation)	Quick Stick (200° Rotation)	
SKIDS	-	-	-	-	-	-	-	Combination	Combination	Combination	
ONE-HAND INTERLOCK	-	-	-	-	-	-	-	-	-	-	
HAND WARMERS	-	-	-	-	-	-	-	-	-	-	
SCRAPER	Stationary	Stationary	Stationary	Stationary	→ Pivoting	Pivoting	Pivoting	Compression Loaded	Compression Loaded	Compression Loaded	
WHEELS / TIRES	_	6" x 1.5" (15 cm x 3.8 cm) Wheels	6" x 1.5" (15 cm x 3.8 cm) Wheels	6" x 1.5" (15 cm x 3.8 cm) Wheels	>> 7" x 1.5" (18 cm x 3.8 cm) Wheels		7" x 1.5" (18 cm x 3.8 cm) Wheels	11" / 28 cm Deep Lug Directional Tires	11" / 28 cm Deep Lug Directional Tires	11" / 28 cm Deep Lug Directional Tires	
HEADLIGHT	-	-	-	-	-	-	-	-	-	-	
DRIFT BREAKER	-	-	-	-	-	-	-	-	-	-	
WEIGHT: RECOIL / ELECTRIC START (IF APPLICABLE)	13.5 lbs. (6.1 kg)	24 lbs. (10.9 kg)	25 lbs. (11.3 kg)	54 lbs. / 58 lbs. (25 kg / 27 kg)	82 lbs. / 87 lbs. (37 kg / 39 kg)	84 lbs. (38 kg)	91 lbs. (41 kg)	117 lbs. (53 kg)	125 lbs. (57 kg)	131 lbs. (59 kg)	
MACHINE WARRANTY**	2-Year Full	2-Year Full	2-Year Full	2-Year GTS (<i>Residential Only</i>) 2-Year Full	2-Year GTS (Residential Only) 2-Year Full	2-Year GTS (Residential Only) 2-Year Full (Residential Only) 1-Year Limited (Commercial)	2-Year GTS (Residential Only) 2-Year Full	3-Year Limited	3-Year Limited	3-Year Limited	
GUARANTEED FOR LIFE WARRANTY**	-	-	-	-	-	-	-	Lower Chute, Chute, Deflector	Lower Chute, Chute, Deflector	Lower Chute, Chute, Deflector	

We reserve the right to improve our products and make changes in the specifications, designs and standard equipment without notice and without incurring obligation. Products depicted in this brochure are for demonstration purposes only. Actual products offered for sale may vary in design, required attachments and safety features.

^{*} Throw distance will vary with conditions.
** See retailer for warranty details.

POWER MAX°					POWER MAX* HD			
724 OE 37779	824 OE 37793	826 OE 37780	826 OXE 37781	826 OXE 37797	826 OXE 38805	928 OHXE 38801	1028 OHXE 38802	1028 OHXE 38806 COMMERCIAL
Toro Premium 212cc OHV 4-cycle	>> Toro Premium 252cc OHV 4-cycle	Toro Premium 252cc OHV 4-cycle	Toro Premium 252cc OHV 4-cycle	Toro Premium 252cc OHV 4-cycle	Toro Premium 252cc OHV 4-cycle	>> Toro Premium 265cc OHV 4-cycle	»Toro Premium 302cc OHV 4-cycle	» Toro Premium 302cc OHV 4-cycle
Electric Start	Electric Start	Electric Start	Electric Start					
2.3 Quarts (2.2 L)	3.1 Quarts (3.0 L)	>> 3.1 Quarts (3.0 L)	3.1 Quarts (3.0 L)	3.1 Quarts (3.0 L)	3.1 Quarts (3.0 L)	>> 3.6 Quarts (3.5 L)	3.6 Quarts (3.5 L)	3.6 Quarts (3.5 L)
					1			
Up to 40' (12 m)	» Up to 45' (13.5 m)	Up to 45' (13.5 m)	Up to 45' (13.5 m)	Up to 45' (13.5 m)				
24" (61 cm)	24" (61 cm)	» 26" (66 cm)	26" (66 cm)	26" (66 cm)	26" (66 cm)	» 28" (71 cm)	28" (71 cm)	28" (71 cm)
-	-	-	» Automatic Steering	Automatic Steering	» Power Steering	Power Steering	Power Steering	Power Steering
6 Forward 2 Reverse	6 Forward 2 Reverse	6 Forward 2 Reverse	6 Forward 2 Reverse					
Friction Disk	Friction Disk	Friction Disk	Friction Disk					
Anti-Clogging System (ACS), 11" / 28 cm Dia., Hardened Gears; no shear pins needed	Anti-Clogging System (ACS), 11" / 28 cm Dia., Hardened Gears; no shear pins needed	Anti-Clogging System (ACS), 11" / 28 cm Dia., Hardened Gears; no shear pins needed	Anti-Clogging System (ACS), 11" / 28 cm Dia., Hardened Gears; No shear pins needed	Anti-Clogging System (ACS), 11" / 28 cm Dia., Hardened Gears; No shear pins needed	» Anti-Clogging System (ACS), 14" / 36 cm Dia., Commercial- Grade; no shear pins needed	Anti-Clogging System (ACS), 14" / 36 cm Dia., Commercial- Grade; no shear pins needed	Anti-Clogging System (ACS), 14" / 36 cm Dia., Commercial- Grade; no shear pins needed	Anti-Clogging System (ACS), 14" / 36 cm Dia., Commercial- Grade; no shear pins needed
20" / 51 cm	» 21.5" / 55 cm	21.5" / 55 cm	21.5" / 55 cm	21.5" / 55 cm				
-	-	-	-	-	-	-	-	» Reinforced Handle Reflection Tape
Sub Zero Material	Sub Zero Material	Sub Zero Material	Sub Zero Material					
Quick Stick (200° Rotation)	Quick Stick (200° Rotation)	Quick Stick (200° Rotation)	Quick Stick (200° Rotation)					
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	» Cast Iron
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
-	-	-	-	-	-	>> Standard	Standard	Standard
Adjustable	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable
13" x 4" (33 cm x 10 cm) Deep Lug Directional Tires	>> 13" x 5" (33 cm x 13 cm) Deep Lug Directional Tires	13" x 4" (33 cm x 10 cm) Deep Lug Directional Tires	13" x 4" (33 cm x 10 cm) Deep Lug Directional Tires	>> 15" x 5" (38 cm x 13 cm) Deep Lug Directional Tires	>> 16" / 41 cm Deep Lug Directional Tires	16" / 41 cm Deep Lug Directional Tires	16" / 41 cm Deep Lug Directional Tires	16" / 41 cm Deep Lug Directional Tires
-	-	-	>> Standard	Standard	Standard	Standard	Standard	Standard
-	-	-	-	-	-	-	-	» Standard
172 lbs. (78 kg)	172 lbs. (78 kg)	175 lbs. (79 kg)	176 lbs. (80 kg)	178 lbs. (81 kg)	243 lbs. (110 kg)	262 lbs. (119 kg)	267 lbs. (121 kg)	269 lbs. (121 kg)
3-Year Limited	3-Year Limited	3-Year Limited	3-Year Limited >> 1-Year Limited (Commercial)					
Chute, ACS, Deflector	Chute, ACS, Deflector	Chute, ACS, Deflector	Chute, ACS, Deflector					

>> = Enhanced or step-up feature













WHEN WE SAY COUNT ON IT, WE MEAN IT

Every product that carries the Toro brand is backed by over 100 years of history, innovation and timeless dependability. We never stop investing in research and development to give our customers the latest features. That's why Toro is one of the best-known, most trusted brands in the business – and why your next snowblower should be a Toro. We also stand behind our products with a nationwide network of knowledgeable dealers for parts and service support. **Real People. Real Support.**

Smart Features. Proven Dependability.





Look Before You Pump.com

toro.com / toro.ca

490-9799
© 2017 The Toro Company. Bloomington, MN 55420
All rights reserved. Printed in the USA.

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your dealer for details on all our warranties.







FOLLOW LIST

facebook.com/toro.yard twitter.com/TheToroCompany youtube.com/toro

Dealer imprint area