



# FEAR NO STORM



†Based on average TraQline dollar share for snow blower market from 2013 – March 2021



**NEW MODELS!**

# 60V MAX<sup>®</sup> 60V TWO-STAGE



## 3 BATTERY SLOTS WHERE THE GAS TANK USED TO BE



### 60V POWER MAX<sup>®</sup> e24

- 61 cm Clearing Width
- Anti-Clogging System
- Quick Stick<sup>®</sup> Chute Control
- LED Headlight

Includes 2 x 6.0 ah 60V batteries tackling up to 24 cars in 25.4 cm of snow\*\*

Optional third battery clears even more – up to 15 more car spaces



2 X 6.0 ah  
24 CAR CLEARING  
CAPABILITY  
OUT OF THE BOX

+



7.5 ah  
39 CAR CLEARING  
CAPABILITY  
W/OPTIONAL THIRD BATTERY



### 60V POWER MAX<sup>®</sup> e26

- 66 cm Clearing Width
- Anti-Clogging System
- Quick Stick<sup>®</sup> Chute Control
- LED Headlight
- Hand Warmers

Includes 2 x 7.5 ah 60V batteries tackling up to 30 cars in 25.4 cm of snow\*\*

Optional third battery clears even more – up to 15 more car spaces



2 X 7.5 ah  
30 CAR CLEARING  
CAPABILITY  
OUT OF THE BOX

+



7.5 ah  
45 CAR CLEARING  
CAPABILITY  
W/OPTIONAL THIRD BATTERY

**60V BATTERY  
POWER MAX<sup>®</sup>  
TWO-STAGE**

**IDEAL FOR** Up to a 45-parked-car driveway on a single charge in 10" / 25.4 cm of snow

#### ZERO COMPROMISES

Same rugged, heavy-duty steel construction as Toro gas-powered snow blowers, with LED lights, hardened gears and no shear pins to break.



#### GO THREE ROUNDS WITH OLD MAN WINTER

The only snow blower with three battery ports, this machine has all the power you need to get the job done right.



#### POWER UP

All the features you love – Quick Stick<sup>®</sup> chute control, rugged 15" / 38 cm tires, anti-clogging system, and more.

**NEW!**

**60V MAX<sup>®</sup> BATTERY SNOW BLOWERS**

	POWER SHOVEL <sup>®</sup> 60V	SINGLE-STAGE POWER CLEAR <sup>®</sup> 60V E21	SINGLE-STAGE POWER CLEAR 60V E21	TWO-STAGE POWER MAX <sup>®</sup> 60V E24 <b>NEW!</b>	TWO-STAGE POWER MAX HA 60V E26 <b>NEW!</b>
MODEL	39909	39901	39902	39924	39926
CLEARING WIDTH	12" / 30.5 cm	» 21" / 53.3 cm	21" / 53.3 cm	» 24" / 61.0 cm	» 26" / 66.0 cm
CLEARING CAPACITY**	Decks, steps, patios and up to 4 parked cars	» Up to 12 parked cars	» Up to 18 parked cars (9 cars per battery)	» Up to 24 parked cars (12 cars per battery) Up to 15 cars more with additional 3rd battery	» Up to 30 parked cars (15 cars per battery) Up to 15 cars more with additional 3rd battery
SNOW CUT DEPTH	6" / 15.2 cm	» 12" / 30.5 cm	12" / 30.5 cm	» 20" / 50.8 cm	20" / 50.8 cm
BATTERY	1 x 2.5 ah	» 1 x 7.5 ah	» 2 x 6.0 ah	2 x 6.0 ah	» 2 x 7.5 ah
CHARGE TIME	60 min	180 min	150 min	150 min	180 min
THROWING DISTANCE**	Up to 25' / 7.6 m	» Up to 40' / 12.2 m	Up to 40' / 12.2 m	» Up to 45' / 13.7 m	Up to 45' / 13.7 m
AUGER SYSTEM	Power Curve	» Patent Pending Power Edge™	Patent Pending Power Edge	» Power Max Anti-Clogging System	Power Max Anti-Clogging System
AUGER DIAMETER	6.5" / 16.5 cm	» 7" / 17.8 cm	7" / 17.8 cm	» 11" / 27.9 cm	11" / 27.9 cm
IMPELLER DIAMETER	-	-	-	11" / 27.9 cm	11" / 27.9 cm
AUGER GEARBOX	-	-	-	» Hardened Gears; No Shear Pins	Hardened Gears; No Shear Pins
HANDLE	-	Adjustable	Adjustable	Standard	» Heavy-Duty
DEFLECTOR	-	Locking	Locking	Single	Single
CHUTE CONTROL	-	Quick Turn	Quick Turn	» Quick Stick®	Quick Stick
CHUTE CONSTRUCTION	-	Sub Zero Curved Chute	Sub Zero Curved Chute	» Steel	Steel
TIRES	-	6 7/8" x 2" 17.5 cm x 5.1 cm	6 7/8" x 2" 17.5 cm x 5.1 cm	» 15" / 38.1 cm	15" / 38.1 cm
HAND WARMERS	-	-	-	-	» Standard
LIGHT	-	Panoramic LED	Panoramic LED	LED	LED
WARRANTY***	3-Year Limited, 3-Year Battery	2-Year Limited, 3-Year Battery	2-Year Limited, 3-Year Battery	3-Year Limited, 3-Year Battery	3-Year Limited, 3-Year Battery
BARE TOOL MODEL #	39909T	39901T	39901T	-	39926T

» Enhanced or step-up feature

\*Battery manufacturer rating = 60V maximum and 54V typical usage. Actual voltage varies with load.

\*\*Throw distance and clearing capacity will vary with conditions. \*\*\*See retailer for complete warranty details.

\*\*\*Measured in lbs/Wh. Based on internal testing in a controlled environment versus a leading competitor. Results may vary based on conditions.

**TORO**

**60V MAX**  
**FLEX-FORCE**  
POWER SYSTEM

**BEST BATTERY.  
BEST TOOLS.**

It's called Flex-Force for a reason.  
It's all about flexible power.  
Commanding a full line of cordless  
lawn tools that is a force to be  
reckoned with. It's the one system  
you need to finish everything  
without sacrificing anything.



**35+** INTERCHANGEABLE  
YARD TOOLS

**60V BATTERY  
POWER CLEAR<sup>®</sup>  
SINGLE-STAGE**

**IDEAL FOR** Up to a 18-parked-car driveway on a single charge in 2 - 9" / 5 - 23 cm of snow



**MORE POWER  
WITH LESS ENERGY**  
Toro's Power Edge™  
Auger is up to 33%  
more efficient\*\* at  
throwing the same  
amount of snow as  
competitive machines.



**SNOWDRIFT STRENGTH**  
Bust through 2-9"  
of heavy, wet snow,  
throwing it up to 12 m /  
40 feet.



**CRUSH SNOW  
TO THE CURB**  
60V Flex-Force  
Power System®  
- one powerful  
battery system, 35+  
unbeatable tools.



# POWER CLEAR®

## SINGLE-STAGE SNOW BLOWERS

Tackle small driveway, walkway and patio jobs in no time with Power Clear.

The perfect blend of power and efficiency to get the job done fast. Plus a compact design for easy storage leaves room in the garage for what matters most.



### POWER CLEAR® SINGLE-STAGE

	POWER CLEAR® 518 ZR/ZE	POWER CLEAR 721 R/E	COMMERCIAL POWER CLEAR 721 R-C	COMMERCIAL POWER CLEAR 821 R-C	POWER CLEAR 721 QZE	POWER CLEAR 821 QZE
<b>MODEL</b>	<b>38472 / 38473</b>	<b>38752 / 38753</b>	<b>38754</b>	<b>38755</b>	<b>38756</b>	<b>38757</b>
<b>CLEARING WIDTH</b>	18" / 45.7 cm	» 21" / 53.3 cm	» 21" / 53.3 cm w/ Extended Life Paddles	21" / 53.3 cm w/ Extended Life Paddles	21" / 53.3 cm	21" / 53.3 cm
<b>SNOW CUT DEPTH</b>	12" / 30.5 cm	» 12.5" / 31.2 cm	12.5" / 31.2 cm	12.5" / 31.2 cm	12.5" / 31.2 cm	12.5" / 31.2 cm
<b>ENGINE</b>	99cc Toro Premium OHV	» 212cc Toro Premium OHV	212cc Toro Premium OHV	» 252cc Toro Premium OHV	212cc Toro Premium OHV	» 252cc Toro Premium OHV
<b>DRIVE SYSTEM</b>	Rotor Propelled	» Self-Propelled Power Propel®	Self-Propelled Power Propel	Self-Propelled Power Propel	Self-Propelled Power Propel	Self-Propelled Power Propel
<b>STARTING</b>	Recoil / Electric	Recoil / Electric	Recoil	Recoil	Electric	Electric
<b>THROWING DISTANCE**</b>	Up to 25' / 7.6 m	» Up to 35' / 10.7 m	Up to 35' / 10.7 m	» Up to 40' / 12.2 m	Up to 35' / 10.7 m	» Up to 40' / 12.2 m
<b>AUGER SYSTEM</b>	Power Curve	Power Curve	Power Curve	Power Curve	Power Curve	Power Curve
<b>HANDLE</b>	Standard	» Ergonomic	» Reinforced & Ergonomic Handle	Reinforced & Ergonomic Handle	Ergonomic	Ergonomic
<b>DEFLECTOR</b>	Locking	Locking	Locking	Locking	Locking	Locking
<b>CHUTE CONTROL</b>	Chute Mounted	Chute Mounted	Chute Mounted	Chute Mounted	» Quick Chute	Quick Chute
<b>TIRES</b>	6" x 1.5" / 15.2 x 3.8 cm	» 7" x 1.75" / 17.8 x 4.4 cm	7" x 1.75" / 17.8 x 4.4 cm	7" x 1.75" / 17.8 x 4.4 cm	7" x 1.75" / 17.8 x 4.4 cm	7" x 1.75" / 17.8 x 4.4 cm
<b>WARRANTY***</b>	2-Year Limited 2-Year Guaranteed to Start		2-Year Limited Residential, 1-Year Limited Commercial 2-Year Guaranteed to Start Residential Only		2-Year Limited 2-Year Guaranteed to Start	

» Enhanced or step-up feature



## Win Winter with America's #1 Snow Blower Brand

Power Clear single-stage snow blowers are loaded with big time power in a compact size. Its light weight and ergonomic handle make this powerhouse so easy to maneuver, you can clear your driveway 50% faster than a traditional two-stage machine.\*

\*Based on CFM measurements from 3rd party testing at 6"/15.2 cm snow depth in a controlled environment. Results may vary based on conditions. \*\* Throw distance and clearing capacity will vary with conditions. \*\*\*See retailer for complete warranty details. †Based on average TraQline dollar share for snow blower market from 2013 – March 2021.

### POWER CLEAR® SINGLE-STAGE

**IDEAL FOR** Driveways that can hold up to 9 cars and 2-9" / 5-23 cm of snow with limited garage storage



**POWER TO BLAST THROUGH SNOW**  
Toro's powerful 4-cycle OHV engines give you the power to slice through snow in no time and throw it 40 feet/12 m.\*\*



**GET A MOVE ON**  
Keep moving to get done faster with self-propel Power Propel® system. The unique scraper pulls you through the snow. Select models.



**SHREDS SNOW FAST**  
Efficiently shreds through snow while reducing clogging with the curved rubber paddles and housing of Power Curve® Technology.

# POWER MAX® & POWER MAX® HD

## TWO-STAGE SNOW BLOWERS

Take National Weather Service major winter storm warnings, chew 'em up and spit 'em out. Power Max and Power Max HD snow blowers are unbeatable in any storm.

Take control of big snow jobs this winter with Power Max and Power Max HD. These two-stage snow blowers clear wide paths with speed and ease.



**Power Max 824 OE**  
252cc Toro Premium OHV Engine  
Self-Propelled  
24" / 61 cm Clearing Width



**Power Max 826 OHAE**  
Hand Warmers Standard  
Heavy Duty Handle Construction  
26" / 66 cm Clearing Width

### POWER MAX® COMPACT TWO-STAGE

	POWER MAX 824 OE	POWER MAX 826 OAE	POWER MAX 826 OHAE
<b>MODEL</b>	<b>37798</b>	<b>37799</b>	<b>37802/37805</b>
<b>CLEARING WIDTH</b>	24" / 61.0 cm	» 26" / 66.0 cm	26" / 66.0 cm
<b>SNOW CUT DEPTH</b>	20" / 50.8 cm	20" / 50.8 cm	20" / 50.8 cm
<b>ENGINE</b>	252cc Toro Premium OHV	252cc Toro Premium OHV	252cc Toro Premium OHV
<b>DRIVE SYSTEM</b>	Self-Propelled	» Triggerless Steering	Triggerless Steering
<b>STARTING</b>	Electric	Electric	Electric
<b>THROWING DISTANCE**</b>	Up to 45' / 13.7 m	Up to 45' / 13.7 m	Up to 45' / 13.7 m
<b>AUGER SYSTEM</b>	Power Max Anti-Clogging	Power Max Anti-Clogging	Power Max Anti-Clogging
<b>AUGER DIAMETER</b>	11" / 27.9 cm	11" / 27.9 cm	11" / 27.9 cm
<b>IMPELLER DIAMETER</b>	11" / 27.9 cm	11" / 27.9 cm	11" / 27.9 cm
<b>AUGER GEARBOX</b>	Hardened Gears, No Shear Pins	Hardened Gears, No Shear Pins	Hardened Gears, No Shear Pins
<b>HANDLE</b>	Standard	Standard	» Heavy-Duty
<b>DEFLECTOR</b>	Single	Single	Single
<b>CHUTE CONTROL</b>	Quick Stick®	Quick Stick	Quick Stick
<b>TIRES</b>	15" / 38.1 cm	15" / 38.1 cm	15" / 38.1 cm
<b>HAND WARMERS</b>	-	-	» ✓
<b>LED LIGHT</b>	-	» ✓	✓
<b>WARRANTY***</b>	3-Year Limited	3-Year Limited	3-Year Limited



**Power Max H**  
Commercial-Grade  
All-Steel Constructio  
16" / 40.6 cm Tires



**Power Max H**  
30" / 76 cm Clearing  
302cc Toro Premium  
Double Deflector  
Hand Warmers Sta

### POWER MAX® COMPACT TWO-STAGE

**IDEAL FOR** Larger driveways that can hold 6-14 parked cars and 6-20" / 15-50 cm of snow at a time




**POWER UP**  
Optimal performance and years of dependable use with the 252cc Toro premium 4-cycle OHV engine.



**TRIGGERLESS STEERING**  
No triggers to pull or levers to break! Turn the machine and the wheel intelligently disengages to assist you through for effortless turns.



**CHUTE CONTROL**  
Quickly change the chute and deflector direction with a single, smooth motion thanks to the Quick Stick® chute control.



## HD 828 OAE

Auger Gear Box  
 tion  
 S

## HD 1030 OHAE

ing Width  
 m OHV Engine

andard

	POWER MAX® HEAVY-DUTY TWO-STAGE				
	POWER MAX HD 828 OAE	POWER MAX HD 1030 OHAE	POWER MAX HD 1232 OHXE	COMMERCIAL POWER MAX HD 1428 OHXE	COMMERCIAL POWER MAX HD 1432 OHXE
MODEL	38838	38830	38842	38843	38844
CLEARING WIDTH	28" / 71.1 cm	» 30" / 76.2 cm	» 32" / 81.3 cm	28" / 71.1 cm	» 32" / 81.3 cm
SNOW CUT DEPTH	21" / 53.3 cm	21" / 53.3 cm	21" / 53.3 cm	21" / 53.3 cm	21" / 53.3 cm
ENGINE	252cc Toro Premium OHV	» 302cc Toro Premium OHV	» 375cc Toro Premium OHV	» 420cc Toro Premium OHV	420cc Toro Premium OHV
DRIVE SYSTEM	Triggerless Steering	Triggerless Steering	» Power Steering	Power Steering	Power Steering
STARTING	Electric	Electric	Electric	Electric	Electric
THROWING DISTANCE**	Up to 45' / 13.7 m	» Up to 49' / 14.9 m	» Up to 57' / 17.4 m	» Up to 60'+ / 18.3 m+	Up to 60'+ / 18.3 m+
AUGER SYSTEM	Power Max Anti-Clogging	Power Max Anti-Clogging	Power Max Anti-Clogging	Power Max Anti-Clogging	Power Max Anti-Clogging
AUGER DIAMETER	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm
IMPELLER DIAMETER	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm	14" / 35.6 cm
AUGER GEARBOX	Commercial-Grade, No Shear Pins	Commercial-Grade, No Shear Pins	Commercial-Grade, No Shear Pins	Commercial-Grade, No Shear Pins	Commercial-Grade, No Shear Pins
HANDLE	Heavy-Duty	Heavy-Duty	Heavy-Duty	» Commercial	Commercial
DEFLECTOR	Single	Double	Double	Double	Double
CHUTE CONTROL	Quick Stick®	Quick Stick	Quick Stick	Quick Stick	Quick Stick
TIRES	16" / 40.6 cm	16" / 40.6 cm	16" / 40.6 cm	16" / 40.6 cm	16" / 40.6 cm
HAND WARMERS	-	» ✓	✓	✓	✓
LED LIGHT	✓	✓	✓	✓	✓
WARRANTY***	3-Year Limited	3-Year Limited	3-Year Limited	» 5-Year Limited / 1-Year Commercial	5-Year Limited / 1-Year Commercial

### POWER MAX® HEAVY-DUTY TWO-STAGE

**IDEAL FOR** Larger driveways that can hold up to 20 parked cars and 9-21" / 23-53 cm of snow at a time



**NO SHEAR PINS!**  
 No need to replace shear pins in the cold with Toro's hardened gears and commercial-grade auger gearbox.



**PRECISION MOVES**  
 Smooth, tight turns are a snap with power steering.



**DOUBLE CHUTE DEFLECTOR**  
 Place the snow with greater precision, such as right next to your fence line, or throw the distance with a double deflector.



# POWER TRX HEAVY-DUTY

## TRACKED TWO-STAGE SNOW BLOWERS

When a monster storm is roaring in, you need a beast of a snow blower to roar back.

Winter gets out of your way as you throw snow 60+ feet/18+ m. It all starts with a single-button, electric start. This is our biggest engine for your biggest, snowiest jobs on long driveways, up slopes and through the teeth of winter.



### POWER TRX HEAVY-DUTY TWO-STAGE

	COMMERCIAL POWER TRX HD 1428 OHXE	COMMERCIAL POWER TRX HD 1432 OHXE
<b>MODEL</b>	<b>38890</b>	<b>38891</b>
<b>CLEARING WIDTH</b>	28" / 71.1 cm	» 32" / 81.3 cm
<b>SNOW CUT DEPTH</b>	21" / 53.3 cm	21" / 53.3 cm
<b>ENGINE</b>	420cc Toro Premium OHV	420cc Toro Premium OHV
<b>DRIVE SYSTEM</b>	» Self-Propelled Hydrostatic Transmission and Power Steering	Self-Propelled Hydrostatic Transmission and Power Steering
<b>STARTING</b>	Electric	Electric
<b>THROWING DISTANCE**</b>	Up to 60'+ / 18.3 m+	Up to 60'+ / 18.3 m+
<b>AUGER SYSTEM</b>	Power Max Anti-Clogging	Power Max Anti-Clogging
<b>AUGER DIAMETER</b>	14" / 35.6 cm	14" / 35.6 cm
<b>IMPELLER DIAMETER</b>	14" / 35.6 cm	14" / 35.6 cm
<b>AUGER GEARBOX</b>	Commercial-Grade, No Shear Pins	Commercial-Grade, No Shear Pins
<b>HANDLE</b>	Commercial	Commercial
<b>DEFLECTOR</b>	Double	Double
<b>CHUTE CONTROL</b>	Quick Stick®	Quick Stick
<b>TIRES</b>	Tracked	Tracked
<b>HAND WARMERS</b>	✓	✓
<b>LED LIGHT</b>	✓	✓
<b>WARRANTY***</b>	5-Year Limited, 1-Year Commercial	5-Year Limited, 1-Year Commercial

### Power TRX HD 1428 OHXE / 1432 OHXE

Self-Propelled Hydrostatic Transmission  
Tracked Driven for Ultimate Performance  
Commercial Grade All-Steel Construction  
420cc Toro Premium OHV Engine



#### POWER TRX HEAVY-DUTY TWO-STAGE

**IDEAL FOR** Extra-large driveways, heavy accumulation and making quick work of 10"+ / 25.4 cm+ of snow



#### UNMATCHED STABILITY

Track driven allows you to handle the steepest slopes or dig into hard packed snow.



#### SMOOTH HANDLING AND LOW MAINTENANCE

Hydrostatic transmission allows for self-propelled operation with infinitely variable speed.



#### ADJUST WITH EASE

Push the Quick-Adjust auger housing lever to adjust your housing up for climbing and transport, flat to blow snow off a driveway or down to dig deep snow.



# SNOWMASTER®

## SNOW BLOWERS

**Tear through the roughest snow and ice in record time.**

Easy enough for anyone in your household to handle, and still powers through tough, end-of-driveway snow.



# CORDED ELECTRIC

## SNOW BLOWERS

**Make small snow clearing jobs a snap.**

An ideal choice for sidewalks, steps, decks and small driveways.

	SNOWMASTER®	
	SNOWMASTER 724 QXE	SNOWMASTER 824 QXE
MODEL	36002	36003
CLEARING WIDTH	24" / 61.0 cm	24" / 61.0 cm
SNOW CUT DEPTH	18" / 45.7 cm	18" / 45.7 cm
ENGINE	212cc Toro Premium OHV	» 252cc Toro Premium OHV
DRIVE SYSTEM	Self-Propelled Personal Pace	Self-Propelled Personal Pace
STARTING	Electric	Electric
THROWING DISTANCE**	Up to 40' / 12.2 m	» Up to 45' / 13.7 m
AUGER SYSTEM	In-Line Two-Stage	In-Line Two-Stage
AUGER DIAMETER	10" / 25.4 cm	10" / 25.4 cm
IMPELLER DIAMETER	10" / 25.4 cm	10" / 25.4 cm
CHUTE CONTROL	Quick Stick®	Quick Stick
TIRES	11" / 27.9 cm	11" / 27.9 cm
WARRANTY***	3-Year Limited	3-Year Limited

	CORDED ELECTRIC	
	POWER SHOVEL™	1800 POWER CURVE†
MODEL	38361	38381
CLEARING WIDTH	12" / 30.5 cm	» 18" / 45.7 cm
WEIGHT	13 lbs / 5.9 kg	26 lbs / 11.8 kg
THROWING DISTANCE**	Up to 20' / 6.1 m	» Up to 30' / 9.1 m
CHUTE CONTROL	-	» Quick Lever
DEFLECTOR	-	» Locking
DEPTH OF SNOW CUT, ONE PASS	6" / 15.2 cm	» 10" / 25.4 cm
WARRANTY***	2-Year Limited	2-Year Limited

» Enhanced or step-up feature

\*\*Throw distance and clearing capacity will vary with conditions.  
\*\*\*See retailer for complete warranty details.

# FREE EXTRA YEAR ENGINE WARRANTY



on qualifying snow blowers with Toro engines when you purchase a maintenance kit.

Maintenance Kit 138-0698

Single-Stage Models 38472, 38473

Maintenance Kit 138-0704

Two-Stage Models 38801, 38802, 38806, 38830, 38840, 38841, 38842

Maintenance Kit 138-0699

Single-Stage Models 38741, 38742, 38744, 38752, 38753, 38756, 38757

Two-Stage Models 36001, 36002, 36003, 37779, 37780, 37781, 37793, 37797, 37798, 37799, 37802, 37805, 38805, 38838

490-0689 ©2021 The Toro Company All Rights Reserved.  
Specifications subject to change without notice and without incurring obligation. Products depicted are for demonstration purposes only.  
Actual products offered for sale may vary in design, required attachments and safety features.