



WALK POWER MOWERS

60V BATTERY / RECYCLER® / SUPER RECYCLER® / TIMEMASTER®





TORO® WALK POWER MOWERS

THE POWER OF EASY

HASSLE-FREE MAINTENANCE

Your time is valuable. Free up your time with Toro's hassle-free maintenance. With a Toro, there's no oil change – ever. Just check the oil level and add when needed.

Select models.

SAVE STORAGE SPACE

The battle to free up your storage space is fierce. Now you can fold, lock and store your Toro practically anywhere in your garage or shed with SmartStow®. It's proven to reduce the storage footprint by up to 70%[§], and provides easy access to clean under the deck and service the blade.

Select models.

PICK YOUR PACE

With Toro's line of lawn mowers you can say goodbye to your one-speed-fits-all mower. Adjust your speed at will and enjoy better maneuverability with Toro's exclusive Personal Pace® Self-Propel System or check out Toro's ALL NEW exclusive Personal Pace Auto-Drive™ mower that adjusts to you, with no knobs, no levers, no messing around. Grab the easy-to-steer handle, engage and go!

Select models.



[§]Based on average TraQline dollar share for walk behind mower market from 2017 - 2020.

Space savings are in relation to the space consumed by a Toro® 22" Walk Power Mower that is stored with the handle in the standard operating position.

NEW!

RECYCLER® MOWERS

Introducing a mower that adjusts to you, with no knobs, no levers, no messing around. Supercharge your mowing with an amped airflow that requires less energy to cut more grass. In total, it's a boatload of features that easily make you and your lawn look great in less time.



PERSONAL PACE® WITH AUTO DRIVE™

No levers, no adjustments, no learning—the self propelled evolved.



VORTEX TECHNOLOGY™

More airflow to supercharge your grass cutting.



BETTER BAGGING

Fits more so you empty less.



RECYCLER®

PERSONAL PACE® W/ AUTO DRIVE™ - NO OIL CHANGE, JUST TOP IT OFF

MODEL	21462 NEW!	21464 NEW!	21465 NEW!	21472 NEW!
DECK SIZE (CUTTING WIDTH)	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm
DECK MATERIAL	Steel	Steel	Steel	Steel
ENGINE	7.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 163cc	6.25 ft-lb Gross Torque ¹ Briggs & Stratton EXi 150cc	6.25 ft-lb Gross Torque ¹ Briggs & Stratton EXi 150cc	7.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 163cc
DRIVE SYSTEM	Self-Propel Rear-Wheel Drive	Self-Propel Rear-Wheel Drive	Self-Propel Rear-Wheel Drive	» Self-Propel All-Wheel Drive
TORO PERFORMANCE WARRANTY**	3-Year GTS 2-Year Full	3-Year GTS 2-Year Full	3-Year GTS 2-Year Full	3-Year GTS 2-Year Full

FEATURES

RECYCLER® CUTTING SYSTEM	✓	✓	✓	✓
MULCH, REAR BAG, SIDE DISCHARGE 3-IN-1	✓	✓	✓	✓
PERSONAL PACE® W/ AUTO DRIVE™	✓	✓	✓	✓
VORTEX TECHNOLOGY™	✓	✓	✓	✓
SUPER BAGGER	✓	✓	✓	✓
BAG ON DEMAND	✓	✓	✓	✓
NO OIL CHANGE	✓	✓	✓	✓
TRACTION HIGH WHEEL	✓	✓	✓	✓
SMARTSTOW®	-	-	» SmartStow®	-
ALL-WHEEL DRIVE	-	-	-	✓
ELECTRIC START	-	✓	-	-

HEIGHT OF CUT	1.0" - 4.0" 2.5 - 10 cm			
WHEEL HEIGHT	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm
HANDLE	Personal Pace Auto Drive, Adjustable Height			
WEIGHT	83 lbs. / 37.6 kg			

IDEAL FOR



DURABLE STEEL DECK

Enjoy years of reliable use from your steel deck.



ALWAYS RELIABLE

3-year guaranteed-to-start warranty, and 2-year full warranty.

RECYCLER®

MAKING MOWING EASIER

RECYCLER® MAKES YARD WORK A BREEZE

Recycler mowers make lawn care easier than ever. They start the first time, every time, move at your pace and are easy to maintain and store. With Toro's legendary performance and durability, you'll turn your neighbors green with envy. Count on it.

RECYCLER®

PUSH

VARIABLE SPEED

MODEL	21332	21328	21352	21378	20379	20339
DECK SIZE (CUTTING WIDTH)	21" / 53 cm	21" / 53 cm	21" / 53 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm
DECK MATERIAL	Steel	Steel	Steel	Steel	Steel	Steel
ENGINE	5.5 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 140cc	» Honda® GCV 160cc OHC w/ AutoChoke	5.5 ft-lb Gross Torque ¹ Briggs & Stratton EXi 140cc	» 6.25 ft-lb Gross Torque ¹ Briggs & Stratton EXi 150cc	» Honda GCV 160cc OHC w/ AutoChoke	» 7.25 ft-lb Gross Torque ¹ Briggs & Stratton EXi 163cc
DRIVE SYSTEM	Push	Push	» Variable Speed Rear-Wheel Drive	Variable Speed Front-Wheel Drive	Variable Speed Front-Wheel Drive	Variable Speed Front-Wheel Drive
TORO PERFORMANCE WARRANTY**	3-Year GTS 2-Year Full	3-Year GTS 2-Year Full	3-Year GTS 2-Year Full	3-Year GTS 2-Year Full	3-Year GTS 2-Year Full	3-Year GTS 2-Year Full
FEATURES						
RECYCLER® CUTTING SYSTEM	✓	✓	✓	✓	✓	✓
MULCH, REAR BAG, SIDE DISCHARGE 3-IN-1	3-in-1 Ready	3-in-1 Ready	3-in-1 Ready	✓	✓	✓
NO OIL CHANGE	✓	-	✓	✓	-	✓
HIGH WHEEL	✓	✓	-	✓	✓	✓
SMARTSTOW®	-	-	-	-	-	» SmartStow
HEIGHT OF CUT	1.25" - 3.75" 3.2 - 9.5 cm	1.25" - 3.75" 3.2 - 9.5 cm	1.25" - 3.75" 3.2 - 9.5 cm	1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm
WHEEL HEIGHT	7" Front / 17.8 cm 11" Rear / 27.9 cm	7" Front / 17.8 cm 11" Rear / 27.9 cm	7" Front / 17.8 cm 8" Rear / 20.3 cm	8" Front / 20.3 cm 11" Rear / 27.9 cm	8" Front / 20.3 cm 11" Rear / 27.9 cm	8" Front / 20.3 cm 11" Rear / 27.9 cm
HANDLE	1 Piece, Adjustable Height	1 Piece, Adjustable Height	1 Piece, Adjustable Height	1 Piece, Adjustable Height	1 Piece, Adjustable Height	» SmartStow, 1 Piece, Adjustable Height
WEIGHT	62 lbs. / 28.1 kg	62 lbs. / 28.1 kg	67 lbs. / 30.4 kg	72 lbs. / 32.7 kg	75 lbs. / 34.0 kg	78 lbs. / 34.0 kg

OR SMALL TO MEDIUM SIZED YARDS, UP TO 1/2 ACRE



VALUABLE VERSATILITY

Easily change from mulching, bagging or side discharge.



SAVE SPACE WITH SMARTSTOW®

Reduced the storage footprint by up to 70%, and provides easy access to clean under the deck and service the blade. *Select models.*



SUPER RECYCLER®

MEET YOUR NEW SUPER POWER

Give your corner of the earth a hand by reducing water and fertilizer use with the Super Recycler Cutting System. Rock-solid construction with commercial components means you'll enjoy years of every-day reliability.



SUPER RECYCLER®

	SPIN-STOP™	HONDA® ENGINE	SMARTSTOW®	ELECTRIC START
MODEL	21389	21382	21386	21387
DECK SIZE (CUTTING WIDTH)	21" / 53 cm	21" / 53 cm	21" / 53 cm	21" / 53 cm
DECK MATERIAL	Cast-Aluminum	Cast-Aluminum	Cast-Aluminum	Cast-Aluminum
ENGINE	7.25 ft-lb Gross Torque¹ Briggs & Stratton® EXi 163cc	» Honda® GCV 160cc OHC	» 7.25 ft-lb Gross Torque¹ Briggs & Stratton® EXi 163cc	» 8.75 ft-lb Gross Torque¹ Briggs & Stratton® EXi 190cc
DRIVE SYSTEM	Self-Propel Rear Wheel Drive	Self-Propel Rear Wheel Drive	Self-Propel Rear Wheel Drive	Self-Propel Rear Wheel Drive
TORO PERFORMANCE WARRANTY**	5-Year GTS 5-Year Full	5-Year GTS 5-Year Full	5-Year GTS 5-Year Full	5-Year GTS 5-Year Full
FEATURES				
SUPER RECYCLER® CUTTING SYSTEM	✓	✓	✓	✓
PERSONAL PACE®	✓	✓	✓	✓
MULCH, REAR BAG, SIDE DISCHARGE 3-IN-1	✓	✓	✓	✓
FLEX HANDLE	✓	✓	✓	✓
SMARTSTOW®	-	-	» SmartStow®	SmartStow
NO OIL CHANGE	-	-	✓	✓
ELECTRIC START	-	-	-	✓
SPINSTOP™ BLADE STOP	✓	-	-	-
HEIGHT OF CUT	1.25" - 4.25" 3.2 - 10.8 cm	1.25" - 4.25" 3.2 - 10.8 cm	1.25" - 4.25" 3.2 - 10.8 cm	1.25" - 4.25" 3.2 - 10.8 cm
WHEEL HEIGHT	8" / 20.3 cm	8" / 20.3 cm	8" / 20.3 cm	8" / 20.3 cm
HANDLE	Adjustable Height, Quick Stow Storage Handle	Adjustable Height, Quick Stow Storage Handle	» SmartStow, Adjustable Height	SmartStow, Adjustable Height
WEIGHT	94 lbs. / 42.6 kg	85 lbs. / 38.6 kg	92 lbs. / 41.7 kg	92 lbs. / 41.7 kg



IDEAL FOR MEDIUM SIZED YARDS, UP TO 1/2 ACRE



NO RESTARTS
Safely walk away from your mower without having to shut off the engine with Blade Stop. *Select models.*



NEXT-LEVEL MOWING
Uniquely designed dual accelerator blade delivers superior cutting results.



DURABLE DECK
Military grade cast-aluminum deck for long durability.

TIMEMASTER® 30" WIDE AREA

GET IT DONE

AND GET ON WITH YOUR WEEKEND

For big yards and busy schedules, the TimeMaster® cuts a wider path on every pass so you can finish mowing faster.

TIMEMASTER®

ELECTRIC START

MODEL	21199	21200
DECK SIZE (CUTTING WIDTH)	30" / 76 cm	30" / 76 cm
DECK MATERIAL	Steel Deck, Cast-Aluminum Frame	Steel Deck, Cast-Aluminum Frame
ENGINE	10.00 ft-lb Gross Torque ² Briggs & Stratton® 223cc OHV	10.00 ft-lb Gross Torque ² Briggs & Stratton 223cc OHV
DRIVE SYSTEM	Self-Propel Rear Wheel Drive	Self-Propel Rear Wheel Drive
TORO PERFORMANCE WARRANTY**	3-Year GTS 3-Year Full	3-Year GTS 3-Year Full
FEATURES		
TIMEMASTER® CUTTING SYSTEM	✓	✓
MULCH, REAR BAG, SIDE DISCHARGE 3-IN-1	✓	✓
PERSONAL PACE®	Traction Assist	Traction Assist
SPINSTOP™ BLADE STOP	✓	✓
ELECTRIC START		✓
HEIGHT OF CUT		
	1.25" - 4.25" 2-point 3.2 - 10.8 cm	1.25" - 4.25" 2-point 3.2 - 10.8 cm
WHEEL HEIGHT		
	8" Front/ 20.3 cm 10" Rear/25.4 cm	8" Front/ 20.3 cm 10" Rear/25.4 cm
HANDLE		
	Quick Stow Storage Handle	Quick Stow Storage Handle
WEIGHT		
	140 lbs. / 63.5 kg	145 lbs. 65.8 kg

» Enhanced or step-up feature

¹The gross torque of this engine was laboratory rated at 2600 RPM per SAE J1940 by the engine manufacturer. As configured to meet safety, emission and operating requirements, the actual engine torque on these mowers may be significantly lower. ²Space savings are in relation to the space consumed by a Toro 22" walk power mower stored with the handle in the standard operating position. We reserve the right to improve our products and make changes in the specifications, designs and standard equipment without notice and without incurring obligation. **See dealer for complete warranty details and for Guaranteed to Start Warranty (GTS) warranty details and limitations.

IDEAL FOR LARGE YARDS, UP TO AN ACRE OR MORE

TIME SAVER
Finish jobs faster with the 30" deck.



NO RESTARTS
Safely walk away from your mower without having to shut off the engine with Blade Stop.



GENUINE TORO® PARTS

To best protect your investment and maintain optimal performance of your turf equipment, count on Toro genuine parts. For peace of mind, insist on Toro genuine parts.



2-CYCLE AND 4-CYCLE OIL



PREMIUM FUEL TREATMENT



ALL-SEASON FUEL



T-150 LUBRICANT SPRAY



EAR PROTECTION



TORO RED TOUCH UP PAINT



NO SPILL® FUEL CANS



TORO PUC
(Portable Usage Calculator)



FLEX-FORCE POWER SYSTEM

60V MAX LITHIUM ION BATTERY

60V MAX* BATTERY

POWER WITHOUT COMPROMISE

FINISH EVERYTHING, SACRIFICE NOTHING.

Our 60V Recycler® and Super Recycler® mowers offer all the legendary performance and durability you expect from Toro. Best of all, your 60 Volt battery is compatible with many other products in Toro's Flex-Force battery-powered lineup.



CHARGED UP

Cut up to .40 acre on a full battery charge.



DURABLE MOWING DECK

Enjoy years of reliable use with either our durable steel deck or military grade cast-aluminum deck.



60V MAX* BATTERY

	SELF-PROPEL	PERSONAL PACE W/ AUTO DRIVE™	PERSONAL PACE
MODEL	21356 NEW!	21466 NEW!	21388 NEW!
DECK SIZE (CUTTING WIDTH)	21" / 53 cm	22" / 56 cm	21" / 53 cm
DECK MATERIAL	Steel	Steel	» Cast-Aluminum
ENGINE	» 6.0 ah, 324 wh (L324) 60V Battery	6.0 ah, 324 wh (L324) 60V Battery	» 7.5 ah, 405 wh (L405) 60V Battery
MOTOR	Brushless DC	Brushless DC	Brushless DC
GRASS CUT IN A SINGLE CHARGE	» 0.33 acre	0.33 acre	» 0.40 acre
RUN TIME†	» 45 min	40 min	» 50 min
CHARGE TIME	150 min	150 min	180 min
DRIVE SYSTEM	» Self-Propel Rear Wheel Drive	» Personal Pace® w/ Auto Drive™ Self-Propel Rear Wheel Drive	Personal Pace Self-Propel Rear Wheel Drive
TORO PERFORMANCE WARRANTY**	3-Year Full Battery; 2-Year Full Mower	3-Year Full Battery; 2-Year Full Mower	» 3-Year Full Battery; 5-Year Full Mower

FEATURES

CUTTING SYSTEM	Recycler	Recycler	» Super Recycler
VORTEX TECHNOLOGY	-	✓	-
SUPER BAGGER	-	✓	-
BAG ON DEMAND	-	✓	-
TRACTION HIGH WHEEL	-	✓	-
SMARTSTOW®	✓	✓	✓
PUSH BUTTON START	✓	✓	✓

HEIGHT OF CUT	1.25" - 3.75" / 3.2 - 9.5 cm	1.0" - 4.0" / 2.5 - 10 cm	1.25" - 4.25" / 3.2 - 10.8 cm
WHEEL HEIGHT	7" Front / 17.8 cm 8" Rear / 20.3 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" / 20.3 cm
HANDLE	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height
BARE TOOL MODEL Battery sold separately	21356T	21466T	21388T
WEIGHT	75 lbs. / 34.0 kg	95 lbs. / 43.1 kg	94 lbs. / 42.6 kg

IDEAL FOR SMALL TO MEDIUM SIZED YARDS, UP TO 1/3 ACRE



READY TO WORK

The 60 volt battery has intelligent battery software to maximize run time and power.



SAVE SPACE WITH SMARTSTOW®

Reduces the storage footprint by up to 70%, and provides easy access to clean under the deck and service the blade.

*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. †Run time varies based on usage conditions. Max run time specs based on light conditions and/or lowest speed settings. ‡Space savings are in relation to the space consumed by a Toro 22" walk power mower stored with the handle in the standard operating position. **See dealer for complete warranty details.



60V^{MAX} FLEX-FORCE
POWER SYSTEM[®]



POWER

WITHOUT COMPROMISE

Finish everything. Sacrifice nothing.

The most powerful 60v battery in its class* meets a full line of unbeatable tools. Feel the power at Toro.com/60v

