

2024 CATALOG

WALK POWER MOWERS

60V^{MAX} BATTERY / GAS POWERED



TORO[®]

RECYCLER[®] | STRIPE[™] | SUPER RECYCLER[®] | TIMEMASTER[®]

Count on it.

*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. [®]Based on average TraQline dollar share for walk behind mower market as of June 2023.

WALK POWER MOWERS FEATURES



RECYCLER
CUTTING SYSTEM

MODEL 21467

RECYCLER[®] WALK POWER MOWERS

21" and 22" durable steel decks

Recycler Cutting System feeds your lawn Lawn Vitamins, fine clippings that nourish your grass

Push, self-propel rear wheel drive and Personal Pace[®] Auto-Drive rear-wheel drive options available



SUPER RECYCLER
CUTTING SYSTEM

MODEL 21568

SUPER RECYCLER[™] WALK POWER MOWER

Durable rust-proof, cast-aluminum deck

Super Recycler Cutting System features two blade accelerators and under-deck bumpers to shave clippings to an ultra-fine mulch, adding nutrients to your lawn

Glide over holes and bumps with ease with Toro's FLEX[™] Handle suspension



eTIMEMASTER
DUAL-FORCE
CUTTING SYSTEM

MODEL 21491

eTIMEMASTER[™] WALK POWER MOWER

30" steel deck with cast-aluminum frame reduces mowing time up to 40%^{^^}

Tackle tall grass and rough terrain with Dual-Force[™] dual blade technology and 2 - 10.0 ah, 540 wh batteries

Save space with the Quick Stow fold-up handle



STRIPE
DUAL-BLADES

MODEL 21623

STRIPE[™] WALK POWER MOWER

Pro-level striping creates a statement-making, neighbor-envying lawn.

Dual blades: surgically cut and recut grass into fine Lawn Vitamin clippings. Less work for you no matter what kind of grass you have.

25%[†] lighter than other battery-powered mowers, making it easy to steer and create the perfectly striped lawn.

[†]Weight savings is compared to a Toro 60v Recycler walk power mower (model 21466T).

^{^^}Time savings via wider cutting path and enhanced speed of TimeMaster[®] vs. 21" Toro[®] mower, and will vary due to mowing conditions.

WALK POWER MOWER FEATURES

#1
AMERICA'S
WALK MOWER BRAND



VORTEX TECHNOLOGY

More airflow to supercharge your grass cutting. Ultra-fine clippings provide a nourished, greener, more lush lawn.

AVAILABLE ON
RECYCLER | SUPER RECYCLER



PERSONAL PACE® AUTO-DRIVE

No knobs, no levers, no learning—self-propel evolved. Grab the easy-to-steer handle and go.

AVAILABLE ON
RECYCLER | SUPER RECYCLER | eTIMEMASTER | STRIPE

SUPER BAGGER

Shaped for easier lifting, no-shake dumping and holds more clippings so you empty less often.

AVAILABLE ON
RECYCLER | SUPER RECYCLER | STRIPE



SMARTSTOW®

Save up to 70% floor space* in the garage or shed for toys, tools and things that really matter.

AVAILABLE ON
RECYCLER | SUPER RECYCLER | STRIPE

TRACTION HIGH WHEEL

Provides control and easier maneuverability through turns with greater precision over uneven terrain.

AVAILABLE ON
RECYCLER | SUPER RECYCLER | STRIPE



LIGHT AND BRIGHT

Front dual LED headlights equip you to get the job done anytime, from dawn to dusk.

AVAILABLE ON
RECYCLER | SUPER RECYCLER | eTIMEMASTER | STRIPE

*Based on average TraLine dollar share for walk behind mower market as of June 2023.



GENUINE TORO® PARTS

To best protect your investment and maintain optimal performance of your turf equipment, count on Toro genuine parts. For peace of mind, insist on Toro genuine parts.

©2024 The Toro Company All Rights Reserved. Specifications subject to change without notice and without incurring obligation. Products depicted are for demonstration purposes only. Actual products offered for sale may vary in design, required attachments and safety features. *Battery manufacturer rating = 60V maximum and 54V typical usage. Actual voltage varies with load.



2-CYCLE
AND 4-CYCLE OIL



PREMIUM
FUEL TREATMENT



FLEX-FORCE
BATTERIES



TORO RED
TOUCH UP PAINT



REPLACEMENT
WHEELS



REPLACEMENT BLADES



NO SPILL® FUEL CANS



ALL-SEASON FUEL

DOES EVERYTHING GAS CAN MINUS THE GAS CAN

America's #1 selling walk mower brand[®], Toro, offers all the performance and durability you expect with the compatibility of the Flex-Force Power System[®]. These dominant, battery-operated lawn mowers come with our interchangeable battery allowing you to use your Toro 60V Max[®] battery seamlessly with more than 75 other products in Toro's Flex-Force yard tool lineup.



MODEL / BARE TOOL	RECYCLER [®]							STRIPE [™]				SUPER RECYCLER [™]	eTIMEMASTER [™]	
	LIGHT DUTY			MEDIUM DUTY				PRO-LEVEL STRIPING				CAST-ALUMINUM	30" WIDE-AREA	
	PUSH	SELF-PROPEL		SELF-PROPEL	PERSONAL PACE [®] AUTO-DRIVE			PUSH	SELF-PROPEL	SELF-PROPEL	DUAL BLADE SELF-PROPEL	PERSONAL PACE [®] AUTO-DRIVE	PERSONAL PACE [®] W/TRACTION ASSIST	
MODEL / BARE TOOL	21323 / 21323T	21326 / 21326T	21327 / NA	21357 / NA	21466 / 21466T	21467 / 21467T	21469 / NA	21611 / 21611T	21620 / N/A	21621 / 21621T	21623 / 21623T	21568 / 21568T	21491 / 21491T	21493 / NA
DECK SIZE	21" / 53 cm	21" / 53 cm	21" / 53 cm	21" / 53 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	21" / 53 cm	21" / 53 cm	21" / 53 cm	21" / 53 cm	21" / 53 cm	30" / 76 cm	30" / 76 cm
DECK MATERIAL	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Synthetic	Synthetic	Synthetic	Synthetic	» Cast-Aluminum	» Steel Deck, Cast-Aluminum Frame	
BATTERY [*]	4.0 Ah, 216 wh (L216)	» 5.0 Ah, 270 wh (L270)	» 6.0 Ah, 324 wh (L324)	5.0 Ah, 270 wh (L270)	» 6.0 Ah, 324 wh (L324)	6.0 Ah, 324 wh (L324)	» 8.0 Ah, 432 wh (L432)	4.0Ah, 216 wh (L216)	» 5.0Ah, 270 wh (L270)	» 6.0Ah, 324 wh (L324)	» 7.5Ah, 405 wh (L405)	» 7.5 Ah, 405 wh (L405)	» 2 - 10.0 Ah, 540 wh (L540)	» 10.0 Ah, 540 wh (L540) + 5.0 Ah, 270 wh (L270) + 2.5 Ah, 135 wh (L135)
MOTOR	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC
GRASS CUT IN A SINGLE CHARGE	Up to 0.33 acre	Up to 0.33 acre	Up to 0.33 acre	Up to 0.33 acre	Up to 0.33 acre	Up to 0.33 acre	Up to 1/2 acre	Up to 1/2 acre	Up to 1/2 acre	Up to 1/2 acre	» Up to 2/3 acre	Up to 0.33 acre	» Up to 0.67 acre	Up to 0.65 acre
RUN TIME [‡]	Up to 42 min	» Up to 43 min	» Up to 53 min	Up to 43 min	Up to 40 min	Up to 40 min	» Up to 60 min	Up to 50 min	Up to 50 min	» Up to 60 min	» Up to 65 min	» Up to 50 min	» Up to 65 min	Up to 58 min
CHARGE TIME	205 min	230 min	230 min	120 min	160 min	160 min	160 min	205 min	230 min	300 min	» 70 min w/Rapid Charger	180 min	250 min	250 min
DRIVE SYSTEM	Push	» Variable Self-Propel Rear Wheel Drive	» Variable Self-Propel Rear Wheel Drive	Variable Self-Propel Rear Wheel Drive	» Personal Pace [®] Auto-Drive Rear Wheel Drive	Personal Pace Auto-Drive Rear Wheel Drive	Personal Pace Auto-Drive Rear Wheel Drive	Push	» Self-Propel Rear Wheel Drive	Self-Propel Rear Wheel Drive	Self-Propel Rear Wheel Drive	Personal Pace Auto-Drive Rear Wheel Drive	Personal Pace Auto-Drive w/Traction Assist Handle	Personal Pace Auto-Drive w/Traction Assist Handle
TORO PERFORMANCE WARRANTY ^{***}	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	» 3-Year Limited Battery; 5-Year Limited Mower	3-Year Limited Battery; 3-Year Limited Mower	3-Year Limited Battery; 3-Year Limited Mower
FEATURES														
CUTTING SYSTEM	Recycler	Recycler	Recycler	Recycler	Recycler	Recycler	Recycler	Recycler	Recycler	Recycler	Recycler	Recycler	» Super Recycler	» Dual-Force [™] Dual Blade Technology
VORTEX TECHNOLOGY	-	-	-	-	» ✓	✓	✓	-	-	-	-	✓	-	-
SUPER BAGGER	-	-	-	-	» ✓	✓	✓	-	-	-	» ✓	✓	-	-
BAG ON DEMAND	-	-	-	-	» ✓	✓	✓	-	» ✓	✓	✓	-	-	-
TRACTION HIGH WHEEL	✓	✓	✓	-	» ✓	✓	✓	✓	✓	✓	✓	✓	-	-
SMARTSTOW [®]	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
LED LIGHTS	-	-	-	-	-	» ✓	» ✓	-	-	» ✓	✓	✓	✓	✓
PUSH BUTTON START	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
HEIGHT OF CUT	1.25" to 3.75" / 3.2 - 9.5 cm	1.25" to 3.75" / 3.2 - 9.5 cm	1.25" to 3.75" / 3.2 - 9.5 cm	1.25" to 3.75" / 3.2 - 9.5 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.25" - 4.25" / 3.2 - 10.8 cm 2-point	
WHEEL HEIGHT	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	7" Front / 17.8 cm 8" Rear / 20.3 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm
HANDLE	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	1 Piece, Adjustable Height	1 Piece, Adjustable Height	1 Piece, Adjustable Height	1 Piece, Adjustable Height	Flex Handle Suspension, Adjustable Height	Quick Stow 90° Storage, Adjustable Height	Quick Stow 90° Storage, Adjustable Height
WEIGHT	64 lbs. / 29.0 kg	65 lbs. / 29.5 kg	65 lbs. / 29.5 kg	66 lbs. / 29.9 kg	85 lbs. / 38.6 kg	85 lbs. / 38.6 kg	85 lbs. / 38.6 kg	65 lbs. / 29.5 kg	71 lbs. / 32.2 kg	72 lbs. / 32.7 kg	73 lbs. / 33.1 kg	90 lbs. / 40.8 kg	161 lbs. / 73.0 kg	160 lbs. / 72.6 kg

» Enhanced or step-up feature



60V MAX[®] BATTERY

It's called Flex-Force for a reason. It's all about flexible power.

With an interchangeable battery capable of commanding over 75 lawn tools, it's the one system you need to finish everything without sacrificing anything.

[®]Based on average TraiTime dollar share for walk behind mower market as of June 2023.

^{*}Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.

Max run time specs based on light conditions and/or lowest speed settings. ^{**}See dealer for complete warranty details.



RECYCLER

MAKING MOWING EASIER

RECYCLER® MAKES YARD WORK A BREEZE

Don't just cut your grass — nourish it with Toro's Recycler Technology. Slice and dice those grass clippings into tiny pieces and return that nutrition back to your lawn, for Lawn Vitamins. With a Recycler, a healthy, green, lawn has never been easier.

IDEAL FOR SMALL TO MEDIUM SIZED YARDS, UP TO 1/2 ACRE



TRACTION HIGH WHEEL
Provides control and easier maneuverability through turns with greater precision over uneven terrain.



HASSLE-FREE MAINTENANCE
With no oil change ever. Just Top It Off™.



PERSONAL PACE® AUTO-DRIVE
A mower that adjusts to you — no knobs, no levers, no messing around. Grab the easy-to-steer handle and go. *Select models.*

MODEL	RECYCLER®										RECYCLER® MAX
	PUSH	REAR WHEEL DRIVE	FRONT WHEEL DRIVE		PERSONAL PACE® AUTO-DRIVE SELF-PROPEL						
	PUSH 21311	VARIABLE SPEED 21321	HIGH WHEEL 21442	SMARTSTOW® 21445	PERSONAL PACE® 21462	PERSONAL PACE® 21463	ELECTRIC START 21464	SMARTSTOW® 21465	ALL-WHEEL DRIVE 21472	SMARTSTOW® 21485	
DECK SIZE	21" / 53 cm	21" / 53 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	
DECK MATERIAL	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	
ENGINE	5.5 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 140cc	5.5 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 140cc	» 6.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 150cc w/Ready Start and Just Check & Add	6.25 ft-lb Gross Torque ¹ Briggs & Stratton® Mow N' Stow EXi 150cc w/Ready Start and Just Check & Add	» 7.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 163cc w/Ready Start and Just Check & Add	» 7.25 ft-lb Gross Torque ¹ Briggs & Stratton® Mow N' Stow EXi 163cc w/Ready Start and Just Check & Add	6.25 ft-lb Gross Torque ¹ Briggs & Stratton® Mow N' Stow EXi 150cc w/Ready Start and Just Check & Add	6.25 ft-lb Gross Torque ¹ Briggs & Stratton® Mow N' Stow EXi 150cc w/Ready Start and Just Check & Add	» 7.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 163cc w/Ready Start and Just Check & Add	7.25 ft-lb Gross Torque ¹ Briggs & Stratton® Mow N' Stow EXi 163cc w/Ready Start and Just Check & Add	
DRIVE SYSTEM	Push	» Variable Speed Rear Wheel Drive	» Front Wheel Drive	Front Wheel Drive	» Personal Pace Auto-Drive	» Personal Pace Auto-Drive	Personal Pace Auto-Drive	Personal Pace Auto-Drive	» All-Wheel Drive Personal Pace Auto-Drive	Personal Pace Auto-Drive	
TORO PERFORMANCE WARRANTY™	3-Year GTS; 2-Year Limited	3-Year GTS; 2-Year Limited	3-Year GTS; 2-Year Limited	3-Year GTS; 2-Year Limited	3-Year GTS; 2-Year Limited	3-Year GTS; 2-Year Limited	3-Year GTS; 2-Year Limited	3-Year GTS; 2-Year Limited	3-Year GTS; 2-Year Limited	5-year GTS; 5-year Limited	
FEATURES											
RECYCLER® CUTTING SYSTEM	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3-IN-1 READY: MULCH, BAG, SIDE DISCHARGE CAPABLE ¹	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
VORTEX TECHNOLOGY	-	-	» ✓	✓	✓	✓	✓	✓	✓	✓	
SUPER BAGGER	-	-	» ✓	✓	✓	✓	✓	✓	✓	✓	
PERSONAL PACE® W/ AUTO DRIVE	-	-	-	-	» ✓	✓	✓	✓	✓	✓	
BAG ON DEMAND	-	-	-	-	» ✓	✓	✓	✓	✓	✓	
NO OIL CHANGE	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
TRACTION HIGH WHEEL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
SMARTSTOW®	-	-	-	» ✓	-	✓	-	» ✓	-	✓	
ALL-WHEEL DRIVE	-	-	-	-	-	-	-	-	» ✓	-	
ELECTRIC START	-	-	-	-	-	-	» ✓	-	-	-	
BALL-BEARING WHEELS	-	-	-	-	-	-	-	-	-	» ✓	
SPIN-STOP™ BLADE STOP	-	-	-	-	-	» ✓	-	-	-	-	
HEIGHT OF CUT	1.25" - 3.75" / 3.2 - 9.5 cm 2-point	1.25" - 3.75" / 3.2 - 9.5 cm 2-point	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	
WHEEL HEIGHT	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	
HANDLE	1 Piece, Adjustable Height	1 Piece, Adjustable Height	Curved Easy Go Ergonomic, 1 Piece, Adjustable Height	SmartStow, Curved Easy Go Ergonomic, 1 Piece, Adjustable Height	1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	1 Piece, Adjustable Height	SmartStow, 1 Piece, Flex Handle Suspension, Adjustable Height	
WEIGHT	62 lbs. / 28.1 kg	67 lbs. / 30.4 kg	70 lbs. / 31.8 kg	72 lbs. / 32.7 kg	83 lbs. / 37.6 kg	83 lbs. / 37.6 kg	83 lbs. / 37.6 kg	83 lbs. / 37.6 kg	85 lbs. / 38.6 kg	83 lbs. / 37.6 kg	

» Enhanced or step-up feature

SUPER RECYCLER

IDEAL FOR SMALL TO MEDIUM SIZED YARDS, UP TO 1/2 ACRE

BEST IN GRASS PERFORMANCE

Reduce water and fertilizer use with the Super Recycler cutting system. Rock-solid construction with commercial components means years of every-day reliability.




SUPER RECYCLER™

PERSONAL PACE® AUTO-DRIVE SELF-PROPEL

MODEL	SMARTSTOW® 21565	ELECTRIC START 21564	SPIN-STOP™ BLADE 21563
DECK SIZE	21" / 53 cm	21" / 53 cm	21" / 53 cm
DECK MATERIAL	Cast-Aluminum	Cast-Aluminum	Cast-Aluminum
ENGINE	7.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 163cc	» 8.75 ft-lb Gross Torque¹ Briggs & Stratton® EXi 190cc	7.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 163cc
DRIVE SYSTEM	Personal Pace Auto-Drive	Personal Pace Auto-Drive	Personal Pace Auto-Drive
TORO PERFORMANCE WARRANTY**	5-Year GTS; 5-Year Limited	5-Year GTS; 5-Year Limited	5-Year GTS; 5-Year Limited
FEATURES			
SUPER RECYCLER™ CUTTING SYSTEM	✓	✓	✓
3-IN-1 READY: MULCH, BAG, SIDE DISCHARGE CAPABLE [†]	✓	✓	✓
PERSONAL PACE®	✓	✓	✓
VORTEX TECHNOLOGY	✓	✓	✓
SUPER BAGGER	✓	✓	✓
NO OIL CHANGE	✓	✓	✓
TRACTION HIGH WHEEL	✓	✓	✓
SMARTSTOW®	✓	✓	✓
FLEX™ HANDLE SUSPENSION	✓	✓	✓
ELECTRIC START	-	» ✓	-
SPIN-STOP™ BLADE STOP	-	-	» ✓
BALL BEARING WHEELS	» ✓	✓	✓
BLADE ACCELERATORS & WEDGES	» ✓	✓	Wedges Only
HEIGHT OF CUT	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm
WHEEL HEIGHT	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm
HANDLE	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height
WEIGHT	83 lbs. / 37.6 kg	92 lbs. / 41.7 kg	87 lbs. / 39.5 kg

» Enhanced or step-up feature



NEXT-LEVEL MOWING WITH COMMERCIAL-GRADE CONSTRUCTION

Two blade accelerators and under-deck bumpers shave grass to an ultra-fine mulch, adding nutrients to your lawn. A cast-aluminum deck and ball bearing wheels deliver ultra smooth mowing. (select models)

¹The gross torque of this engine was laboratory rated at 2600 RPM per SAE J1940 by the engine manufacturer. As configured to meet safety, emission and operating requirements, the actual engine torque on these mowers may be significantly lower.

TIMEMASTER 30" WIDE AREA

**IDEAL FOR LARGE YARDS,
UP TO AN ACRE OR MORE**

GET IT DONE AND GET ON WITH YOUR WEEKEND

For big yards and busy schedules, the TimeMaster cuts a wider path on every pass so you can finish mowing faster.



TIMEMASTER® PERSONAL PACE® SELF-PROPEL REAR WHEEL DRIVE

MODEL	21199/21219	ELECTRIC START 21200/21220
DECK SIZE	30" / 76 cm	30" / 76 cm
DECK MATERIAL	Steel Deck, Cast-Aluminum Frame	Steel Deck, Cast-Aluminum Frame
ENGINE	10.00 ft-lb Gross Torque¹ Briggs & Stratton® 223cc OHV	10.00 ft-lb Gross Torque¹ Briggs & Stratton 223cc OHV
DRIVE SYSTEM	Personal Pace® Self-Propel Rear Wheel Drive	Personal Pace Self-Propel Rear Wheel Drive
TORO PERFORMANCE WARRANTY**	3-Year GTS 3-Year Limited	3-Year GTS 3-Year Limited
TIMEMASTER® DUAL-FORCE™ DUAL BLADE TECHNOLOGY CUTTING SYSTEM	✓	✓
3-IN-1 READY; MULCH, BAG, SIDE DISCHARGE INCLUDED	✓	✓
PERSONAL PACE®	Personal Pace with Traction Assist Handle	Personal Pace with Traction Assist Handle
SPIN-STOP™ BLADE STOP	✓	✓
ELECTRIC START	-	» ✓
HEIGHT OF CUT	1.25" - 4.25" / 3.2 - 10.8 cm 2-point	1.25" - 4.25" / 3.2 - 10.8 cm 2-point
WHEEL HEIGHT	8" Front/ 20.3 cm 10" Rear/25.4 cm	8" Front/ 20.3 cm 10" Rear/25.4 cm
HANDLE	Quick Stow 90° Storage, Adjustable Height	Quick Stow 90° Storage, Adjustable Height
WEIGHT	140 lbs. / 63.5 kg	145 lbs. 65.8 kg

» Enhanced or step-up feature




TIME SAVING WITH NO RESTARTS

Finish jobs up to 40% faster** with the 30" deck. Step away from your mower to move toys or tools without having to restart each time with Blade Spin-Stop™.



Choose Toro Total Care for Ultimate Peace of Mind

Benefit from an extended warranty, maintenance reimbursement, and more.



*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.

¹Run time varies based on usage conditions. Max run time specs based on light conditions and/or lowest speed settings.

²The gross torque of this engine was laboratory rated at 2600 RPM per SAE J1940 by the engine manufacturer.

As configured to meet safety, emission and operating requirements, the actual engine torque on these mowers may be significantly lower.

³Side discharge chute optional and sold separately.

**Space savings are in relation to the space consumed by a Toro 22" walk power mower stored with the handle in the standard operating position.

**Time savings via wider cutting path and enhanced speed of TimeMaster® vs. 21" Toro® mower, and will vary due to mowing conditions.

**See dealer for complete warranty details and for Guaranteed to Start Warranty (GTS) warranty details and limitations.

We reserve the right to improve our products and make changes in the specifications, designs and standard equipment without notice and without incurring obligation.



GAS OR BATTERY
POWER
WITHOUT COMPROMISE