

2025 CATALOG

WALK POWER MOWERS

60V^{MAX} BATTERY / GAS POWERED



TORO[®]

RECYCLER[®] | RECYCLER[®] MAX | STRIPE[®]
SUPER RECYCLER[®] | TIMEMASTER[®]

Count on it.

*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. [†]Based on average TraQline dollar share for walk behind mower market as of September 2024

WALK POWER MOWERS FEATURES



RECYCLER CUTTING SYSTEM



RECYCLER® I RECYCLER® MAX WALK POWER MOWERS

- 21" and 22" durable steel decks
- Recycler Cutting System feeds your lawn Lawn Vitamins, fine clippings that nourish your grass
- Push, self-propel rear wheel drive and Personal Pace® Auto-Drive rear-wheel drive options available



VORTEX TECHNOLOGY®

More airflow to supercharge your grass cutting. Ultra-fine clippings provide a nourished, greener, more lush lawn.

AVAILABLE ON
RECYCLER | RECYCLER MAX | SUPER RECYCLER



SUPER BAGGER

Shaped for easier lifting, no-shake dumping and holds more clippings so you empty less often.

AVAILABLE ON
RECYCLER | STRIPE | RECYCLER MAX | SUPER RECYCLER



TIMEMASTER DUAL-FORCE CUTTING SYSTEM



TIMEMASTER® WALK POWER MOWER

- 30" steel deck with cast-aluminum frame reduces mowing time up to 40%^{^^}
- Tackle tall grass and rough terrain with Dual-Force™ dual blade technology and 2 - 10.0 ah, 540 wh batteries, or with 223cc Briggs & Stratton Engine
- Save space with the Quick Stow fold-up handle



TRACTION HIGH WHEEL

Provides control and easier maneuverability through turns with greater precision over uneven terrain.

AVAILABLE ON
RECYCLER | STRIPE | RECYCLER MAX | SUPER RECYCLER



PERSONAL PACE® AUTO-DRIVE

No knobs, no levers, no learning—self-propel evolved. Grab the easy-to-steer handle and go.

AVAILABLE ON
RECYCLER | STRIPE | RECYCLER MAX
SUPER RECYCLER | TIMEMASTER



SUPER RECYCLER CUTTING SYSTEM



SUPER RECYCLER® WALK POWER MOWER

- Durable rust-proof, cast-aluminum deck
- Super Recycler Cutting System features two blade accelerators and under-deck bumpers to shave clippings to an ultra-fine mulch, adding nutrients to your lawn
- Glide over holes and bumps with ease with Toro's FLEX™ Handle suspension



SMARTSTOW®

Save up to 70% floor space^{^^} in the garage or shed for toys, tools and things that really matter.

AVAILABLE ON
RECYCLER | STRIPE | RECYCLER MAX | SUPER RECYCLER



LIGHT AND BRIGHT

Front dual LED headlights equip you to get the job done anytime, from dawn to dusk.

AVAILABLE ON
RECYCLER | STRIPE | SUPER RECYCLER | TIMEMASTER



STRIPE DUAL-BLADES

STRIPE® WALK POWER MOWER

- Pro-level striping creates a statement-making, neighbor-envying lawn.
- Dual blades: surgically cut and recut grass into fine Lawn Vitamin clippings. Less work for you no matter what kind of grass you have. 25%[†] lighter than other battery-powered mowers, making it easy to steer and create the perfectly striped lawn.



2-CYCLE AND 4-CYCLE OIL



PREMIUM FUEL TREATMENT

GENUINE TORO® PARTS

To best protect your investment and maintain optimal performance of your turf equipment, count on Toro genuine parts. For peace of mind, insist on Toro genuine parts.



REPLACEMENT WHEELS



REPLACEMENT BLADES

^{^^}Weight savings is compared to a Toro 60v Recycler walk power mower (model 21466T).
[†]Time savings via wider cutting path and enhanced speed of TimeMaster® vs. 21" Toro® mower, and will vary due to mowing conditions.

SUPER RECYCLER

IDEAL FOR MEDIUM SIZED YARDS, UP TO 1 ACRE


BEST IN GRASS PERFORMANCE

Reduce water and fertilizer use with the Super Recycler cutting system. Rock-solid construction with commercial components means years of every-day reliability.



| | PRO-GRADE | | |
|---|---|---|---|
| | SUPER RECYCLER* | | |
| MODEL | 21565 | 21564 | 21563 |
| DECK SIZE | 21" / 53 cm | 21" / 53 cm | 21" / 53 cm |
| DECK MATERIAL | Cast-Aluminum | Cast-Aluminum | Cast-Aluminum |
| ENGINE | 7.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 163cc | » 8.75 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 190cc | 7.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 163cc |
| DRIVE SYSTEM | Rear Wheel Drive | Rear Wheel Drive | Rear Wheel Drive |
| TORO PERFORMANCE WARRANTY** | » 5-Year GTS; 5-Year Limited | » 5-Year GTS; 5-Year Limited | » 5-Year GTS; 5-Year Limited |
| FEATURES | | | |
| SUPER RECYCLER™ CUTTING SYSTEM | ✓ | ✓ | ✓ |
| 3-IN-1 READY: MULCH, BAG, SIDE DISCHARGE CAPABLE† | ✓ | ✓ | ✓ |
| PERSONAL PACE® | ✓ | ✓ | ✓ |
| VORTEX TECHNOLOGY® | ✓ | ✓ | ✓ |
| SUPER BAGGER | ✓ | ✓ | ✓ |
| TRACTION HIGH WHEEL | ✓ | ✓ | ✓ |
| SMARTSTOW® | ✓ | ✓ | - |
| FLEX™ HANDLE SUSPENSION | ✓ | ✓ | ✓ |
| ELECTRIC START | - | ✓ | - |
| SPIN-STOP™ BLADE STOP | - | - | ✓ |
| BALL BEARING WHEELS | ✓ | ✓ | ✓ |
| BLADE ACCELERATORS & KICKERS | ✓ | ✓ | Kickers Only |
| HEIGHT OF CUT | 1.0" - 4.0" / 2.5 - 10 cm | 1.0" - 4.0" / 2.5 - 10 cm | 1.0" - 4.0" / 2.5 - 10 cm |
| WHEEL HEIGHT | 8" Front / 20.3 cm, 10" Rear / 25.4 cm | 8" Front / 20.3 cm, 10" Rear / 25.4 cm | 8" Front / 20.3 cm, 10" Rear / 25.4 cm |
| HANDLE | SmartStow, 1 Piece, Adjustable Height | SmartStow, 1 Piece, Adjustable Height | 1 Piece, Adjustable Height |
| WEIGHT | 83 lbs. / 37.6 kg | 92 lbs. / 41.7 kg | 87 lbs. / 39.5 kg |

» Enhanced or step-up feature



NEXT-LEVEL MOWING WITH COMMERCIAL-GRADE CONSTRUCTION

Two blade accelerators and under-deck kickers shave grass to an ultra-fine mulch, adding nutrients to your lawn. A cast-aluminum deck and ball bearing wheels deliver ultra smooth mowing. (select models)

¹The gross torque of this engine was laboratory rated at 2600 RPM per SAE J1940 by the engine manufacturer. As configured to meet safety, emission and operating requirements, the actual engine torque on these mowers may be significantly lower.

DOES EVERYTHING GAS CAN MINUS THE GAS CAN

America's #1 selling walk mower brand[®], Toro, offers all the performance and durability you expect with the compatibility of the Flex-Force Power System[™]. These dominant, battery-operated lawn mowers come with our interchangeable battery allowing you to use your Toro 60V Max[®] battery seamlessly with more than 75 other products in Toro's Flex-Force yard tool lineup.



| MODEL / BARE TOOL | CORE | | | PREMIUM | | |
|---|---|---|---|---|---|---|
| | 21323 / 21323T | 21326 / 21326T | 21327 | 21466 / 21466T | 21467 / 21467T | 21469 |
| DECK SIZE | 21" / 53 cm | 21" / 53 cm | 21" / 53 cm | » 22" / 56 cm | 22" / 56 cm | 22" / 56 cm |
| DECK MATERIAL | Steel | Steel | Steel | Steel | Steel | Steel |
| BATTERY [†] | 4.0 Ah, 216 wh (L216) | 5.0 Ah, 270 wh (L270) | 6.0 Ah, 324 wh (L324) | 6.0 Ah, 324 wh (L324) | 6.0 Ah, 324 wh (L324) | 8.0 Ah, 432 wh (L432) |
| MOTOR | Brushless DC | Brushless DC | Brushless DC | Brushless DC | Brushless DC | Brushless DC |
| GRASS CUT IN A SINGLE CHARGE | Up to 1/3 acre | Up to 1/3 acre | Up to 1/3 acre | Up to 1/3 acre | Up to 1/3 acre | Up to 1/2 acre |
| RUN TIME [§] | Up to 42 min | Up to 43 min | Up to 53 min | Up to 40 min | Up to 40 min | Up to 60 min |
| CHARGE TIME | 205 min | 230 min | 308 min | 160 min | 160 min | 216 min |
| DRIVE SYSTEM | Push | Rear Wheel Drive | Rear Wheel Drive | Rear Wheel Drive | Rear Wheel Drive | Rear Wheel Drive |
| TORO PERFORMANCE WARRANTY** | 3-Year Limited Battery; 2-Year Limited Mower | 3-Year Limited Battery; 2-Year Limited Mower | 3-Year Limited Battery; 2-Year Limited Mower | 3-Year Limited Battery; 2-Year Limited Mower | 3-Year Limited Battery; 2-Year Limited Mower | 3-Year Limited Battery; 2-Year Limited Mower |
| FEATURES | | | | | | |
| BLADES | Single | Single | Single | Single | Single | Single |
| VORTEX TECHNOLOGY [®] | - | - | - | » ✓ | ✓ | ✓ |
| 3-IN-1 READY: MULCH, BAG, SIDE DISCHARGE CAPABLE [‡] | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| SUPER BAGGER | - | - | - | » ✓ | ✓ | ✓ |
| PERSONAL PACE [™] W/ AUTO DRIVE | - | - | - | » ✓ | ✓ | ✓ |
| BAG ON DEMAND | - | - | - | » ✓ | ✓ | ✓ |
| TRACTION HIGH WHEEL | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| SMARTSTOW [®] | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| LED LIGHTS | - | - | - | - | » ✓ | ✓ |
| PUSH BUTTON START | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HEIGHT OF CUT | 1.25" to 3.75" / 3.2 - 9.5 cm | 1.25" to 3.75" / 3.2 - 9.5 cm | 1.25" to 3.75" / 3.2 - 9.5 cm | 1.0" - 4.0" / 2.5 - 10 cm | 1.0" - 4.0" / 2.5 - 10 cm | 1.0" - 4.0" / 2.5 - 10 cm |
| WHEEL HEIGHT | 8" Front / 20.3 cm 10" Rear / 25.4 cm | 8" Front / 20.3 cm 10" Rear / 25.4 cm | 8" Front / 20.3 cm 10" Rear / 25.4 cm | 8" Front / 20.3 cm, 10" Rear / 25.4 cm | 8" Front / 20.3 cm, 10" Rear / 25.4 cm | 8" Front / 20.3 cm, 10" Rear / 25.4 cm |
| HANDLE | SmartStow, 1 Piece, Adjustable Height | SmartStow, 1 Piece, Adjustable Height | SmartStow, 1 Piece, Adjustable Height | SmartStow, 1 Piece, Adjustable Height | SmartStow, 1 Piece, Adjustable Height | SmartStow, 1 Piece, Adjustable Height |
| WEIGHT | 64 lbs. / 29.0 kg | 65 lbs. / 29.5 kg | 65 lbs. / 29.5 kg | 85 lbs. / 38.6 kg | 85 lbs. / 38.6 kg | 85 lbs. / 38.6 kg |

60V MAX[®] BATTERY
FLEX-FORCE
POWER SYSTEM[™]



**It's called Flex-Force for a reason.
It's all about flexible power.**

With an interchangeable battery capable of commanding over 75 lawn tools, it's the one system you need to finish everything without sacrificing anything.

IDEAL FOR SMALL TO MEDIUM SIZED YARDS, UP TO 2/3 ACRE



| PRO-GRADE | | |
|--|--|--|
| SUPER RECYCLER® | eTIMEMASTER® | |
| 21568 / 21568T | 21491 / 21491T | 21493 |
| 21" / 53 cm | 30" / 76 cm | 30" / 76 cm |
| Cast-Aluminum | Steel Deck, Cast-Aluminum Frame | Steel Deck, Cast-Aluminum Frame |
| 7.5 Ah, 405 wh (L405) | » 2 - 10.0 Ah, 540 wh (L540) | » 10.0 Ah, 540 wh (L540) + 5.0 Ah, 270 wh (L270) + 2.5 Ah, 135 wh (L135) |
| Brushless DC | Brushless DC | Brushless DC |
| Up to 1/3 acre | Up to 2/3 acre | Up to 2/3 acre |
| Up to 50 min | Up to 65 min | Up to 58 min |
| 180 min | 250 min | 250 min |
| Rear Wheel Drive | Rear Wheel Drive | Rear Wheel Drive |
| » 3-Year Limited Battery; 5-Year Limited Mower | 3-Year Limited Battery; 3-Year Limited Mower | 3-Year Limited Battery; 3-Year Limited Mower |
| Single | » Dual Blade | » Dual Blade |
| ✓ | - | - |
| ✓ | ✓ | ✓ |
| ✓ | - | - |
| ✓ | ✓ | ✓ |
| - | - | - |
| ✓ | - | - |
| ✓ | - | - |
| ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ |
| 1.0" - 4.0" / 2.5 - 10 cm | 1.25" - 4.25" / 3.2 - 10.8 cm 2-point | 1.25" - 4.25" / 3.2 - 10.8 cm 2-point |
| 8" Front / 20.3 cm, 10" Rear / 25.4 cm | 8" Front / 20.3 cm, 10" Rear / 25.4 cm | 8" Front / 20.3 cm, 10" Rear / 25.4 cm |
| Flex Handle Suspension, Adjustable Height | Quick Stow 90° Storage, Adjustable Height | Quick Stow 90° Storage, Adjustable Height |
| 90 lbs. / 40.8 kg | 161 lbs. / 73.0 kg | 160 lbs. / 72.6 kg |

| CORE | | PREMIUM | | |
|--|--|--|--|--|
| STRIPE® | | STRIPE® | | |
| 21611 / 21611T | 21620 | 21621 / 21621T | 21623 / 21623T | 21625 |
| 21" / 53 cm | 21" / 53 cm | 21" / 53 cm | 21" / 53 cm | 21" / 53 cm |
| Synthetic | Synthetic | Synthetic | Synthetic | Synthetic |
| 4.0Ah, 216 wh (L216) | 5.0Ah, 270 wh (L270) | 6.0Ah, 324 wh (L324) | 7.5Ah, 405 wh (L405) | 8.0 Ah, 432 wh (L432) |
| Brushless DC | Brushless DC | Brushless DC | Brushless DC | Brushless DC |
| Up to 1/2 acre | Up to 1/2 acre | Up to 1/2 acre | Up to 2/3 acre | Up to 2/3 acre |
| Up to 50 min | Up to 50 min | Up to 60 min | Up to 65 min | Up to 70 min |
| 205 min | 230 min | 300 min | » 70 min w/Rapid Charger | 216 min |
| Push | Rear Wheel Drive | Rear Wheel Drive | Rear Wheel Drive | Rear Wheel Drive |
| 3-Year Limited Battery; 2-Year Limited Mower | 3-Year Limited Battery; 2-Year Limited Mower | 3-Year Limited Battery; 2-Year Limited Mower | 3-Year Limited Battery; 2-Year Limited Mower | 3-Year Limited Battery; 2-Year Limited Mower |
| Single | Single | Single | » Dual Blade | » Dual Blade |
| - | - | - | - | - |
| - | ✓ | ✓ | ✓ | ✓ |
| - | ✓ | ✓ | ✓ | ✓ |
| - | - | - | - | » ✓ |
| - | - | - | - | - |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| - | - | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| 1.0" - 4.0" / 2.5 - 10 cm | 1.0" - 4.0" / 2.5 - 10 cm | 1.0" - 4.0" / 2.5 - 10 cm | 1.0" - 4.0" / 2.5 - 10 cm | 1.0" - 4.0" / 2.5 - 10 cm |
| 8" Front / 20.3 cm, 10" Rear / 25.4 cm | 8" Front / 20.3 cm, 10" Rear / 25.4 cm | 8" Front / 20.3 cm, 10" Rear / 25.4 cm | 8" Front / 20.3 cm, 10" Rear / 25.4 cm | 8" Front / 20.3 cm, 10" Rear / 25.4 cm |
| 1 Piece, Adjustable Height | 1 Piece, Adjustable Height | 1 Piece, Adjustable Height | 1 Piece, Adjustable Height | 1 Piece, Adjustable Height |
| 65 lbs. / 29.5 kg | 71 lbs. / 32.2 kg | 72 lbs. / 32.7 kg | 73 lbs. / 33.1 kg | 70 lbs. / 31.7 kg |

» Enhanced or step-up feature



TRACTION HIGH WHEEL
Provides control and easier maneuverability through turns with greater precision over uneven terrain.



HASSLE
With no oil change. It Off™.

RECYCLER

MAKING MOWING EASIER

RECYCLER® MAKES YARD WORK A BREEZE

Don't just cut your grass — nourish it with Toro's Recycler Technology. Slice and dice those grass clippings into tiny pieces and return that nutrition back to your lawn, for Lawn Vitamins. With a Recycler, a healthy, green, lawn has never been easier.

| | CORE | | | |
|---|---|---|--|--|
| | RECYCLER® | | | |
| MODEL | 21311 | 21321 | 21442 | 21445 |
| DECK SIZE | 21" / 53 cm | 21" / 53 cm | » 22" / 56 cm | 22" / 56 cm |
| DECK MATERIAL | Steel | Steel | Steel | Steel |
| ENGINE | 5.5 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 140cc | 5.5 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 140cc | 6.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 150cc w/Ready Start and Just Check & Add | 6.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 150cc w/Ready Start and Just Check & Add |
| DRIVE SYSTEM | Push | Rear Wheel Drive | Front Wheel Drive | Front Wheel Drive |
| TORO PERFORMANCE WARRANTY** | 3-Year GTS; 2-Year Limited | 3-Year GTS; 2-Year Limited | 3-Year GTS; 2-Year Limited | 3-Year GTS; 2-Year Limited |
| FEATURES | | | | |
| RECYCLER® CUTTING SYSTEM | ✓ | ✓ | ✓ | ✓ |
| 3-IN-1 READY: MULCH, BAG, SIDE DISCHARGE CAPABLE† | ✓ | ✓ | ✓ | ✓ |
| VORTEX TECHNOLOGY® | - | - | » ✓ | ✓ |
| SUPER BAGGER | - | - | » ✓ | ✓ |
| PERSONAL PACE® W/ AUTO DRIVE | - | - | - | - |
| BAG ON DEMAND | - | - | - | - |
| TRACTION HIGH WHEEL | ✓ | ✓ | ✓ | ✓ |
| SMARTSTOW® | - | - | - | » ✓ |
| ALL-WHEEL DRIVE | - | - | - | - |
| ELECTRIC START | - | - | - | - |
| BALL-BEARING WHEELS | - | - | - | - |
| FLEX™ HANDLE SUSPENSION | - | - | - | - |
| HEIGHT OF CUT | 1.25" - 3.75" / 3.2 - 9.5 cm 2-point | 1.25" - 3.75" / 3.2 - 9.5 cm 2-point | 1.0" - 4.0" / 2.5 - 10 cm | 1.0" - 4.0" / 2.5 - 10 cm |
| WHEEL HEIGHT | 8" Front / 20.3 cm 10" Rear / 25.4 cm | 8" Front / 20.3 cm 10" Rear / 25.4 cm | 8" Front / 20.3 cm 10" Rear / 25.4 cm | 8" Front / 20.3 cm 10" Rear / 25.4 cm |
| HANDLE | 1 Piece, Adjustable Height | 1 Piece, Adjustable Height | Curved Easy Go Ergonomic, 1 Piece, Adjustable Height | SmartStow, Curved Easy Go Ergonomic, 1 Piece, Adjustable Height |
| WEIGHT | 62 lbs. / 28.1 kg | 67 lbs. / 30.4 kg | 70 lbs. / 31.8 kg | 72 lbs. / 32.7 kg |

FREE MAINTENANCE
oil change ever. Just Top



PERSONAL PACE® AUTO-DRIVE

A mower that adjusts to you - no knobs, no levers, no messing around. Grab the easy-to-steer handle and go. *Select models.*



IDEAL FOR MEDIUM SIZED YARDS, UP TO 1 ACRE



| PREMIUM | | | | |
|--|--|--|--|--|
| RECYCLER® | | | | RECYCLER® MAX |
| 21462 | 21465 | 21472 | 21464 | 21485 |
| 22" / 56 cm | 22" / 56 cm | 22" / 56 cm | 22" / 56 cm | 22" / 56 cm |
| Steel | Steel | Steel | Steel | Steel |
| 7.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 163cc w/Ready Start and Just Check & Add | 6.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 150cc w/Ready Start and Just Check & Add | 7.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 163cc w/Ready Start and Just Check & Add | 6.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 150cc w/Ready Start and Just Check & Add | 7.25 ft-lb Gross Torque ¹ Briggs & Stratton® EXi 163cc w/Ready Start and Just Check & Add |
| Rear Wheel Drive | Rear Wheel Drive | All Wheel Drive | Rear Wheel Drive | Rear Wheel Drive |
| 3-Year GTS; 2-Year Limited | 3-Year GTS; 2-Year Limited | 3-Year GTS; 2-Year Limited | 3-Year GTS; 2-Year Limited | » 5-year GTS, 5-year Limited |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| » ✓ | ✓ | ✓ | ✓ | ✓ |
| » ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| - | ✓ | - | - | ✓ |
| - | - | » ✓ | - | - |
| - | - | - | » ✓ | - |
| - | - | - | - | » ✓ |
| - | - | - | - | » ✓ |
| 1.0" - 4.0" / 2.5 - 10 cm | 1.0" - 4.0" / 2.5 - 10 cm | 1.0" - 4.0" / 2.5 - 10 cm | 1.0" - 4.0" / 2.5 - 10 cm | 1.0" - 4.0" / 2.5 - 10 cm |
| 8" Front / 20.3 cm , 10" Rear / 25.4 cm | 8" Front / 20.3 cm , 10" Rear / 25.4 cm | 8" Front / 20.3 cm , 10" Rear / 25.4 cm | 8" Front / 20.3 cm , 10" Rear / 25.4 cm | 8" Front / 20.3 cm 10" Rear / 25.4 cm |
| 1 Piece, Adjustable Height | SmartStow, 1 Piece, Adjustable Height | 1 Piece, Adjustable Height | 1 Piece, Adjustable Height | SmartStow, 1 Piece, Flex Handle Suspension, Adjustable Height |
| 83 lbs. / 37.6 kg | 83 lbs. / 37.6 kg | 85 lbs. / 38.6 kg | 83 lbs. / 37.6 kg | 83 lbs. / 37.6 kg |

» Enhanced or step-up feature

¹Based on average TruLine dollar share for walk behind mower market as of September 2024.
^{*}Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.
 Max run time specs based on light conditions and/or lowest speed settings. **See dealer for complete warranty details.



TIMEMASTER 30" WIDE AREA

IDEAL FOR LARGE YARDS,
UP TO AN ACRE OR MORE

GET IT DONE

AND GET ON WITH YOUR WEEKEND

For big yards and busy schedules, the TimeMaster cuts a wider path on every pass so you can finish mowing faster.



| | PRO-GRADE | |
|--|---|---|
| | TIMEMASTER® | |
| MODEL | 21219 | 21220 |
| DECK SIZE | » 30" / 76 cm | » 30" / 76 cm |
| DECK MATERIAL | Steel Deck, Cast-Aluminum Frame | Steel Deck, Cast-Aluminum Frame |
| ENGINE | » 10.00 ft-lb Gross Torque ¹ Briggs & Stratton® 223cc OHV | » 10.00 ft-lb Gross Torque ¹ Briggs & Stratton® 223cc OHV |
| DRIVE SYSTEM | Rear Wheel Drive | Rear Wheel Drive |
| TORO PERFORMANCE WARRANTY** | 3-Year GTS, 3-Year Limited | 3-Year GTS, 3-Year Limited |
| FEATURES | | |
| TIMEMASTER® DUAL-FORCE™ DUAL BLADE TECHNOLOGY CUTTING SYSTEM | » ✓ | » ✓ |
| 3-IN-1 READY; MULCH, BAG, SIDE DISCHARGE INCLUDED | ✓ | ✓ |
| PERSONAL PACE® | ✓ | ✓ |
| SPIN-STOP™ BLADE STOP | ✓ | ✓ |
| ELECTRIC START | - | ✓ |
| BALL-BEARING WHEELS | ✓ | ✓ |
| HEIGHT OF CUT | 1.25" - 4.25" / , 3.2 - 10.8 cm 2-point | 1.25" - 4.25" / , 3.2 - 10.8 cm 2-point |
| WHEEL HEIGHT | 8" Front/ 20.3 cm, 10" Rear/25.4 cm | 8" Front/ 20.3 cm, 10" Rear/25.4 cm |
| HANDLE | Quick Stow 90° Storage, Adjustable Height | Quick Stow 90° Storage, Adjustable Height |
| WEIGHT | 140 lbs. / 63.5 kg | 145 lbs. 65.8 kg |

» Enhanced or step-up feature



Choose Toro Total Care for Ultimate Peace of Mind

Benefit from an extended warranty, maintenance reimbursement, and more.



TIME SAVING WITH NO RESTARTS

Finish jobs up to 40% faster^{^^} with the 30" deck. Step away from your mower to move tree branches or tools without having to restart each time with Blade Spin-Stop™.

^{*}Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. ¹Run time varies based on usage conditions. Max run time specs based on light conditions and/or lowest speed settings.

²The gross torque of this engine was laboratory rated at 2600 RPM per SAE J1940 by the engine manufacturer. As configured to meet safety, emission and operating requirements, the actual engine torque on these mowers may be significantly lower.

³Side discharge chute optional and sold separately. ⁴Space savings are in relation to the space consumed by a Toro 22" walk power mower stored with the handle in the standard operating position. ⁵Time savings via wider cutting path and enhanced speed of TimeMaster® vs. 21" Toro® mower, and will vary due to mowing conditions. ⁶See dealer for complete warranty details and for Guaranteed to Start Warranty (GTS) warranty details and limitations. We reserve the right to improve our products and make changes in the specifications, designs and standard equipment without notice and without incurring obligation.