



# ZERO-TURN MOWERS

TITAN® / TIMECUTTER®





## TORO® ZERO-TURN MOWERS

# TAKE THE ACHE OUT OF ACREAGE

### MyRIDE® SUSPENSION SYSTEM

The smooth MyRIDE Suspension System features an adjustable seat, shock absorber, and suspended operator platform that cushions you from bumps and vibrations so you can be more productive and stay comfortable. *Select models.*

### IRONFORGED® FABRICATED DECK

This machine is built like a beast, with a heavy-duty IronForged deck that won't fail, even after years of hard knocks. The Grade 50 high-strength steel deck is nearly 50% stronger than other decks<sup>†</sup> so you can power through tough grass. You'll not only enjoy mowing – you'll enjoy more free time. *Select models.*

### PRO DNA

Our commercial mowers' DNA courses through these machines' veins from front to back, giving you the same technology professionals depend on to do the job right the first time, every time. The result? A beautiful, professional-looking lawn from a mower so reliable that we back it up with an impressive warranty. Born and raised in Minnesota, Toro's innovations have been the heart and soul of America's mowing technology for more than a century. Count on it.



A ROPS (Roll Over Protection System) is available as an option for each of these products except 74710. We reserve the right to improve our products and make changes in the specifications, designs and standard equipment without notice and without incurring obligation. <sup>†</sup>See retailer for complete warranty details. <sup>†</sup>Compared to regular 11-gauge steel decks. Deck shell and leading edge are made of high-strength 10-gauge steel.

TIMECUTTER® ZERO-TURN MOWERS

# LESS TIME MOWING, MORE TIME LIVING

## TIMECUTTER®

MODEL	74710	75740	75742	75744	75745
DECK SIZE	32"	» 42	42"	42"	42"
DECK MATERIAL	Stamped	Stamped	Stamped	» 10-ga. Fab. IronForged®	10-ga. Fab. IronForged
MyRIDE® SUSPENSION SYSTEM	-	-	-	-	» MyRIDE
ENGINE*	452cc Toro®	452cc Toro	» 22.5 HP Toro V-Twin 708cc	22.5 HP Toro V-Twin 708cc	24.5 HP Toro V-Twin 708cc
WARRANTY**	3-Year, Unlimited Hour Residential	3-Year, Unlimited Hour Residential	3-Year, Unlimited Hour Residential	3-Year, Unlimited Hour Residential	3-Year, Unlimited Hour Residential
ENGINE WARRANTY**	3-Year Residential	3-Year Residential	» + 3-Year, 300-Hour Commercial	+ 3-Year, 300-Hour Commercial	+ 3-Year, 300-Hour Commercial
<b>FEATURES</b>					
STORAGE CUBBY	-	✓	✓	✓	-
STEP-THROUGH FRONT END	-	✓	✓	✓	-
TOOLLESS BELT COVERS	-	-	-	✓	✓
TOOLLESS OIL CHANGE AND AIR FILTER	✓	✓	✓	✓	✓
SEAT	18" High Back	16" Handcrafted	16" Handcrafted	16" Handcrafted	» 18" Handcrafted w/ Armrests
DECK LIFT PEDAL	Optional	Optional	Optional	Optional	Optional
SMART SPEED®	✓	✓	✓	✓	✓
<b>HYDROS</b>					
HYDROS	HG-2100	HG-2100	HG-2100	HG-2100	HG-2100
<b>FUEL CAPACITY</b>					
FUEL CAPACITY	3-Gallon	3-Gallon	3-Gallon	3-Gallon	3-Gallon
<b>BLADE TIP SPEED</b>					
BLADE TIP SPEED	18,959 ft/min	17,810 ft/min	17,810 ft/min	17,810 ft/min	17,810 ft/min
<b>HEIGHT OF CUT</b>					
HEIGHT OF CUT	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"
<b>FRAME</b>					
FRAME	10-ga. Steel	10-ga. Steel	10-ga. Steel	10-ga. Steel	10-ga. Steel
<b>ANTI-VIBRATION MAT</b>					
ANTI-VIBRATION MAT	» Standard	Optional	Optional	Optional	Optional
<b>TRANSMISSIONS</b>					
TRANSMISSIONS	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic
<b>DAMPENERS</b>					
DAMPENERS	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control
<b>STORAGE DIMENSIONS</b>					
STORAGE DIMENSIONS	38" W x 45" H x 75" L	48" W x 42" H x 75" L	48" W x 42" H x 75" L	48" W x 42" H x 75" L	48" W x 45" H x 75" L
<b>REAR TIRES</b>					
REAR TIRES	18" X 6"	» 18" X 7.5"	18" X 7.5"	18" X 7.5"	18" X 7.5"
<b>FRONT TIRES</b>					
FRONT TIRES	11" X 4"	11" X 4"	11" X 4"	11" X 4"	11" X 4"



**MORE TIME FOR YOU**

Cut mowing time up to 50%<sup>1</sup> with zero-turn steering, giving you a gorgeous lawn and more time to enjoy it.



**PICK YOUR PACE**

Take control over your mowing speed, while never sacrificing blade tip speed with Smart Speed® Technology.



**BUILT TO LAST**

TimeCutters come with a Toro IronForged deck to ensure years of reliability and top performance. (Select models)

# MORE TIME FOR LIFE'S IMPORTANT MOMENTS.

Enjoy cutting mowing time up to 50%+ with the new Toro TimeCutter zero-turn mowers. Whether it's hosting a family barbecue or neighborhood party, our mowers will get you back to the fun in a flash.



## TIMECUTTER®

MODEL	75750	75751	75755	75759	75754	75760
DECK SIZE	» 50"	50"	50"	50"	» 54"	» 60"
DECK MATERIAL	10-ga. Fab. IronForged	10-ga. Fab. IronForged	10-ga. Fab. IronForged	10-ga. Fab. IronForged	10-ga. Fab. IronForged	10-ga. Fab. IronForged
MyRIDE® SUSPENSION SYSTEM	-	-	MyRIDE	MyRIDE	MyRIDE	-
ENGINE*	» 23 HP Kawasaki® V-Twin 726cc	» 24 HP Kohler® V-Twin 725cc	» 24.5 HP Toro V-Twin 708cc	23 HP Kawasaki V-Twin 726cc	» 24.5 HP Toro V-Twin 708cc	24.5 HP Toro V-Twin 708cc
WARRANTY**	3-Year, Unlimited Hour Residential	3-Year, Unlimited Hour Residential	3-Year, Unlimited Hour Residential	3-Year, Unlimited Hour Residential	3-Year, Unlimited Hour Residential	3-Year, Unlimited Hour Residential
ENGINE WARRANTY**	3-Year Residential	3-Year Residential	» + 3-Year, 300-Hour Commercial	3-Year Residential	» + 3-Year, 300-Hour Commercial	+ 3-Year, 300-Hour Commercial
<b>FEATURES</b>						
STORAGE CUBBY	✓	✓	-	-	-	✓
STEP-THROUGH FRONT END	✓	✓	-	-	-	✓
TOOLLESS BELT COVERS	✓	✓	✓	✓	✓	✓
TOOLLESS OIL CHANGE AND AIR FILTER	-	-	✓	-	✓	✓
SEAT	18" Handcrafted w/ Armrests	18" Handcrafted w/ Armrests	18" Handcrafted w/ Armrests	18" Handcrafted w/ Armrests	18" Handcrafted w/ Armrests	18" Handcrafted w/ Armrests
DECK LIFT PEDAL	✓	✓	✓	✓	✓	✓
SMART SPEED®	✓	✓	✓	✓	✓	✓
HYDROS	HG-2100	HG-2100	» HG-2200	HG-2200	HG-2200	» HG-2800
FUEL CAPACITY	3-Gallon	3-Gallon	3-Gallon	3-Gallon	3-Gallon	3-Gallon
BLADE TIP SPEED	» 18,330 ft/min	18,330 ft/min	18,330 ft/min	18,330 ft/min	18,320 ft/min	» 18,995 ft/min
HEIGHT OF CUT	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"
FRAME	10-ga. Steel	10-ga. Steel	10-ga. Steel	10-ga. Steel	10-ga. Steel	10-ga. Steel
ANTI-VIBRATION MAT	Optional	Optional	Optional	Optional	Optional	» Standard
TRANSMISSIONS	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic
DAMPENERS	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control
STORAGE DIMENSIONS	56" W x 45" H x 75" L	56" W x 45" H x 75" L	56" W x 45" H x 75" L	56" W x 45" H x 75" L	60" W x 46" H x 75" L	66" W x 46" H x 75" L
REAR TIRES	» 18" X 9.5"	18" X 9.5"	18" X 9.5"	18" X 9.5"	» 20" X 10"	20" X 10"
FRONT TIRES	11" X 6"	11" X 6"	11" X 6"	11" X 6"	11" X 6"	» 13" X 6.5"



### STEP ON UP

Getting on and off the mower to pick up yard debris and other obstacles is a breeze with a step-through front end. (Select models)



### HASSLE-FREE MAINTENANCE

Spend less time maintaining your mower with toolless oil changes. (Select models)



### RIDE IN STYLE

The ultimate in padding and back support with the handcrafted seat.

# WIDE OPEN LIVING

## BUILT TO MAKE SHORT WORK OF KING-SIZE LOTS

Your lawn is no small job, and that's the way you prefer it. But not every mower is built to take on king-sized terrain, and you need the best to rule your land with ease.

Toro stands behind our products with an industry-leading warranty. And as a Toro owner, you'll have access to nearly 3,000 servicing dealers across the U.S. and Canada ready to assist you. Count on it.

TITAN®						
MODEL	75301	75302	75303	75311	75312	75313
DECK SIZE	48"	» 54"	» 60"	48"	» 54"	» 60"
DECK MATERIAL	10-ga. IronForged Fab. & Bull Nose	10-ga. IronForged Fab. & Bull Nose	10-ga. IronForged Fab. & Bull Nose	10-ga. IronForged Fab. & Bull Nose	10-ga. IronForged Fab. & Bull Nose	10-ga. IronForged Fab. & Bull Nose
MyRIDE® SUSPENSION SYSTEM	-	-	-	» MyRIDE	MyRIDE	MyRIDE
ENGINE*	24.5 HP Toro V-Twin 708cc	24.5 HP Toro V-Twin 708cc	24.5 HP Toro V-Twin 708cc	24.5 HP Toro V-Twin 708cc	24.5 HP Toro V-Twin 708cc	24.5 HP Toro V-Twin 708cc
CANNISTER AIR CLEANER	✓	✓	✓	✓	✓	✓
WARRANTY**	3-Year, Unlimited Hour Residential or 3-Year, 300 Hour Commercial	3-Year, Unlimited Hour Residential or 3-Year, 300 Hour Commercial	3-Year, Unlimited Hour Residential or 3-Year, 300 Hour Commercial	3-Year, Unlimited Hour Residential or 3-Year, 300 Hour Commercial	3-Year, Unlimited Hour Residential or 3-Year, 300 Hour Commercial	3-Year, Unlimited Hour Residential or 3-Year, 300 Hour Commercial
COMMERCIAL ENGINE WARRANTY**	+ 3-Year, 300-Hour Commercial	+ 3-Year, 300-Hour Commercial	+ 3-Year, 300-Hour Commercial	+ 3-Year, 300-Hour Commercial	+ 3-Year, 300-Hour Commercial	+ 3-Year, 300-Hour Commercial
FEATURES						
STEP-THROUGH FRONT END	✓	✓	✓	-	-	-
TOOLLESS OIL CHANGE AND AIR FILTER	✓	✓	✓	✓	✓	✓
SEAT	18" Handcrafted w/ Armrests	18" Handcrafted w/ Armrests	18" Handcrafted w/ Armrests	18" Handcrafted w/ Armrests	18" Handcrafted w/ Armrests	18" Handcrafted w/ Armrests
DECK LIFT PEDAL	✓	✓	✓	✓	✓	✓
CAST ALUMINUM STOMP PAD	✓	✓	✓	✓	✓	✓
RUBBER DISCHARGE CHUTE	✓	✓	✓	✓	✓	✓
HYDROS						
HYDROS	HG-2800 w/Charge Pumps	HG-2800 w/Charge Pumps	HG-2800 w/Charge Pumps	HG-2800 w/Charge Pumps	HG-2800 w/Charge Pumps	HG-2800 w/Charge Pumps
FUEL CAPACITY	5-Gallon	5-Gallon	5-Gallon	5-Gallon	5-Gallon	5-Gallon
BLADE TIP SPEED	18,880 ft/min	18,664 ft/min	» 18,908 ft/min	18,880 ft/min	18,664 ft/min	» 18,908 ft/min
HEIGHT OF CUT	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"	1.5" - 4.5"
FRAME	10-ga. Steel	10-ga. Steel	10-ga. Steel	10-ga. Steel	10-ga. Steel	10-ga. Steel
ANTI-VIBRATION MAT	Standard	Standard	Standard	Standard	Standard	Standard
TRANSMISSIONS	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic
DAMPENERS	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control
STORAGE DIMENSIONS	54" W x 45" H x 83" L	60" W x 45" H x 83" L	66" W x 45" H x 83" L	54" W x 46" H x 83" L	60" W x 46" H x 83" L	66" W x 46" H x 83" L
REAR TIRES	22" x 11"	22" x 11"	22" x 11"	22" x 11"	22" x 11"	22" x 11"
FRONT TIRES	13" x 6.5"	13" x 6.5"	13" x 6.5"	13" x 6.5"	13" x 6.5"	13" x 6.5"

\*The gross torque of this engine was laboratory rated at 2800 RPM per SAE J1940 by the engine manufacturer. As configured to meet safety, emission and operating requirements, the actual engine torque on these mowers may be significantly lower. We reserve the right to improve our products and make changes in the specifications, designs and standard equipment, without notice and without incurring obligation. \*\*See retailer for complete warranty details. \*\*\*Time savings based on survey of consumers who purchased TimeCutter from 1/11/18-9/30/19. Time savings will vary. A ROPS (Roll-Over Protection System) is available as an option for each of these products except 74710.



### PRO DNA

Commercial DNA courses through these machines' veins with the same technology professionals depend on.



### PRO PERFORMANCE

Blades spin over 18,000 fpm and baffles and airflow disperse grass for no clumps.



### CUT LIKE THE PROS

Commercial-grade features include commercial drop pin height of cut, canister style air filter, and a rubber chute.



# CUSTOMIZE YOUR RIDE

TITAN® / TIMECUTTER®

## TITAN®

MODEL	75301	75302	75303	75311	75312	75313
BAGGER	79346	79346	79346	79346	79346	79346
RECYCLER® MULCH KIT	136-7488	136-7489	136-7490	136-7488	136-7489	136-7490
MOWER LIFT ASSIST	Jack 127-6666	Jack 127-6666	Jack 127-6666	Jack 127-6666	Jack 127-6666	Jack 127-6666
	Mount 136-9200	Mount 140-2067	Mount 140-2067	Mount 136-9200	Mount 140-2067	Mount 140-2067
LIGHT KIT	136-7493	136-7493	136-7493	136-7493	136-7493	136-7493
SUNSHADE	137-7011	137-7011	137-7011	137-7011	137-7011	137-7011
STRIPING KIT	119-3380	117-5319	117-5319	119-3380	117-5319	117-5319
ROPS	139-2638	139-2638	139-2638	139-2638	139-2638	139-2638
TORO ENGINE MAINTENANCE KIT	139-0649	139-0649	139-0649	139-0649	139-0649	139-0649

## TIMECUTTER®

MODEL	74710	75740	75742	75744	75745	75750	75751	75755	75759	75754	75760
BAGGER	79390	79410	79410	79411	79411	79412	79412	79412	79412	79412	79413
RECYCLER® MULCH KIT	79017	137-7042	137-7042	139-3265	139-3265	139-3240	139-3240	139-3240	139-3240	139-3235	139-3290
MOWER LIFT ASSIST	Jack 127-6666	Jack 127-6666	Jack 127-6666	Jack 127-6666	Jack 127-6666	Jack 127-6666	Jack 127-6666	Jack 127-6666	Jack 127-6666	Jack 127-6666	Jack 127-6666
	Mount 126-5251	Mount 140-2711	Mount 140-2711	Mount 140-2711	Mount 140-2711	Mount 140-2711	Mount 140-2711	Mount 140-2711	Mount 140-2711	Mount 140-2711	Mount 140-2711
LIGHT KIT	N/A	140-2056	140-2056	140-2056	140-2056	140-2056	140-2056	140-2056	140-2056	140-2056	140-2056
ENTRY ASSIST BAR	79339	140-2052	140-2052	140-2052	140-2052	140-2052	140-2052	140-2052	140-2052	140-2052	140-2052
SUNSHADE	79011	N/A	N/A	140-2054	140-2054	140-2054	140-2054	140-2054	140-2054	140-2054	140-2054
STRIPING KIT	N/A	137-5030	137-5030	140-5159	140-5159	140-5160	140-5160	140-5160	140-5160	140-5161	140-5161
HOURLY METER	N/A	116-5461	116-5461	116-5461	116-5461	116-5461	116-5461	116-5461	116-5461	116-5461	N/A
DECK LIFT ASSIST KIT	79010	140-2059	140-2059	140-2059	140-2059	N/A	N/A	N/A	N/A	N/A	N/A
FLOOR MAT KIT	N/A	140-2060	140-2060	140-2061	140-2061	140-2060	140-2060	140-2061	140-2061	140-2061	N/A
ROPS	N/A	79485	79485	79485	79485	79485	79485	79485	79485	79485	79485
TORO ENGINE MAINTENANCE KIT	139-0650	139-0650	139-0646	139-0646	139-0646	-	-	139-0646	-	139-0646	139-0646



BAGGER



RECYCLER® MULCH KIT



MOWER LIFT ASSIST



LIGHT KIT

Need something not listed here?  
 Head online for even more accessories.  
[www.toro.com/parts](http://www.toro.com/parts)

490-0399 ©2020 The Toro Company All Rights Reserved.  
 Specifications subject to change without notice and without  
 incurring obligation. Products depicted are for demonstration  
 purposes only. Actual products offered for sale may vary in  
 design, required attachments and safety features.