2024 CATALOG **ZERO-TURN MOWERS** 60^wBATTERY / GAS POWERED

TORO_®

TIMECUTTER® | TIMECUTTER® MAX | TITAN® | TITAN® MAX

Count on it.

*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. ⁰Based on average TraQline dollar share for walk behind mower market as of June 2023.

RULE THE LAND.



MyRIDE[®] SUSPENSION SYSTEM Save yourself from a rough terraindriven beating with our patented MyRIDE Suspension System. Sitting isolated from the mower frame, it'll save your back and accelerate your mow. Select models.



IRONFORGED[°] **FABRICATED DECK** The heavy duty steel IronForged Deck doesn't flinch no matter what you throw its way. With bulletproof material-reinforced belts, a beefy leading edge and huge spindles, this beast is built to last. *Select models*.



PRO DNA

Over 100 years of Pro DNA course through the veins of every mower we build. You get the same commercialgrade features that pros rely on for your own pristine, professionallooking lawn.

NEW!

TITAN | MODEL 76604

INTRODUCING THE NEW TITAN®& TIMECUTTER®

Boasting over a century of pro-level engineering, these bulls aren't just cutting machines; they're the undisputed rulers of the land – redefining precision, power, and comfort for those who settle for nothing but the best.

> *The engine gross horsepower of Kohler engines was laboratory rated at 3600 RPM per SAE J1940 / J1995 by Kohler. The engine gross horsepower of Toro engines was laboratory rated at 3600 RPM per SAE J1940 / J1995 by Toro. The engine gross horsepower of Kawasaki engines was laboratory rated at 3600 RPM per SAE J1340 / J1995 by Kawasaki. As configured to meet safety, emission, and operating requirements, the actual engine horsepower on this lower may be lower. "See retailer for complete warranty details. "Time savings based on survey of consumers who purchased TimeCutters from 11/18-9/3019. Time savings will vary. Scompared to require 11-gauge setel dexes.Deck shell and leading edge are made of high-strength 10-gauge steel. A ROPS (Roll Over Protection System) is available as an option for each of these products. We reserve the right to improve our products and make changes in the specifications, designs and standard equipment without notice and without incurring obligation.

TITAN

NEW!

60V MAX' FLEX-FORCE TIMECUTTER®

UNTAMEABLE. UNTOUCHABLE.

You've never seen or heard a TimeCutter® like this before. The new TimeCutter 60V Max* comes equipped with all the features and power you expect from Toro now available in battery. Powered by the Flex Force Power System®, the removable batteries are interchangeable with over 75+ Toro tough tools. Its sleek design and ergonomic controls make maneuvering a breeze, while its powerful blades effortlessly tame the tallest grass. Rediscover the joy of lawn mowing with this battery powerhouse that promises an unmatched mowing experience for all.

		1
	42" TIMECUTTER	54" TIMECUTTER
MODEL	75841	75851
POWER SYSTEM		
Deck Size	42"	» 54"
Deck Material	10-ga. Fab IronForged®	10-ga. Fab IronForged®
MyRIDE Suspension System	-	1
Battery	(4) 10Ah, 540 wh (L540) 60V Max	» (5) 10Ah 540wh (L540) 60V Max and (1) 4Ah 216wh (L216) 60V Max
Warranty	3-Year Residential	3-Year Residential
Battery Warranty	3-Year Battery	3-Year Battery
FEATURES		
Seat	16" / 40.6 cm Handcrafted	» 19" / 48.3 cm Gaming Style
Deck Mounting	3-Point	3-Point
Ground Speed	Forward 7 MPH, Reverse 3 MPH	Forward 7 MPH, Reverse 3 MPH
Number of Blades	2	» 3
Step-Through Front End	1	-
Cup Holder	1	1
Battery Ports	6	6
Blade Tip Speed	17000 ft/min	17000 ft/min
Height of Cut	1.5" - 4.5"	1.5" - 4.5"
LED Lights	1	✓
USB Charger	1	✓
Rear Tires	18" x 7.5" / 45.7 - 19.1 cm	» 20" x 10" / 50.8 x 25.4 cm
Front Tires	11" x 4" / 27.9 x 10.2 cm	» 11" x 6" / 27.9 x 15.2 cm
Grass Cut Single Charge	1.6 acres	» 2.3 acres
Charge Time	160 minutes	228 minutes

» Enhanced or step-up feature



MYRIDE® SUSPENSION SYSTEM Save yourself from a rough terrain-driven beating with our patented MyRIDE Suspension System. (Model 75851)



IRONFORGED® FABRICATED DECK The heavy duty steel IronForged Deck doesn't flinch no matter what you throw its way.



BATTERY POWERED Powered by 4-6 removable 60V Max* Flex-Force batteries

TITAN° ZERO-TURN MOWERS

DEVOUR THE ACREAGE

TAKE IT BY THE HORNS.

Built with over a century of pro-level engineering, unflinching strength, laser precision and extraordinary power.

	48" 1	TITAN	54" 1	TITAN		60" TITAN	60" TITAN MAX			
MODEL	76401	76411	76501	76511	76604	76605	76614	76601	76602	
POWER SYSTEM				-	-			-	HAVOC EDITION	
Deck Size	48"	48"	54"	54"	60"	60"	60"	60"	60"	
Deck Material			1	0-ga. Iron Forged Fab	ricated & Enhanced B	ull Nose Front Bumpe	r			
MyRIDE Suspension System	- 0-	- /	- 0-	- /	-	- 0-	• •	-	-	
Engine	23 HP Kawasaki	23 HP Kawasaki O	- 26HP Kohler	26HP Kohler	26HP Kohler	24 HP KawasakiO	26HP Kohler	26HP Kohler	26HP Kohler	
Cannister Air Cleaner		- 0-	• /	1	1	- 0-	• •	1	1	
Warranty		3	-Year, Unlimited Hou	r Residential or 3-Year	, 300 Hour Commerci	al		4-Year, 5	500-Hour	
Commercial Engine Warranty			3-Y	ear, 300-Hour Comme	rcial			4-Year, 5	500-Hour	
FEATURES										
I-Beam Front End	1	1	1	1	1	1	1	-	-	
Armored Castor Fork	1	1	1	1	1	1	1	-	-	
Seat	20" Gaming Style	20" Gaming Style	20" Gaming Style	20" Gaming Style	20" Gaming Style	20" Gaming Style	20" Gaming Style	23" Handcrafted ➡ High Back with Armrests	23" Handcrafted High Back with Armrests	
Automotive Style Fuel Fill	1	1	1	1	1	1	1	-	-	
Deck Mounting	4-Point	4-Point	4-Point	4-Point	4-Point	4-Point	4-Point	4-Point	4-Point	
Tooless Deck Removal	1	1	1	1	1	1	1	1	1	
Commercial Drop Pin Height of Cut	1	1	1	1	1	1	1	1	1	
Removable Floor Pan	1	-	1	-	1	1	-	1	1	
Multi-Grip Steering Levers	1	1	1	1	1	1	1	1	1	
Tooless Lever Adjustments	1	1	1	1	1	1	1	-	-	
Tooless Belt Covers	1	1	1	1	1	1	1	1	1	
Tooless Air Filter Change	1	1	1	1	1	1	1	1	1	
Deck Lift Pedal	1	1	1	1	1	1	1	1	1	
Cast Aluminum Stomp Pad	1	1	1	1	1	1	1	1	1	
Rubber Discharge Chute	1	1	1	1	1	1	1	1	1	
Integrated Parking Brake	1	1	1	1	1	1	1	1	1	
Fuel Capacity	5 gallon	5 gallon	5 gallon	5 gallon	5 gallon	5 gallon	5 gallon	7 gallon	7 gallon	
Blade Tip Speed	18,880 ft/min	18,880 ft/min	18,644 ft/min	18,644 ft/min	18,908 ft/min	18,908 ft/min	18,908 ft/min O	-• 18,908 ft/min	18,908 ft/min	
Height of Cut	1.5"-5"	1.5"-5"	1.5"-5"	1.5"-5"	1.5"-5"	1.5"-5"	1.5"-5"	1.5"-5"	1.5"-5"	
Frame	Tubular	Tubular	Tubular	Tubular	Tubular	Tubular	Tubular	Tubular	Tubular	
Anti-Vibration Mat	1	1	1	1	1	1	1	1	1	
Dampeners	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	
Rear Tires	22" Voodoo XR559	22" Voodoo XR559	22" Voodoo XR559	22" Voodoo XR559	22" Voodoo XR559	22" Voodoo XR559	22" Voodoo XR559	23 in. x 12 in. 58.4 cm x 30.5 cm	23 in. x 12 in. 58.4 cm x 30.5 cr	
Front Tires	13" X 6.5" Treaded 33.0cm x 16.5cm	13" X 6.5" Treaded 33.0cm x 16.5cm"	13" X 6.5" Treaded 33.0cm x 16.5cm	13" X 6.5" Treaded 33.0cm x 16.5cm"	13" X 6.5" Treaded 33.0cm x 16.5cm"	13" X 6.5" Treaded 33.0cm x 16.5cm"	13" X 6.5" Treaded 33.0cm x 16.5cm	13 in. x 6.5 in. 33 cm x 16.5 cm	13 in. x 6.5 in. 33 cm x 16.5 cm	

"The gross horse power of these gasoline engines was laboratory rated by the engine manufacturer in accordance with SAE J1940 or SAE J1995. As configured to meet safety, emission and operating requirements, the actual horsepower on these mowers will be significantly lower. "See your retailer for warranty details.



PROVEN BY PROS. PERFECTED FOR YOU. Over 100 years of Pro DNA course through the veins of every mower we build.



PRO PERFORMANCE Blades spin over 18,000 fpm and baffles and airflow disperse grass for no clumps.



TIMECUTTER' ZERO-TURN MOWERS

START FIERCE. FINISH FIRST.

SECOND BEST JUST WON'T CUT IT.

Arm yourself with professional performance, rock-solid durability and best-grass-in-the-neighboorhood precision.

	34" TIMECUTTER 42" TIMECUTTER						50" TIMECUTTER MA	x		54" TIMEC	UTTER MAX	60" TIMECUTTER MAX			
MODEL	77301	75748	77401	77404	75747	77501	77502	77505	77504	77503	77506	77507	77601	77602	77603
POWER SYSTEM											HAVOC EDITION	HAVOC EDITION		HAVOC EDITION	HAVOC EDITION
Deck Size	34" 0	42"	42"	42"	42" (50"	50"	50"	5 4"	54"	54"	54" C	60"	60"	60"
Deck Material	Iron Forged Fabricated	Stamped	Stamped		IronForged Fabricated	IronForged Fabricated	IronForged Fabricated	IronForged Fabricated	IronForged Fabricated	IronForged Fabricated	IronForged Fabricated	IronForged Fabricated	IronForged Fabricated	IronForged Fabricated	IronForged Fabricated
MyRIDE Suspension System	-	-	-	- 0-	• /	- 1	· ·	-	- 0	- /	- (· ·	- 0	- /	1
Engine	22HP Briggs V-Twin	15.5HP Briggs	0- 22HP Briggs V-Twin	22HP Briggs V-Twin	22HP Kohler V-Twin	23HP Kawasaki V-Twir	23HP Kawasaki V-Twin	22HP Briggs V-Twin	••23HP Kawasaki V-Twin	23HP Kawasaki V-Twin	23HP Kawasaki V-Twin	23HP Kawasaki V-Twin	23HP Kawasaki V-Twin	24HP Kohler V-Twin	23HP Kawasaki V-Twir
Warranty	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential
Engine Warranty	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential	3-Year Residential
FEATURES															
Seat	16" Handcrafted	16" Handcrafted	16" Handcrafted	16" Handcrafted	16" Handcrafted O		19" Gaming Style								
Automotive Style Fuel Fill	-	-	-	_	- 0	-• V	✓	1	✓ ✓	✓	1	✓	V	✓	✓
Deck Mounting	3-Point	3-Point	3-Point	3-Point	3-Point O		4-Point								
Tooless Deck Removal			-	-	- 0	- /	1	1	1	1	1	1	1	1	1
Commercial Drop Pin Height of Cut	-	-	-	-	- 0	- /	1	1	1	1	1	1	1	1	1
Removable Floor Pan		-	-	-	- 0	- /		1	1	-	1		1	1.4	-
Multi-Grip Steering Levers	-	-	-	-	- 0	- /	1	1	1	1	1	1	1	1	1
Tooless Lever Adjustments	-				- 0	- /	1	1	1	1	1	1	1	1	1
Step-Through Front End	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
Tooless Belt Covers	1	-	-	1	1	1	1	1	1	1	1	1	1	1	1
Tooless Air Filter Change	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Deck Lift Pedal	Optional	Optional	Optional	Optional	Optional O		Standard								
Smart Speed	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-
ntegrated Parking Break	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Fuel Capacity	3 gallon	3 gallon	3 gallon	3 gallon	3 gallon O		5 gallon								
Blade Tip Speed	17,816 ft/min	17,626 ft/min	17,626 ft/min	17,626 ft/min		17,873 ft/min	17,873 ft/min		17,932 ft/min	17,932 ft/min	17,932 ft/min		18,671 ft/min	18,671 ft/min	18,671 ft/min
Height of Cut	1.5"-4.5"	1.5"-4.5"	1.5"-4.5"	1.5"-4.5"	1.5"-4.5"	1.5"-5"	1.5"-5"	1.5"-5"	1.5"-5"	1.5"-5"	1.5"-5"	1.5"-5"	1.5"-5"	1.5"-5"	1.5"-5"
Frame	C-Channel	C-Channel	C-Channel	C-Channel		• Tubular	Tubular	Tubular	Tubular	Tubular	Tubular	Tubular	Tubular	Tubular	Tubular
Dampeners	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control	Pro-Control
Rear Tires	18" X 6" Turf 45.7cm x 15.2cm	18" X 7.5" Turf 45.7cm X 19.0cm	20" Voodoo X508												
Front Tires	11" X 4" 27.9cm X 10.2cm	11" X 4" 27.9cm X 10.2cm	11" X 4" 27.9cm X 10.2cm	11" X 4" 27.9cm X 10.2cm	11" X 4" 27.9cm X 10.2cm	12" X 6" 30.5cm X 15.2cm	13" X 6.5" 33cm X 16.5cm	13" X 6.5" 33cm X 16.5cm	13" X 6.5" 33cm X 16.5cm						

"The gross horse power of these gasoline engines was laboratory rated by the engine manufacturer in accordance with SAE J1940 or SAE J1975. As configured to meet safety, emission and operating requirements, the actual horsepower on these mowers will be significantly lower. ""See your retailer for warranty details. "Time savings based on survey of consumers who purchased TimeCutters from 1/1/18-9/30/19. Time savings will vary.

CUT LIKE THE PROS

Commercial-grade features include commercial drop pin height of cut, canister style air filter, and a rubber discharge chute (Only on Titan).



MORE TIME FOR YOU Cut mowing time up to 50%[†] with zero-turn steering, giving you a gorgeous lawn and more time to enjoy it.



TURF TOUGH. BULL STRONG. The heavy duty steel IronForged® Deck doesn't flinch no matter what you throw its way.







COMFORT. GAME ON. The gaming-style seat gives you big time support exactly where you need it.





CUSTOMIZE YOUR RIDE

TITAN[®] / TIMECUTTER[®] ACCESSORIES

TITAN°	TITAN [®]													
MODEL	76401	76501	76604	76605	76411	76511	76614	76601	76602					
POWERED BAGGER	79348	79348	79348	79348	79348	79348	79348	79348	79348					
RECYCLER® MULCH KIT	136-7488	136-7489	136-7490	136-7490	136-7488	136-7489	136-7490	136-7490	136-7490					
ENTRY ASSIST BAR	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450					
MOWER LIFT ASSIST	Jack 127-6666 Jack Mount 147-8824	Jack 127-6666 Jack Mount 147-8824	Jack: 127-6666 Jack Mount 144-1993	Jack: 127-6666 Jack Mount 144-1993	Jack 127-6666 Jack Mount 147-8824	Jack 127-6666 Jack Mount 147-8824	Jack: 127-6666 Jack Mount 144-1993	Jack: 127-6666 Jack Mount 144-1993	Jack: 127-6666 Jack Mount 144-1993					
LIGHT KIT	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757					
SUNSHADE	N/A	N/A	N/A	N/A	N/A	N/A	N/A	144-3719	144-3719					
STRIPING KIT	147-8776	147-8781	147-8781	147-8781	147-8776	147-8781	147-8781	147-8781	147-8781					
ROPS KIT	79487	79487	79487	79487	79487	79487	79487	79487	79487					

TIMECUTTER*															
MODEL	77301	75748	77401	77404	75747	77501	77502	77505	77503	77504	77506	77507	77601	77602	77603
BAGGER	79417	79410	79410	79411	79411	79501	79501	79501	79501	79501	79501	79501	79501	79501	79501
RECYCLER® MULCH KIT	140-3536	137-7042	137-7042	139-3265	139-3265	139-3240	139-3240	139-3240	139-3235	139-3235	139-3235	139-3235	139-3290	139-3290	139-3290
MOWER LIFT ASSIST	Jack 127-6666 Mount 140-2711	Jack 127-6666 Mount 140-2711	Jack 127-6666 Mount 140-2711	Jack 127-6666 Mount 140-2711	Jack 127-6666 Mount 140-2711	Jack: 127-6666 Jack Mount 147-8836									
LIGHT KIT	140-2056	140-2056	140-2056	140-2056	140-2056	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757
ENTRY ASSIST BAR	140-2052	140-2052	140-2052	140-2052	140-2052	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450
SUNSHADE	140-2054	N/A	N/A	140-2054	140-2054	N/A									
STRIPING KIT	140-8374	140-5198	140-5198	140-5159	140-5159	147-8779	147-8779	147-8779	147-8781	147-8781	147-8781	147-8781	147-8781	147-8781	147-8781
HOUR METER	116-5461	116-5461	116-5461	116-5461	116-5461	147-8791	147-8791	147-8791	147-8791	147-8791	147-8791	147-8791	N/A	N/A	N/A
DECK FOOTLIFT KIT	140-2059	140-2059	140-2059	140-2059	140-2059	Standard									
FLOOR MAT KIT	140-2060	140-2060	140-2060	140-2060	140-2061	147-8765	147-8764	147-8765	147-8764	147-8764	147-8764	147-8764	147-8764	147-8764	147-8764
ROPS KIT	79485	79485	79485	79485	79485	79487	79485	79487	79487	79487	79487	79487	79487	79487	79487



Need something not listed here? Head online for even more accesssories. www.toro.com/parts

©2024 The Toro Company All Rights Reserved. Specifications subject to change without notice and without incurring obligation. Products depicted are for demonstration purposes only. Actual products offered for sale may vary in design, required attachments and safety features.



Choose Toro Total Care for Ultimate Peace of Mind

Benefit from an extended warranty, maintenance reimbursement, and more.