

2025 CATALOG

# ZERO-TURN MOWERS

60<sup>MAX</sup>V BATTERY / GAS POWERED



**TORO**<sup>®</sup>

TIMECUTTER<sup>®</sup> | TIMECUTTER<sup>®</sup> MAX | TITAN<sup>®</sup> | TITAN<sup>®</sup> MAX

**Count on it.**

\*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. \*Based on average TraQline dollar share for walk behind mower market as of September 2024.

# KICK SOME GRASS.



## UPGRADED 23" REAPER TIRES

Massive 23-inch rear tires feature aggressive treads meant to bring Mother Nature to her knees—all without tearing up your turf.

*Select models.*



## IRONFORGED® FABRICATED DECK

The heavy duty steel IronForged Deck doesn't flinch no matter what you throw its way. With bulletproof material-reinforced belts, a beefy leading edge and huge spindles, this beast is built to last. *Select models.*



## PRO DNA

Over 100 years of Pro DNA course through the veins of every mower we build. You get the same commercial-grade features that pros rely on for your own pristine, professional-looking lawn.

**NEW!**

TITAN MAX | MODEL 76606

## INTRODUCING THE NEW TITAN® MAX

This isn't just a mower. It's the ultimate tool for ruling your turf. We've taken all the raw power and unyielding strength that makes the TITAN legendary and cranked it up to the MAX. Armed with even more commercial-grade force, from the upgraded transmission to the deck struts, this beefed-up beast is built to obliterate any challenge your acreage throws at it.



\*The gross horse power of these gasoline engines was laboratory rated by the engine manufacturer in accordance with SAE J1940 or SAE J1995. As configured to meet safety, emission and operating requirements, the actual horsepower on these mowers may be significantly lower. \*\*See retailer for complete warranty details. †Compared to regular 11-gauge steel decks. Deck shell and leading edge are made of high-strength 10-gauge steel. A ROPS (Roll Over Protection System) is available as an option for each of these products. We reserve the right to improve our products and make changes in the specifications, designs and standard equipment without notice and without incurring obligation.

60V MAX\* FLEX-FORCE TIMECUTTER®

# UNTAMEABLE. UNTOUCHABLE.

You've never seen or heard a TimeCutter® like this before. The new TimeCutter 60V Max\* comes equipped with all the features and power you expect from Toro now available in battery. Powered by the Flex Force Power System®, the removable batteries are interchangeable with over 75+ Toro tough tools. Its sleek design and ergonomic controls make maneuvering a breeze, while its powerful blades effortlessly tame the tallest grass. Rediscover the joy of lawn mowing with this battery powerhouse that promises an unmatched mowing experience for all.



	42" TIMECUTTER	54" TIMECUTTER
MODEL	75841	75851
<b>POWER SYSTEM</b>		
Deck Size	42"	54"
Deck Material	10-ga. Fab IronForged®	10-ga. Fab IronForged®
MyRIDE Suspension System	—	» ✓
Battery	(4) 10Ah, 540 wh (L540) 60V Max	» (5) 10Ah 540wh (L540) 60V Max and (1) 4Ah 216wh (L216) 60V Max
Warranty	3-Year Residential	3-Year Residential
Battery Warranty	3-Year Battery	3-Year Battery
<b>FEATURES</b>		
Seat	16" / 40.6 cm Handcrafted	» 19" / 48.3 cm Gaming Style
Deck Mounting	3-Point	3-Point
Ground Speed	Forward 7 MPH, Reverse 3 MPH	Forward 7 MPH, Reverse 3 MPH
Number of Blades	2	» 3
Ease of Access	Step-Through Front End	—
Cup Holder	✓	✓
Battery Ports	6	6
Blade Tip Speed	17000 ft/min	17000 ft/min
Height of Cut	1.5" - 4.5"	1.5" - 4.5"
LED Lights	✓	✓
USB Charger	✓	✓
Rear Tires	18" x 7.5"	» 20" x 10"
Front Tires	11" x 4"	» 11" x 6"
Grass Cut Single Charge	Up to 2.0 acres	» Up to 3.3 acres

» Enhanced or step-up feature

\*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.



### MYRIDE® SUSPENSION SYSTEM

Save yourself from a rough terrain-driven beating with our patented MyRIDE Suspension System. (Model 75851)



### IRONFORGED® FABRICATED DECK

The heavy duty steel IronForged Deck doesn't flinch no matter what you throw its way.



### BATTERY POWERED

Powered by 4-6 removable 60V Max\* Flex-Force batteries

TITAN® ZERO-TURN MOWERS

# DEVOUR THE ACREAGE

Built with over a century of pro-level engineering, unflinching strength, laser precision and extraordinary power.

MODEL	48" TITAN		54" TITAN	
	76401	76411	76501	76511
<b>POWER SYSTEM</b>				
Deck Size	48"		54"	
Deck Material	10-ga. Iron Forged™ Fabricated & Enhanced Bull Nose Front Bumper		10-ga. Iron Forged™ Fabricated & Enhanced Bull Nose Front Bumper	
MyRIDE Suspension System	Seat Springs	▶ MyRIDE Suspension System	Seat Springs	▶ MyRIDE Suspension System
Engine	23 HP Kawasaki		26HP Kohler	
Cannister Air Cleaner	-		✓	
Warranty	3-Year, Unlimited Hour Residential or 3-Year, 300 Hour Commercial		3-Year, Unlimited Hour Residential or 3-Year, 300 Hour Commercial	
Commercial Engine Warranty	3-Year, 300-Hour Commercial		3-Year, 300-Hour Commercial	
<b>FEATURES</b>				
I-Beam Front End	✓		✓	
Armored Castor Fork	✓		✓	
Seat	20" Gaming Style		20" Gaming Style	
Deck Mounting	» 4-Point		» 4-Point	
Toolless Deck Removal	-		-	
Commercial Drop Pin Height of Cut	✓		✓	
Removable Floor Pan	✓	-	✓	-
Toolless Lever Adjustments	✓		✓	
Toolless Belt Covers	✓		✓	
Deck Lift Pedal	✓		✓	
Ease of Access	Cast Stomp Pad		Cast Stomp Pad	
Rubber Discharge Chute	✓		✓	
Greaseless Maintenance	✓		✓	
<b>Integrated Parking Brake</b>				
Integrated Parking Brake	✓		✓	
Fuel Capacity	5 gallon		5 gallon	
Blade Tip Speed	17,832 ft/min		18,159 ft/ min	
Max Ground Speed	Up to 8.5mph		Up to 8.5mph	
Height of Cut	1.5"-5"		1.5"-5"	
Frame	Tubular		Tubular	
Anti-Vibration Mat	✓		✓	
Dampeners	Pro-Control		Pro-Control	
Rear Tires	22" x 11" Custom Voodoo		22" x 11" Custom Voodoo	
Front Tires	13" X 6.5" Treaded		13" X 6.5" Treaded	

\*The gross horse power of these gasoline engines was laboratory rated by the engine manufacturer in accordance with SAE J1940 or SAE J1995. As configured to meet safety, emission and operating requirements, the actual horsepower on these mowers may be significantly lower. \*\*See your retailer for warranty details.



**PROVEN BY PROS. PERFECTED FOR YOU.**  
Over 100 years of Pro DNA course through the veins of every mower we build.



**PRO PERFORMANCE**  
Blades spin over 17,000 fpm and baffles and airflow disperse grass for no clumps.



60" TITAN		
76605	76604	76614
	60"	
	10-ga. Iron Forged™ Fabricated & Enhanced Bull Nose Front Bumper	
Seat Springs	Seat Springs	▶ MyRIDE Suspension System
24 HP Kawasaki	26HP Kohler	26HP Kohler
–	✓	✓
	3-Year, Unlimited Hour Residential or 3-Year, 300 Hour Commercial	
	3-Year, 300-Hour Commercial	
	✓	
	✓	
	20" Gaming Style	
	» 4-Point	
	–	
✓	✓	–
	✓	
	✓	
	✓	
	Cast Stomp Pad	
	✓	
	✓	
	✓	
	5 gallon	
	17,852 ft/min	
	Up to 8.5mph	
	1.5"-5"	
	Tubular	
	✓	
	Pro-Control	
	22" x 11" Custom Voodoo	
	13" X 6.5" Treaded	

60" TITAN MAX
76606
60"
10-ga. Iron Forged™ Fabricated & Enhanced Bull Nose Front Bumper
Seat Springs
26HP Kohler
✓
3-Year, Unlimited Hour Residential or 3-Year, 300 Hour Commercial
3-Year, 300-Hour Commercial
✓
✓
» 20" Gaming Style with Armrests
» 4-Point
✓
✓
✓
✓
✓
✓
Cast Stomp Pad
✓
✓
✓
» 7 gallon
17,852 ft/min
Up to 9mph
1.5"-5"
Tubular
✓
Pro-Control
» 23" x 11" Reaper
13 in. x 6.5 in.

» Enhanced or step-up feature



**CUT LIKE THE PROS**  
Commercial-grade features include commercial drop pin height of cut, canister style air filter, and a rubber discharge chute (Only on Titan).

TIMECUTTER® ZERO-TURN MOWERS

# START FIERCE. FINISH FIRST.

Arm yourself with professional performance, rock-solid durability and best-grass-in-the-neighborhood precision.



## 34" TIMECUTTER

## 42" TIMECUTTER

MODEL	77301	75748	77401	77404	75747
<b>POWER SYSTEM</b>					
Deck Size	34"	42"			
Deck Material	Iron Forged™ Fabricated	Stamped	Stamped	Iron Forged™ Fabricated	Iron Forged™ Fabricated
Suspension System	Seat Springs	Seat Springs	Seat Springs	Seat Springs	► MyRIDE Suspension System
Engine	22HP Briggs V-Twin	15.5HP Briggs	22HP Briggs V-Twin	22HP Briggs V-Twin	22HP Briggs V-Twin
Warranty	3-Year Residential	3-Year Residential			
Engine Warranty	3-Year Residential	3-Year Residential			
<b>FEATURES</b>					
Seat	16" Handcrafted	16" Handcrafted	16" Handcrafted	16" Handcrafted	» 18" Handcrafted w/ Armrests
Deck Mounting	3-Point	3-Point			
Toolless Deck Removal	✓	✓			
Commercial Drop Pin Height of Cut	–	–			
Removable Floor Pan	–	–			
Toolless Lever Adjustments	–	–			
Ease of Access	Step-Through Front End	Step-Through Front End	Step-Through Front End	Step-Through Front End	Step-Through Front End
Toolless Belt Covers	✓	–	–	✓	✓
Deck Lift Pedal	Optional	Optional			
Greaseless Maintenance	–	–			
Integrated Parking Brake	✓	✓			
Fuel Capacity	3 gallon	3 gallon			
Blade Tip Speed	17,514 ft/min	17,359 ft/min			
Max Ground Speed	Up to 7mph	Up to 7mph			
Height of Cut	1.5"-4.5"	1.5"-4.5"			
Frame	C-Channel	C-Channel			
Dampeners	Pro-Control	Pro-Control			
Rear Tires	18" X 6" Turf	18" X 7.5"			
Front Tires	11" X 4"	11" X 4"			

\*The gross horse power of these gasoline engines was laboratory rated by the engine manufacturer in accordance with SAE J1940 or SAE J1995. As configured to meet safety, emission and operating requirements, the actual horsepower on these mowers may be significantly lower.

\*\*See your retailer for warranty details. †Time savings based on survey of consumers who purchased TimeCutters from 1/1/18-9/30/19. Time savings will vary.



**MORE TIME FOR YOU**  
Cut mowing time up to 50%<sup>†</sup> with zero-turn steering, giving you a gorgeous lawn and more time to enjoy it.



**TURF TOUGH. BULL STRONG.**  
The heavy duty steel IronForged® Deck doesn't flinch no matter what you throw its way.  
(Select models.)

TIMECUTTER® ZERO-TURN MOWERS

MYRIDE®  
SUSPENSION SYSTEM

# GAME CHANGER. BACK SAVER.

Patented MyRIDE® Suspension System isolates you from the mower frame to save your back and accelerate your mow. *Select models.*



## 50" TIMECUTTER MAX

77505	77501	77502
	50"	
	Iron Forged™ Fabricated	
Seat Springs	Seat Springs	▶ MyRIDE Suspension System
22HP Briggs V-Twin	23HP Kawasaki V-Twin	23HP Kawasaki V-Twin
	3-Year Residential	
	3-Year Residential	
» 19" Gaming Style w/ Improved Foam		
	» 4-Point	
	✓	
	✓	
✓	✓	-
	✓	
	4 Point Deck Stability	
	✓	
	Standard	
	✓	
	✓	
	5 gallon	
	17,630 ft/min	
	Up to 7mph	
	1.5"-5"	
	Tubular	
	Pro-Control	
	20" x 10" Custom Voodoo	
	12" X 6"	

## 54" TIMECUTTER MAX

77503	77504	77506	77507
		HAVOC EDITION	HAVOC EDITION
	54"		
	Iron Forged™ Fabricated		
▶ MyRIDE Suspension System	Seat Springs	Seat Springs	▶ MyRIDE Suspension System
	23HP Kawasaki V-Twin		
	3-Year Residential		
	3-Year Residential		
» 19" Gaming Style w/ Improved Foam			
	» 4-Point		
	✓		
	✓		
✓	✓	-	-
	✓		
	4 Point Deck Stability		
	✓		
	Standard		
	✓		
	✓		
	5 gallon		
	17,698 ft /min		
	Up to 7mph		
	1.5"-5"		
	Tubular		
	Pro-Control		
	20" x 10" Custom Voodoo		
	12" X 6"		

» Enhanced or step-up feature



### COMFORT. GAME ON.

The gaming-style seat gives you big time support exactly where you need it.

**TORO®**

TIMECUTTER® ZERO-TURN MOWERS

MYRIDE®  
SUSPENSION SYSTEM

# GAME CHANGER. BACK SAVER.

Patented MyRIDE® Suspension System isolates you from the mower frame to save your back and accelerate your mow. Select models.



	60" TIMECUTTER MAX		
MODEL	77601	77603	77602
<b>POWER SYSTEM</b>		<b>HAVOC EDITION</b>	<b>HAVOC EDITION</b>
Deck Size		60"	
Deck Material		Iron Forged™ Fabricated	
Suspension System	Seat Springs	▶ MyRIDE Suspension System	▶ MyRIDE Suspension System
Engine	23HP Kawasaki V-Twin	23HP Kawasaki V-Twin	24HP Kohler V-Twin
Warranty		3-Year Residential	
Engine Warranty		3-Year Residential	
<b>FEATURES</b>			
Seat		» 19" Gaming Style w/ Improved Foam	
Deck Mounting		» 4-Point	
Toolless Deck Removal		✓	
Commercial Drop Pin Height of Cut		✓	
Removable Floor Pan	✓	–	–
Toolless Lever Adjustments		✓	
Ease of Access		4 Point Deck Stability	
Toolless Belt Covers		✓	
Deck Lift Pedal		Standard	
Greaseless Maintenance		✓	
Integrated Parking Brake		✓	
Fuel Capacity		5 gallon	
Blade Tip Speed		18,445 ft/min	
Max Ground Speed		Up to 7mph	
Height of Cut		1.5"-5"	
Frame		Tubular	
Dampeners		Pro-Control	
Rear Tires		20" x 10" Custom Voodoo	
Front Tires		13" X 6.5"	

» Enhanced or step-up feature

**TORO**®





# CUSTOMIZE YOUR RIDE

TITAN® / TIMECUTTER® ACCESSORIES

## TITAN®

MODEL	76401	76501	76604	76605	76411	76511	76614	76606
POWERED BAGGER	79348	79348	79348	79348	79348	79348	79348	79348
RECYCLER® MULCH KIT	136-7488	136-7489	136-7490	136-7490	136-7488	136-7489	136-7490	136-7490
ENTRY ASSIST BAR	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450
MOWER LIFT ASSIST	Jack 127-6666 Jack Mount 147-8824	Jack 127-6666 Jack Mount 147-8824	Jack: 127-6666 Jack Mount 147-8824	Jack: 127-6666 Jack Mount 147-8824	Jack 127-6666 Jack Mount 147-8824	Jack 127-6666 Jack Mount 147-8824	Jack: 127-6666 Jack Mount 147-8824	Jack: 127-6666 Jack Mount 147-8824
LIGHT KIT	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757	Standard
SUNSHADE	N/A	N/A	N/A	N/A	N/A	N/A	N/A	144-3719
STRIPING KIT	147-8776	147-8781	147-8781	147-8781	147-8776	147-8781	147-8781	147-8781
ROPS KIT	79487	79487	79487	79487	79487	79487	79487	Standard

## TIMECUTTER®

MODEL	77301	75748	77401	77404	75747	77501	77502	77505	77503	77504	77506	77507	77601	77602	77603	
BAGGER	79417	79410	79410	79411	79411	79501	79501	79501	79501	79501	79501	79501	79601	79601	79601	
RECYCLER® MULCH KIT	140-3536	137-7042	137-7042	139-3265	139-3265	139-3240	139-3240	139-3240	139-3235	139-3235	139-3235	139-3235	139-3290	139-3290	139-3290	
MOWER LIFT ASSIST	Jack 127-6666 Mount 140-2711	Jack 127-6666 Mount 140-2711	Jack 127-6666 Mount 140-2711	Jack 127-6666 Mount 140-2711	Jack 127-6666 Mount 140-2711	Jack: 127-6666 Jack Mount 147-8836	Jack: 127-6666 Jack Mount 147-8836	Jack: 127-6666 Jack Mount 147-8836	Jack: 127-6666 Jack Mount 147-8836	Jack: 127-6666 Jack Mount 147-8836	Jack: 127-6666 Jack Mount 147-8836	Jack: 127-6666 Jack Mount 147-8836	Jack: 127-6666 Jack Mount 147-8836	Jack: 127-6666 Jack Mount 147-8836	Jack: 127-6666 Jack Mount 147-8836	Jack: 127-6666 Jack Mount 147-8836
LIGHT KIT	140-2056	140-2056	140-2056	140-2056	140-2056	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757	147-8757	
ENTRY ASSIST BAR	140-2052	140-2052	140-2052	140-2052	140-2052	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450	161-4450	
SUNSHADE	140-2054	N/A	N/A	140-2054	140-2054	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
STRIPING KIT	140-8374	140-5198	140-5198	161-4523	161-4523	147-8779	147-8779	147-8779	147-8781	147-8781	147-8781	147-8781	147-8781	147-8781	147-8781	
HOURLY METER	116-5461	116-5461	116-5461	116-5461	116-5461	147-8791	147-8791	147-8791	147-8791	147-8791	147-8791	147-8791	Standard	Standard	Standard	
DECK FOOTLIFT KIT	161-4527	161-4527	161-4527	161-4527	161-4527	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	
FLOOR MAT KIT	161-4528	161-4528	161-4528	161-4528	161-4529	147-8765	147-8764	147-8765	147-8764	147-8765	147-8765	147-8764	147-8765	147-8764	147-8764	
ROPS KIT	79485	79485	79485	79485	79485	79487	79487	79487	79487	79487	79487	79487	79487	79487	79487	



BAGGER



RECYCLER® MULCH KIT



MOWER LIFT ASSIST



LIGHT KIT

Need something not listed here? Head online for even more accessories.

[www.toro.com/parts](http://www.toro.com/parts)

©2024 The Toro Company. All Rights Reserved. Specifications subject to change without notice and without incurring obligation. Products depicted are for demonstration purposes only. Actual products offered for sale may vary in design, required attachments and safety features.



## Choose Toro Total Care for Ultimate Peace of Mind

Benefit from an extended warranty, maintenance reimbursement, and more.