



2019-2020

TORO® TITAN®
TINES CATALOG





PLAN YOUR AERATION SCHEDULE TODAY

Contact Your Local Toro Distributor at 800-803-8676

TABLE OF CONTENTS

INTRODUCTION	1-2
A TINE TO FIT EVERY APPLICATION	2
SELECTION & MEASUREMENT GUIDE	3
TINE HEAD IDENTIFICATION GUIDE	4
AERATION EVALUATION GUIDE	5-6
PROCORE® 648	7-11
PROCORE 864/1298	12-16
PROCORE 440/660/880	17-20
GREENS AERATOR	21-23
FAIRWAY AERATOR	24-27
TURF AERATOR 686/687	28
PROCORE SR SERIES	29-37
SR48	30
SR54	31
SR54-S	32
SR70	33
SR70-S	34
SR72	35
SR75	36-37
TITAN® TINE CONVERSION SLEEVES	38
TITAN TINES FOR COMPETITIVE MODELS	38-42
QUICK REFERENCE	45-48

EXACT STANDARDS



AERATION IMPROVES TURF CONDITIONS

Aeration keeps your turf looking great. It's important to aerate often, especially when it comes to high traffic areas, and with TITAN® TINES on your team you'll know you have the best equipment to meet all of your aeration needs successfully.

TORO'S FAMILY OF TINES ARE DESIGNED TO MEET YOUR EXACT AERATION NEED

TINE	TIP	LONGEVITY	APPLICATION	WALL THICKNESS
Toro Classic	Standard durable heat treated tip	Good	Good quality in most turf conditions	Thin wall delivers durability and exceptional performance
TITAN	Sharp heat treated tip for improved hole quality and life	Better	Provides superior performance and long lasting wear in most turf conditions	Thin wall delivers durability and exceptional performance
TITAN Max	Sharp carbide tip for excellent hole quality and life	Best	Provides superior performance and long lasting wear in most conditions	Thin wall delivers durability and exceptional performance
TITAN Fairway	Standard heat treated fairway tip for consistent core removal	Better	Provides quality performance in natural soil conditions	Thicker wall provides good hole quality and maximum strength
TITAN HD Fairway	Enhanced hardened tip for 75% longer life than TITAN Fairway	Best	Provides excellent performance and wear in extreme conditions	Thicker wall provides good hole quality and maximum strength

A TINE TO FIT EVERY APPLICATION

Toro® has about every possible tine you can imagine for the changing seasons and your most demanding turf conditions. TITAN® Tines offer superior quality to provide your grounds the best possible care.


Jump-start your productivity with the TITAN QuickChange™ tine head. The patent-pending taper-lock design makes changing tines a snap. In fact, many users have reduced set-up time by up to 75%. TITAN QuickChange will help you get your aeration done FAST!



TORO TITAN TINES

- Over 150 tines, providing multiple aeration choices
- A wide variety of types meeting your exact aeration requirements
- Higher Productivity: TITAN Max designed with long lasting tungsten carbide blend tip
- Better Performance: TITAN tines last approximately 3-4 times longer than standard tines
- An optimized core, removing more thatch for maximum topdressing
- A superior hole, improving recovery time and maintaining playability


CORING TINES



SOLID TINES



SELECTION & MEASUREMENT




U.S. STANDARD SIZES


1/4" (.25")	
3/8" (.375")	
1/2" (.5")	
5/8" (.625")	
3/4" (.75")	
7/8" (.875")	

TITAN® TINES fit all current and late model Toro® aerators. Standard mount size fits most competitor equipment. Check mounting size to ensure compatibility. Prices subject to change without notice.


PROCORE® 648/864/1298 (See pages 7-16)




QUAD TINE HEAD (1x6)	
Tine Mount	3/8"
Qty. of Tines	6




3/4" 3-TINE HEAD	
Tine Mount	3/4"
Qty. of Tines	3




QUICKCHANGE 3-TINE HEAD	
Tine Mount	3/8" or 7/8"
Qty. of Tines	3



7/8" 3-TINE HD HEAD	
Tine Mount	7/8"
Qty. of Tines	3




QUAD TINE HEAD (2x5)	
Tine Mount	3/8"
Qty. of Tines	10



3/4" 4-TINE HEAD	
Tine Mount	3/4"
Qty. of Tines	4




QUICKCHANGE 4-TINE HEAD	
Tine Mount	3/8" or 7/8"
Qty. of Tines	4




NEEDLE TINE HEAD	
Tine Mount	Needle
Qty. of Tines	5


PROCORE 440/660/880 (See pages 17-20)




QUAD TINE HEAD (1x6)	
Tine Mount	3/8"
Qty. of Tines	8




3/4" 3-TINE HEAD	
Tine Mount	3/4"
Qty. of Tines	3




7/8" 3-TINE HEAD	
Tine Mount	7/8"
Qty. of Tines	3



NEEDLE TINE HEAD	
Tine Mount	Needle
Qty. of Tines	6



3/4" 4-TINE HEAD	
Tine Mount	3/4"
Qty. of Tines	4




7/8" 4-TINE HEAD	
Tine Mount	7/8"
Qty. of Tines	4


PROCORE SR SERIES (See pages 29-37)



SR54-S / SR70-S	
Tine Mount	5/16" or 12mm
Qty. of Tines	3 or 4



SR48 / SR72	
Tine Mount	5/16" or 12mm
Qty. of Tines	3 or 4



SR54 / SR70	
Tine Mount	5/16" or 12mm
Qty. of Tines	2 or 3



SR75	
Tine Mount	5/16" or 12mm
Qty. of Tines	2 or 3

AERATION EVALUATION GUIDE WITH TINE SELECTION CHART

When you're looking to keep your golf course and grounds in top shape, you need a system that helps you quickly choose the right treatment for your turf needs.

Aeration is the key and the tine selection chart offers you fast answers that convey exactly what you need to do to keep your turf looking great.

The tine selection guide makes it easy to choose and understand the right solution for your golf course and ground needs!



Preparing for Step One: Find Your Model Number

MODEL CONFIGURATION				
PRODUCT	DESCRIPTION	NO.	LATERAL SPACING	FORWARD SPACING OPTIONS
ProCore® 648 Model 09200	Needle Tine Head	09739	1.60	1.5, 2.0, 2.5
	Quad Tine Head, 2 rows of 5	09736	1.60	2.5
	Quad Tine Head, 1 row of 6	09737	1.30	1.5, 2.0, 2.5, 3.0
	3 Tine, 3/4" Mount Head	09794	2.60	1.5, 2.0, 2.5, 3.0
	4 Tine, 3/4" Mount Head	09796	2.00	1.5, 2.0, 2.5, 3.0
ProCore 864/1298 Models 09715, 09716	3 Tine HD, 7/8" Mount Head	09797	2.60	1.5, 2.0, 2.5, 3.0
	4 Tine Titan QuickChange	09719	2.00	1.5, 2.0, 2.5, 3.0
	3 Tine Titan QuickChange	09711	2.60	1.5, 2.0, 2.5, 3.0
	Needle Tine Head 660/880	09720	1.20	1.5, 2.0, 2.5
ProCore 440/660/880 Models 09701, 09702	Needle Tine Head 660/880	09720	1.20	1.5, 2.0, 2.5
	Quad Tine Head	09721	1.20	1.5, 2.0, 2.5
	3 Tine, 3/4" Mount Head	09722	3.20	2.0, 2.5, 3.0, 3.5, 4.0, 4.5
	4 Tine, 3/4" Mount Head	09723	2.40	2.0, 2.5, 3.0, 3.5, 4.0, 4.5
	3 Tine, 7/8" Mount Head	09733	3.20	2.0, 2.5, 3.0, 3.5, 4.0, 4.5
Toro Greens Aerator Models 09110, 09120	3/4" Head	59-2500	2.25	2.5
	7/8" Head	62-4610	2.25	2.5
	Needle Head	94-3421	2.25	2.5
	3/8" Head	94-3420	2.25	2.5
Toro Fairway Aerator Models 09500, 09501, 09502	-	-	3.50	3.0, 6.0
	-	-	5.25	3.0, 6.0

* Tine depth can vary based on machine set-up.

DETERMINE THE SURFACE AREA AFFECTED & MATERIAL REMOVED

STEP ONE FIND HOLES PER SQUARE FOOT

If you know your lateral and forward spacing — See the Holes Per Square Foot chart.

If you are not sure of your forward and lateral spacing, but know your aerator model number use the Preparing for Step One chart on the previous page and pick your spacing options. This table will also help you determine the proper turf holder based on your tine configuration.

- Step One Example:
- Lateral Spacing = 2.00
 - Forward Spacing = 2.00
 - Holes Per Square Foot = 36.00

LATERAL SPACING (INCHES)	Forward Spacing (inches)								
	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	6.0
1.20	120.0	80.0	60.0	48.0	40.0	34.3	30.0	26.7	-
1.33	-	72.0	54.1	43.3	36.0	-	-	-	-
1.6	-	-	-	72.0	-	-	-	-	-
2.00	72.0	48.0	36.0	28.8	24.0	-	-	-	-
2.25	-	-	-	25.6	-	-	-	-	-
2.4	60.0	40.0	30.0	24.0	20.0	17.1	15.0	13.3	-
2.5	57.6	38.4	28.8	23.0	19.2	-	-	-	-
3.2	45.0	30.0	22.5	18.0	15.0	12.9	11.3	10.0	-
3.5	-	-	-	-	13.7	-	-	-	-
5.25	-	-	-	-	-	-	-	-	4.6

STEP TWO DETERMINE TOTAL SURFACE AREA AND VOLUME OF SOIL REMOVED

Take your holes per square foot, core diameter (ID), and the depth* at which you are aerating.

Step Two Example:

- Holes Per Square Feet = 36.00
- Core Diameter = .300"
- Depth = 3.0
- Percent Surface Area Affected = 1.77%
- Volume Removed = 4.42 cu-ft per 1,000 sq/ft

Percent of Surface Area Affected
 Risk of Turf Damage

Volume Removed, Cubic Foot Per 1000 Sq. Ft.
 Higher Risk of Turf Damage

CORE DIAMETER AND DEPTH	CORE Dia.	Depth*	HOLES PER SQUARE FOOT (DETERMINED IN STEP ONE)																																			
			4.6	10.0	11.3	12.9	13.3	13.7	15.0	17.1	18.0	19.2	20.0	22.5	23.0	24.0	25.6	26.7	28.8	30.0	34.3	36.0	38.4	40.0	43.3	45.0	48.0	54.1	57.6	60.0	72.0	80.0	120.0					
0.200	1.5	0.12	0.27	0.31	0.35	0.36	0.37	0.41	0.47	0.49	0.52	0.55	0.61	0.63	0.65	0.70	0.73	0.79	0.82	0.93	0.98	1.05	1.09	1.18	1.23	1.31	1.48	1.57	1.64	1.75	1.96	2.18	2.62	2.91	4.3			
	2.0	0.17	0.36	0.41	0.47	0.48	0.50	0.55	0.62	0.65	0.70	0.73	0.82	0.84	0.87	0.93	0.97	1.05	1.09	1.16	1.21	1.31	1.36	1.56	1.64	1.75	1.82	1.97	2.05	2.18	2.48	2.62	2.73	3.27	5.45			
	2.5	0.21	0.45	0.51	0.58	0.61	0.62	0.68	0.78	0.82	0.87	0.91	1.02	1.05	1.09	1.16	1.21	1.31	1.36	1.56	1.64	1.75	1.82	1.97	2.05	2.18	2.48	2.62	2.73	3.27	3.93	4.36	5.45					
	3.0	0.25	0.55	0.61	0.70	0.73	0.75	0.82	0.93	0.98	1.05	1.09	1.23	1.26	1.31	1.40	1.45	1.57	1.64	1.87	1.96	2.09	2.18	2.38	2.45	2.62	2.95	3.14	3.27	3.93	4.36	5.45						
	4.0	0.33	0.73	0.82	0.93	0.97	1.00	1.09	1.25	1.31	1.40	1.45	1.64	1.68	1.75	1.86	1.94	2.09	2.18	2.49	2.62	2.79	2.91	3.15	3.27	3.49	3.94	4.19	4.36	5.24	5.82	8.73						
0.300	1.5	0.28	0.61	0.69	0.79	0.82	0.84	0.92	1.05	1.10	1.18	1.23	1.38	1.41	1.47	1.57	1.64	1.77	1.84	2.10	2.21	2.36	2.45	2.76	2.83	2.95	3.14	3.27	3.53	3.68	4.21	4.42	4.71	4.91	5.89	9.82		
	2.0	0.37	0.82	0.92	1.05	1.09	1.12	1.23	1.40	1.47	1.57	1.64	1.84	1.88	1.96	2.09	2.18	2.36	2.45	2.80	2.95	3.14	3.27	3.54	3.68	3.93	4.19	4.36	4.71	4.91	5.89	6.54	8.18	12.27				
	2.5	0.47	1.02	1.15	1.31	1.36	1.40	1.53	1.75	1.84	1.96	2.05	2.30	2.36	2.45	2.62	2.73	2.95	3.07	3.51	3.68	3.93	4.09	4.43	4.60	4.91	5.54	5.89	6.14	7.36	8.18	12.27						
	3.0	0.56	1.23	1.38	1.58	1.64	1.68	1.84	2.10	2.21	2.36	2.45	2.76	2.83	2.95	3.14	3.27	3.53	3.68	4.21	4.42	4.71	4.91	5.31	5.52	5.89	6.64	7.07	7.36	8.84	9.82	14.73						
	4.0	0.75	1.64	1.84	2.10	2.18	2.24	2.45	2.80	2.95	3.14	3.27	3.68	3.77	3.93	4.19	4.36	4.71	4.91	5.61	5.89	6.28	6.54	7.09	7.36	7.85	8.86	9.42	9.82	11.78	13.09	19.63						
0.400	1.5	0.50	1.09	1.23	1.40	1.45	1.50	1.64	1.87	1.96	2.09	2.18	2.45	2.51	2.62	2.79	2.91	3.14	3.27	3.74	3.93	4.19	4.36	4.72	4.91	5.24	5.91	6.28	6.54	7.85	8.73	13.09						
	2.0	0.66	1.45	1.64	1.87	1.94	1.99	2.18	2.49	2.62	2.79	2.91	3.27	3.35	3.49	3.72	3.88	4.19	4.36	4.99	5.24	5.59	5.82	6.30	6.54	6.98	7.87	8.38	8.73	10.47	11.64	17.45						
	2.5	0.83	1.82	2.05	2.34	2.42	2.49	2.73	3.12	3.27	3.49	3.64	4.09	4.19	4.36	4.65	4.85	5.24	5.45	6.23	6.54	6.98	7.27	7.87	8.18	8.73	9.84	10.47	10.91	13.09	14.54	21.82						
	3.0	1.00	2.18	2.45	2.80	2.91	2.99	3.27	3.74	3.93	4.19	4.36	4.91	5.03	5.24	5.59	5.82	6.28	6.54	7.48	7.85	8.38	8.73	9.45	9.82	10.47	11.81	12.57	13.09	15.71	17.45	26.18						
	4.0	1.16	2.55	2.86	3.27	3.39	3.49	3.82	4.36	4.58	4.89	5.09	5.73	5.86	6.11	6.52	6.79	7.33	7.64	8.73	9.16	9.77	10.18	11.02	11.45	12.22	13.78	14.66	15.27	18.33	20.36	30.54						
0.500	1.5	0.78	1.70	1.92	2.19	2.27	2.34	2.56	2.92	3.07	3.27	3.41	3.83	3.93	4.09	4.36	4.55	4.91	5.11	5.84	6.14	6.54	6.82	7.38	7.67	8.18	9.23	9.82	10.23	12.27	13.64	20.45						
	2.0	1.04	2.27	2.56	2.92	3.03	3.12	3.41	3.90	4.09	4.36	4.55	5.11	5.24	5.45	5.82	6.06	6.54	6.82	7.79	8.18	8.73	9.09	9.84	10.23	10.91	12.3	13.09	13.64	16.36	18.18	27.27						
	2.5	1.30	2.84	3.20	3.65	3.79	3.90	4.26	4.87	5.11	5.45	5.68	6.39	6.54	6.82	7.27	7.58	8.18	8.52	9.74	10.23	10.91	11.36	12.30	12.78	13.64	15.38	16.36	17.04	20.45	22.73	34.09						
	3.0	1.56	3.41	3.83	4.38	4.55	4.67	5.11	5.84	6.14	6.54	6.82	7.67	7.85	8.18	8.73	9.09	9.82	10.23	11.69	12.27	13.09	13.64	14.76	15.34	16.36	18.45	19.63	20.45	24.54	27.27	40.91						
	4.0	2.08	4.55	5.11	5.84	6.06	6.23	6.82	7.79	8.18	8.73	9.09	10.23	10.47	10.91	11.64	12.12	13.09	13.64	15.58	16.36	17.45	18.18	19.88	20.45	21.82	24.61	26.18	27.27	32.72	36.36	54.54						
0.600	1.5	1.12	2.45	2.76	3.16	3.27	3.37	3.68	4.21	4.42	4.71	4.91	5.52	5.65	5.89	6.28	6.54	7.07	7.36	8.41	8.84	9.42	9.82	10.63	11.04	11.78	13.29	14.14	14.73	17.67	19.63	29.45						
	2.0	1.50	3.27	3.68	4.21	4.36	4.49	4.91	5.61	5.89	6.28	6.54	7.36	7.54	7.85	8.38	8.73	9.42	9.82	11.22	11.78	12.57	13.09	14.17	14.73	15.71	17.72	18.85	19.63	23.56	26.18	39.27						
	2.5	1.87	4.09	4.60	5.26	5.45	5.61	6.14	7.01	7.36	7.85	8.18	9.20	9.42	9.82	10.47	10.91																					

PROCORE® 648



TINE HEADS & TURF GUARDS

TINE HEADS		TINES REQ'D		TURF GUARDS			
DESCRIPTION	PART NO.	QTY.	PART NO.	QTY.	PART NO.	QTY.	
Needle Tine Head	09739	30	120-1047	2	120-1052	1	
Quad Tine 3/8" Mount Head, 2 rows of 5	09736	60	120-1047	2	120-1052	1	
Quad Tine 3/8" Mount Head, 1 row of 6	09737	36	120-1050	2	120-1053	1	
3 Tine, 3/4" Mount Head	09794	18	120-1044	2	110-4358	1	
4 Tine, 3/4" Mount Head	09796	24	120-1045	2	120-1046	1	
3 Tine HD, 7/8" Mount Head	09797	18	120-1044	2	110-4358	1	
3 Tine, Titan 3/4" or 7/8" Mount QuickChange Head	09711	18	120-1044	2	110-4358	1	
4 Tine, Titan 3/4" or 7/8" Mount QuickChange Head	09719	24	120-1045	2	120-1046	1	

TINE SELECTION CHART:

- Speed and ease of use
- Selection of proper turf guard based on aerator and tine configuration needs.
- Quickly identify the amount of soil removed and the percentage of surface area affected.

3/8" MOUNT

TITAN QUAD



Length	Core Dia. (ID)	OD	Wall Thickness	Part Number
4.50"	.25"	.36"	.052"	108-9104
4.50"	.32"	.46"	.063"	108-9105
4.50"	.41"	.55"	.063"	108-9106
4.50"	.48"	.58"	.049"	108-9293
5.00"	.25"	.36"	.052"	108-9108
5.00"	.32"	.46"	.063"	108-9109
5.00"	.41"	.55"	.063"	108-9110
5.00"	.48"	.58"	.049"	108-9294
5.50"	.41"	.55"	.063"	108-9290

TITAN SOLID ROUND



4.50"	-	.20"	-	108-9230
4.50"	-	.25"	-	108-9231
4.50"	-	.30"	-	108-9232
4.50"	-	.38"	-	108-9233
5.50"	-	.20"	-	108-9234
5.50"	-	.25"	-	108-9235
5.50"	-	.30"	-	108-9236
5.50"	-	.38"	-	108-9237

TITAN SOLID SLICING



5.00"	-	.63"	-	108-9238
-------	---	------	---	----------

TITAN CROSS



4.50"	-	.38"	-	108-9215
4.50"	-	.50"	-	108-9216
4.50"	-	.62"	-	108-9217
5.50"	-	.38"	-	108-9218
5.50"	-	.50"	-	108-9219
5.50"	-	.62"	-	108-9220

3/4" MOUNT

TITAN HOLLOW



4.75"	.28"	.46"	.058"	108-9128
4.75"	.41"	.56"	.058"	108-9129
4.75"	.53"	.66"	.058"	108-9130
5.75"	.28"	.46"	.058"	108-9132
5.75"	.41"	.56"	.058"	108-9133
5.75"	.53"	.66"	.058"	108-9134
6.50"	.28"	.46"	.058"	108-9138
6.50"	.41"	.56"	.058"	108-9136
6.50"	.53"	.66"	.058"	108-9137

TITAN HOLLOW EXT. TAPER



5.75"	.53"	.66"	.058"	114-0551
6.50"	.53"	.66"	.058"	114-0550

TITAN® Max

QUAD MAX

Part Number	Titan Max Core ID
108-9112	.23"
108-9114	.28"
108-9116	.38"
-	-
108-9120	.23"
108-9122	.28"
108-9124	.38"
-	-
-	-

CROSS MAX

-	-
112-1310	-
-	-
-	-
-	-
112-1311	-
-	-

TITAN® Max

HOLLOW MAX

108-9139	.28"
108-9141	.38"
108-9143	.48"
-	-
108-9147	.38"
108-9149	.48"
108-9135	.28"
108-9151	.38"
108-9153	.48"

HOLLOW EXT. TAPER MAX

114-0553	.47"
-	-

3/8" MOUNT

	Length	Core Dia. (ID)	OD	Wall Thickness	Part Number
<i>TITAN QUAD</i>					
	4.50"	.25"	.36"	.052"	108-9104
	4.50"	.32"	.46"	.063"	108-9105
	4.50"	.41"	.55"	.063"	108-9106
	4.50"	.48"	.58"	.049"	108-9293
	5.00"	.25"	.36"	.052"	108-9108
	5.00"	.32"	.46"	.063"	108-9109
	5.00"	.41"	.55"	.063"	108-9110
	5.00"	.48"	.58"	.049"	108-9294
	5.50"	.41"	.55"	.063"	108-9290

TITAN SOLID ROUND

	Length	Core Dia. (ID)	OD	Wall Thickness	Part Number
	4.50"	-	.20"	-	108-9230
	4.50"	-	.25"	-	108-9231
	4.50"	-	.30"	-	108-9232
	4.50"	-	.38"	-	108-9233
	5.50"	-	.20"	-	108-9234
	5.50"	-	.25"	-	108-9235
	5.50"	-	.30"	-	108-9236
	5.50"	-	.38"	-	108-9237

TITAN SOLID SLICING

	Length	Core Dia. (ID)	OD	Wall Thickness	Part Number
	5.00"	-	.63"	-	108-9238

TITAN CROSS

	Length	Core Dia. (ID)	OD	Wall Thickness	Part Number
	4.50"	-	.38"	-	108-9215
	4.50"	-	.50"	-	108-9216
	4.50"	-	.62"	-	108-9217
	5.50"	-	.38"	-	108-9218
	5.50"	-	.50"	-	108-9219
	5.50"	-	.62"	-	108-9220

3/4" MOUNT

	Length	Core Dia. (ID)	OD	Wall Thickness	Part Number
<i>TITAN HOLLOW</i>					
	4.75"	.28"	.46"	.058"	108-9128
	4.75"	.41"	.56"	.058"	108-9129
	4.75"	.53"	.66"	.058"	108-9130
	5.75"	.28"	.46"	.058"	108-9132
	5.75"	.41"	.56"	.058"	108-9133
	5.75"	.53"	.66"	.058"	108-9134
	6.50"	.28"	.46"	.058"	108-9138
	6.50"	.41"	.56"	.058"	108-9136
	6.50"	.53"	.66"	.058"	108-9137

TITAN® Max

Part Number	Titan Max Core ID
<i>QUAD MAX</i>	
108-9112	.23"
108-9114	.28"
108-9116	.38"
-	-
108-9120	.23"
108-9122	.28"
108-9124	.38"
-	-
-	-

-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-

CROSS MAX

-	-
112-1310	-
-	-
-	-
112-1311	-
-	-

TITAN® Max

Part Number	Titan Max Core ID
<i>HOLLOW MAX</i>	
108-9139	.28"
108-9141	.38"
108-9143	.48"
-	-
108-9147	.38"
108-9149	.48"
108-9135	.28"
108-9151	.38"
108-9153	.48"

3/4" MOUNT – CONTINUED

	Length	Core Dia. (ID)	OD	Wall Thickness	Part Number
<i>TITAN HOLLOW EXT. TAPER</i>					
	5.75"	.53"	.66"	.058"	114-0551
	6.50"	.53"	.66"	.058"	114-0550
<i>SIDE EJECT</i>					
	4.75"	.28"	.46"	.058"	108-9159
	4.75"	.41"	.56"	.058"	108-9160
	4.75"	.53"	.66"	.058"	108-9161
	5.75"	.28"	.46"	.058"	108-9163
	5.75"	.41"	.56"	.058"	108-9164
	5.75"	.53"	.66"	.058"	108-9165
	6.50"	.28"	.46"	.058"	108-9162
	6.50"	.41"	.56"	.058"	108-9167
	6.50"	.53"	.66"	.058"	108-9168

TITAN SIDE EJECT EXT. TAPER

	5.75"	.53"	.66"	.058"	114-0555
	6.50"	.53"	.66"	.058"	114-0558

TITAN SPLIT

	5.75"	.51"	.88"	.120"	112-5122
---	-------	------	------	-------	----------

TITAN FAIRWAY HD

	5.75"	.51"	.77"	.120"	108-9260
	5.75"	.51"	.88"	.120"	108-9261

TITAN FAIRWAY

	5.75"	.51"	.77"	.120"	104-9876
	5.75"	.51"	.88"	.120"	104-9875

CLASSIC

	4.75"	.40"	.50"	.049"	66-9140
	4.75"	.50"	.63"	.049"	59-3670
	5.75"	.51"	.63"	.058"	104-0984
	6.50"	.39"	.66"	.058"	105-1180

TITAN® Max

Part Number	Titan Max Core ID
<i>HOLLOW EXT. TAPER MAX</i>	
114-0553	.47"
-	-
<i>SIDE EJECT MAX</i>	
108-9170	.28"
108-9172	.38"
108-9174	.48"
108-9176	.28"
108-9178	.38"
108-9180	.48"
108-9166	.28"
108-9182	.38"
108-9184	.48"

SIDE EJECT EXT. TAPER MAX

114-0557	.47"
114-0560	.47"

-	-
---	---

-	-
---	---

-	-
---	---

-	-
---	---

-	-
---	---

-	-
---	---

-	-
---	---

-	-
---	---

-	-
---	---

-	-
---	---

-	-
---	---

-	-
---	---

-	-
---	---

PROCORE® 440 / 660 / 880



TINE HEADS & TURF GUARDS

TINE HEADS		TINES REQ'D		TURF GUARDS					
DESCRIPTION	PART NO.	QTY.660	QTY.880	PART NO.	QTY. 660	QTY.880	PART NO.	QTY. 660	QTY.880
Needle Tine Head 660/880	09720	48	64	100-5418	6	-	100-5415	1	-
				100-5419	-	7			
Quad Tine Head, 3/8" Mount	09721	60	80	100-5420	1	5	100-5421	8	4
3 Tine Head, 3/4" Mount	09722	18	24	100-5414	2	5	100-5415	3	-
4 Tine Head, 3/4" Mount	09723	24	32	100-5416	5	1	100-5417	-	4
3 Tine Head, 7/8" Mount	09733	18	24	100-5414	2	5	100-5415	3	-
4 Tine Head, 7/8" Mount	09734	24	32	100-5416	5	1	100-5417	-	4

3/8" MOUNT

	Length	Core Dia. (ID)	OD	Wall Thickness	Part Number
<i>TITAN QUAD</i> 	4.50"	.25"	.36"	.052"	108-9104
	4.50"	.32"	.46"	.063"	108-9105
	4.50"	.41"	.55"	.063"	108-9106
	4.50"	.48"	.58"	.049"	108-9293
	5.00"	.25"	.36"	.052"	108-9108
	5.00"	.32"	.46"	.063"	108-9109
	5.00"	.41"	.55"	.063"	108-9110
	5.00"	.48"	.58"	.049"	108-9294
	5.50"	.41"	.55"	.063"	108-9290

TITAN SOLID ROUND

	4.50"	-	.20"	-	108-9230
	4.50"	-	.25"	-	108-9231
	4.50"	-	.30"	-	108-9232
	4.50"	-	.38"	-	108-9233
	5.50"	-	.20"	-	108-9234
	5.50"	-	.25"	-	108-9235
	5.50"	-	.30"	-	108-9236
	5.50"	-	.38"	-	108-9237

TITAN SOLID SLICING

	5.00"	-	.63"	-	108-9238
---	-------	---	------	---	----------

TITAN CROSS

	4.50"	-	.38"	-	108-9215
	4.50"	-	.50"	-	108-9216
	4.50"	-	.62"	-	108-9217
	5.50"	-	.38"	-	108-9218
	5.50"	-	.50"	-	108-9219
	5.50"	-	.62"	-	108-9220

3/4" MOUNT

	Length	Core Dia. (ID)	OD	Wall Thickness	Part Number
<i>TITAN HOLLOW</i> 	4.75"	.28"	.46"	.058"	108-9128
	4.75"	.41"	.56"	.058"	108-9129
	4.75"	.53"	.66"	.058"	108-9130
	5.75"	.28"	.46"	.058"	108-9132
	5.75"	.41"	.56"	.058"	108-9133
	5.75"	.53"	.66"	.058"	108-9134

TITAN® Max

Part Number	Titan Max Core ID
<i>QUAD MAX</i>	
108-9112	.23"
108-9114	.28"
108-9116	.38"
-	-
108-9120	.23"
108-9122	.28"
108-9124	.38"
-	-
-	-

-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-

CROSS MAX

-	-
112-1310	-
-	-
-	-
112-1311	-
-	-

TITAN® Max

Part Number	Titan Max Core ID
<i>HOLLOW MAX</i>	
108-9139	.28"
108-9141	.38"
108-9143	.48"
-	-
108-9147	.38"
108-9149	.48"

GREENS AERATOR



GREENS AERATOR

3/8" MOUNT

	Length	Core Dia. (ID)	OD	Wall Thickness	Part Number
<i>TITAN QUAD</i> 	4.50"	.25"	.36"	.052"	108-9104
	4.50"	.32"	.46"	.063"	108-9105
	4.50"	.41"	.55"	.063"	108-9106
	4.50"	.48"	.58"	.049"	108-9293

TITAN SOLID ROUND

	4.50"	-	.20"	-	108-9230
	4.50"	-	.25"	-	108-9231
	4.50"	-	.30"	-	108-9232
	4.50"	-	.38"	-	108-9233

TITAN CROSS

	4.50"	-	.38"	-	108-9215
	4.50"	-	.50"	-	108-9216
	4.50"	-	.62"	-	108-9217

3/4" MOUNT

	Length	Core Dia. (ID)	OD	Wall Thickness	Part Number
<i>TITAN HOLLOW</i> 	4.75"	.28"	.46"	.058"	108-9128
	4.75"	.41"	.56"	.058"	108-9129
	4.75"	.53"	.66"	.058"	108-9130

TITAN SIDE EJECT

	4.75"	.28"	.46"	.058"	108-9159
	4.75"	.41"	.56"	.058"	108-9160
	4.75"	.53"	.66"	.058"	108-9161

CLASSIC

	4.75"	.40"	.50"	.049"	66-9140
	4.75"	.50"	.63"	.049"	59-3670

TITAN SOLID ROUND

	4.50"	-	.25"	-	108-9198
	4.50"	-	.30"	-	108-9199
	4.50"	-	.35"	-	108-9200
	4.50"	-	.40"	-	108-9201
	4.50"	-	.50"	-	108-9202
	4.50"	-	.60"	-	108-9203

TITAN® Max

Part Number	Titan Max Core ID
<i>QUAD MAX</i>	
108-9112	.23"
108-9114	.28"
108-9116	.38"
-	-

-	-
-	-
-	-
-	-

CROSS MAX

-	-
112-1310	-
-	-

TITAN® Max

Part Number	Titan Max Core ID
<i>HOLLOW MAX</i>	
108-9139	.28"
108-9141	.38"
108-9143	.48"

<i>SIDE EJECT MAX</i>	
108-9170	.28"
108-9172	.38"
108-9174	.48"

-	-
-	-

-	-
-	-
-	-
-	-
-	-

TINE HEADS & TURF GUARDS



TINE HEADS		TINES REQ'D	TURF GUARDS	
DESCRIPTION	PART NO.		PART NO.	QTY. REQ'D
3/8" Needle Tine Head	94-3421 Outboard block 94-6822 Inboard block	12		
1/2" Tine Head	94-3420	12	72-4660 (RH) 72-4680 (Ctr) 72-4640 (LH)	1 1 1
3/4" Tine Head	59-2500	12		
7/8" Tine Head	62-4610	12		

GREENS AERATOR

3/4" MOUNT – CONTINUED

	Length	Core Dia. (ID)	OD	Wall Thickness	Part Number
--	--------	----------------	----	----------------	-------------

TITAN SOLID SLICING

	4.50"	–	.75"	–	108-9239
---	-------	---	------	---	----------

TITAN CROSS

	4.50"	–	.50"	–	108-9221
	4.50"	–	.75"	–	108-9223

7/8" MOUNT

	Length	Core Dia. (ID)	OD	Wall Thickness	Part Number
--	--------	----------------	----	----------------	-------------

TITAN HOLLOW

	4.75"	.51"	.66"	.058"	108-9190
	4.75"	.63"	.76"	.058"	108-9191

TITAN SIDE EJECT

	4.75"	.51"	.66"	.058"	108-9194
	4.75"	.63"	.76"	.058"	108-9195

CLASSIC

	4.75"	.60"	.75"	.065"	62-4600
---	-------	------	------	-------	---------

TITAN FAIRWAY

	4.75"	.64"	.88"	.122"	92-7941
---	-------	------	------	-------	---------

NEEDLE TINE

	Length	Core Dia. (ID)	OD	Wall Thickness	Part Number
	6.43"	–	5mm	–	100-3620

FAIRWAY AERATOR



TINE HEADS & TURF GUARDS

TINE HEADS		TINES REQ'D	TURF GUARDS			
DESCRIPTION	PART NO.		PART NO.	QTY. REQ'D		
6-TINE, 3/4" BLOCK						
Outer	95-3103	36	70-9430 70-9440	3		
Bridging	95-3104					
Inner	95-3105					
6-TINE, 7/8" BLOCK						
Outer	70-9380	12				
Bridging	70-9390					
Inner	70-9400					

FAIRWAY AERATOR

7/8" MOUNT – CONTINUED

	Length	Core Dia. (ID)	OD	Wall Thickness	Part Number
TITAN FAIRWAY HD					
	5.75"	.64"	.88"	.122"	108-9264
	5.75"	.64"	1.0"	.122"	108-9265
TITAN FAIRWAY					
	4.75"	.64"	.88"	.122"	92-7941
	5.75"	.64"	.88"	.122"	92-7900
	5.75"	.64"	1.0"	.120"	104-9877
CLASSIC					
	4.75"	.60"	.75"	.065"	62-4600
	5.75"	.60"	.75"	.065"	86-9720
TITAN SOLID ROUND					
	5.50"	-	.75"	-	108-9246
	5.50"	-	.88"	-	108-9247
TITAN SOLID SLICING					
	4.50"	-	.75"	-	108-9239
	5.50"	-	.75"	-	108-9240
	5.50"	-	.75"	-	108-9242
TITAN CROSS					
	5.50"	-	.88"	-	108-9259

TURF AERATOR 686 / 687



TURF AERATOR 686/687

	Part Number	Size	Quantity Required
SPOON-OPEN			
	108-9296	1/2"	96 tines
	108-9298	3/4"	96 tines
SPOON-CLOSED			
	108-9297	1/2"	96 tines
	108-9299	3/4"	96 tines

PROCORE® SR SERIES



The ProCore SR Series provide working widths of 48" – 75" (122 – 190 cm), working depths up to 16" (40.6 cm) and hole spacing from 2.5" – 6" (6.3 – 15.2 cm).

12MM OR 18MM MOUNT

	Mount	Length	Core Dia. (ID)	OD	Part	Adapter Sleeve	Replacement Tube
<i>CORING TINES</i>							
	12mm	7.00"	.52"	.69"	SGC07625*	–	SGT07625
	12mm	7.00"	.56"	.81"	SGC07750*	–	SGT07750
	12mm	10.00"	.56"	.75"	SGC10755*	–	SGT10750
	12mm	10.00"	.56"	.81"	SGC10813H	–	SGT10813H
	18mm	8.00"	.94"	1.31"	SGC08125	–	SGT08125
	18mm	8.00"	.74"	1.06"	SGC08100H	–	SGT08100H
	18mm	10.00"	.56"	.75"	SGC10750	–	SGT10750
	18mm	10.00"	.74"	1.06"	SGC10100H	–	SGT10100H
	18mm	10.00"	.76"	1.00"	SGC10100S	–	SGT10100S
	18mm	12.00"	.94"	1.31"	SGC12125	–	SGT12125

SOLID TINES

5/16"	8.50"	–	.31"	SGS07313	SGA08313	–
5/16"	10.00"	–	.31"	SGS08313	SGA08313	–
3/8"	9.00"	–	.38"	SGS08375	SGA12375	–
3/8"	10.75"	–	.38"	SGS10374	SGA12375	–
3/8"	12.25"	–	.38"	SGS10375	SGA12375	–
12mm	8.00"	–	12mm	SGS08500	–	–
12mm	10.75"	–	12mm	SGS10504	–	–
12mm	12.25"	–	12mm	SGS10500	–	–
12mm	14.25"	–	12mm	SGS12500	–	–
12mm	16.25"	–	12mm	SGS14500	–	–
18mm	12.25"	–	18mm	SGS10750	–	–
18mm	12.50"	–	18mm	SGS10875	–	–
18mm	14.00"	–	18mm	SGS12875	–	–
18mm	14.25"	–	18mm	SGS12750	–	–
18mm	16.00"	–	18mm	SGS14875	–	–
18mm	16.25"	–	18mm	SGS14750	–	–

SR48 ADAPTER HEAD KIT 117-7190

SOLID TINES

5/16"	8.50"	–	.31"	SGS07313	–	–
5/16"	10.00"	–	.31"	SGS08313	–	–

SR48 ADAPTER HEAD KIT 117-7191

CORING TINES

12mm	7.00"	.52"	.69"	SGC07624	–	SGT07625
12mm	7.00"	.56"	.81"	SGC07754	–	SGT07750
12mm	10.00"	.56"	.75"	SGC10754	–	SGT10750

SOLID TINES

12mm	8.00"	–	12mm	SGS08500	–	–
12mm	12.25"	–	12mm	SGS10500	–	–
12mm	14.25"	–	12mm	SGS12500	–	–
12mm	16.25"	–	12mm	SGS14500	–	–

*Longer shank tine.

5/16" OR 12MM MOUNT

Mount	Length	Core Dia. (ID)	OD	Part	Adapter Sleeve	Replacement Tube
<i>CORING TINES</i>						
3/8"	5.50"	.38"	.50"	SGC05550	SGA10375	-
12mm	7.00"	.52"	.69"	SGC07624	-	SGT07625
12mm	7.00"	.56"	.81"	SGC07754	-	SGT07750
12mm	10.00"	.56"	.75"	SGC10754	-	SGT10750
<i>SOLID TINES</i>						
5/16"	8.50"	-	.31"	SGS07313	-	-
5/16"	10.00"	-	.31"	SGS08313	-	-
3/8"	9.00"	-	.38"	SGS08375	SGA10375	-
3/8"	10.75"	-	.38"	SGS10374	SGA10375	-
12mm	8.00"	-	12mm	SGS08500	-	-
12mm	10.75"	-	12mm	SGS10504	-	-

SR 54 ADAPTER HEAD KIT 117-7193 (36 TINES)

<i>CORING TINES</i>						
3/8"	5.50"	.38"	.50"	SGC05550	-	SGT05550
<i>SOLID TINES</i>						
5/16"	8.50"	-	.31"	SGS07313	-	-
5/16"	10.00"	-	.31"	SGS08313	-	-
3/8"	9.00"	-	.38"	SGS08375	SGA10375	-
3/8"	10.75"	-	.38"	SGS10374	SGA10375	-
3/8"	12.25"	-	.38"	SGS10375	SGA10375	-

5/16" OR 12MM MOUNT

Mount	Length	Core Dia. (ID)	OD	Part	Adapter Sleeve	Replacement Tube
<i>CORING TINES</i>						
12mm	7.00"	.52"	.69"	SGC07624	-	SGT07625
12mm	7.00"	.56"	.81"	SGC07754	-	SGT07750
12mm	10.00"	.56"	.75"	SGC10754	-	SGT10750
<i>SOLID TINES</i>						
5/16"	8.50"	-	.31"	SGS07313	-	-
5/16"	10.00"	-	.31"	SGS08313	-	-
12mm	8.00"	-	12mm	SGS08500	-	-
12mm	10.75"	-	12mm	SGS10504	-	-

SR 54-S ADAPTER HEAD KIT 117-7194 (12 TINES)

<i>SOLID TINES</i>						
18mm	12.25"	-	18mm	SGS10750	-	-

SR 54-S ADAPTER HEAD KIT 117-7195 (12 TINES)

<i>CORING TINES</i>						
12mm	7.00"	.52"	.69"	SGC07624	-	SGT07625
12mm	7.00"	.56"	.81"	SGC07754	-	SGT07750
12mm	10.00"	.56"	.75"	SGC10754	-	SGT10750
<i>SOLID TINES</i>						
5/16"	8.50"	-	.31"	SGS07313	-	-
5/16"	10.00"	-	.31"	SGS08313	-	-
12mm	8.00"	-	12mm	SGS08500	-	-
12mm	10.75"	-	12mm	SGS10504	-	-

SR 54-S ADAPTER HEAD KIT 117-7196 (24 TINES)

<i>CORING TINES</i>						
3/8"	5.50"	.38"	.50"	SGC05550	-	SGT05550
<i>SOLID TINES</i>						
5/16"	8.50"	-	.31"	SGS07313	-	-
5/16"	10.00"	-	.31"	SGS08313	-	-
3/8"	9.00"	-	.38"	SGS08375	-	-
3/8"	10.75"	-	.38"	SGS10374	-	-

SR 54-S ADAPTER HEAD KIT 117-7199 (48 TINES)

<i>CORING TINES</i>						
3/8"	5.50"	.38"	.50"	SGC05550	-	SGT05550
<i>SOLID TINES</i>						
3/8"	9.00"	-	.38"	SGS08375	-	-
3/8"	10.75"	-	.38"	SGS10374	-	-

*Longer shank tine.

5/16" OR 12MM MOUNT

Mount	Length	Core Dia. (ID)	OD	Part	Adapter Sleeve	Replacement Tube
<i>CORING TINES</i>						
3/8"	5.50"	.38"	.50"	SGC05550	SGA10375	SGT05550
12mm	7.00"	.52"	.69"	SGC07624	-	SGT07625
12mm	7.00"	.56"	.81"	SGC07754	-	SGT07750
12mm	10.00"	.56"	.75"	SGC10754	-	SGT10750
<i>SOLID TINES</i>						
5/16"	8.50"	-	.31"	SGS07313	-	-
5/16"	10.00"	-	.31"	SGS08313	-	-
3/8"	9.00"	-	.38"	SGS08375	SGA10375	-
3/8"	10.75"	-	.38"	SGS10374	SGA10375	-
12mm	8.00"	-	12mm	SGS08500	-	-
12mm	10.75"	-	12mm	SGS10504	-	-

SR70 ADAPTER HEAD KIT 117-7193 (48 TINES)

<i>CORING TINES</i>						
3/8"	5.50"	-	.50"	SGC05550	-	-
<i>SOLID TINES</i>						
5/16"	8.50"	-	.3125"	SGS07313	-	-
5/16"	10.00"	-	.3125"	SGS08313	-	-
3/8"	9.00"	-	.375"	SGS08375	-	-
3/8"	10.75"	-	.375"	SGS10374	-	-
3/8"	12.25"	-	.375"	SGS10375	-	-

5/16" OR 12MM MOUNT

Mount	Length	Core Dia. (ID)	OD	Part	Adapter Sleeve	Replacement Tube
<i>CORING TINES</i>						
12mm	7.00"	.52"	.69"	SGC07624	-	SGT07625
12mm	7.00"	.56"	.81"	SGC07754	-	SGT07750
12mm	10.00"	.56"	.75"	SGC10754	-	SGT10750
<i>SOLID TINES</i>						
5/16"	8.50"	-	.3125"	SGS07313	-	-
5/16"	10.00"	-	.3125"	SGS08313	-	-
12mm	8.00"	-	12mm	SGS08500	-	-
12mm	10.75"	-	12mm	SGS10504	-	-

SR70-S ADAPTER HEAD KIT 117-7194 (16 TINES)

<i>SOLID TINES</i>						
18mm	12.25"	-	18mm	SGS10750	-	-

SR70-S ADAPTER HEAD KIT 117-7195 (16 TINES)

<i>CORING TINES</i>						
12mm	7.00"	.52"	.69"	SGC07624	-	SGT07625
12mm	7.00"	.56"	.81"	SGC07754	-	SGT07750
12mm	10.00"	.56"	.75"	SGC10754	-	SGT10750
<i>SOLID TINES</i>						
5/16"	8.50"	-	.3125"	SGS07313	-	-
5/16"	10.00"	-	.3125"	SGS08313	-	-
12mm	8.00"	-	12mm	SGS08500	-	-
12mm	10.75"	-	12mm	SGS10504	-	-

SR70-S ADAPTER HEAD KIT 117-7196 (32 TINES)

<i>CORING TINES</i>						
3/8"	5.50"	.38"	.50"	SGC05550	-	SGT05550
<i>SOLID TINES</i>						
5/16"	8.50"	-	.3125"	SGS07313	-	-
5/16"	10.00"	-	.3125"	SGS08313	-	-
3/8"	9.00"	-	.375"	SGS08375	-	-
3/8"	10.75"	-	.375"	SGS10374	-	-

SR70-S ADAPTER HEAD KIT 117-7199 (64 TINES)

<i>CORING TINES</i>						
3/8"	5.50"	.38"	.50"	SGC05550	-	SGT05550
<i>SOLID TINES</i>						
3/8"	9.00"	-	.375"	SGS08375	-	-
3/8"	10.75"	-	.375"	SGS10374	-	-

12MM OR 18MM MOUNT

Mount	Length	Core Dia. (ID)	OD	Part	Adapter Sleeve	Replacement Tube
<i>CORING TINES</i>						
12mm Long	7.00"	.52"	.69"	SGC07625*	-	SGT07625
12mm Long	7.00"	.56"	.81"	SGC07750*	-	SGT07750
12mm Long	10.00"	.56"	.75"	SGC10755*	-	SGT10750
12mm Long	10.00"	.56"	.81"	SGC10813H	-	SGT10813H
18mm Long	8.00"	.94"	1.31"	SGC08125	-	SGT08125
18mm Long	8.00"	.74"	1.06"	SGC08100H	-	SGT08100H
18mm Long	10.00"	.56"	.75"	SGC10750	-	SGT10750
18mm Long	10.00"	.74"	1.06"	SGC10100H	-	SGT10100H
18mm Long	10.00"	.76"	1.00"	SGC10100S	-	SGT10100S
18mm Long	12.00"	.94"	1.31"	SGC12125	-	SGT12125

Mount	Length	Core Dia. (ID)	OD	Part	Adapter Sleeve	Replacement Tube
<i>SOLID TINES</i>						
5/16"	8.50"	-	.3125"	SGS07313	SGA08313	-
5/16"	10.00"	-	.3125"	SGS08313	SGA08313	-
3/8"	9.00"	-	.375"	SGS08375	SGA12375	-
3/8"	10.75"	-	.375"	SGS10374	SGA12375	-
3/8"	12.25"	-	.375"	SGS10375	SGA12375	-
12mm	8.00"	-	12mm	SGS08500	-	-
12mm	10.75"	-	12mm	SGS10504	-	-
12mm	12.25"	-	12mm	SGS10500	-	-
12mm	14.25"	-	12mm	SGS12500	-	-
12mm	16.25"	-	12mm	SGS14500	-	-
18mm	12.25"	-	18mm	SGS10750	-	-
18mm	12.50"	-	18mm	SGS10875	-	-
18mm	14.00"	-	18mm	SGS12875	-	-
18mm	14.25"	-	18mm	SGS12750	-	-
18mm	16.00"	-	18mm	SGS14875	-	-
18mm	16.25"	-	18mm	SGS14750	-	-

SR72 ADAPTER HEAD KIT 117-7190 (60 TINES)

Mount	Length	Core Dia. (ID)	OD	Part	Adapter Sleeve	Replacement Tube
<i>SOLID TINES</i>						
5/16"	8.50"	-	.3125"	SGS07313	-	-
5/16"	10.00"	-	.3125"	SGS08313	-	-

SR72 ADAPTER HEAD KIT 117-7191 (60 TINES)

Mount	Length	Core Dia. (ID)	OD	Part	Adapter Sleeve	Replacement Tube
<i>CORING TINES</i>						
12mm	7.00"	.52"	.69"	SGC07624	-	SGT07625
12mm	7.00"	.56"	.81"	SGC07754	-	SGT07750
12mm	10.00"	.56"	.75"	SGC10754	-	SGT10750

Mount	Length	Core Dia. (ID)	OD	Part	Adapter Sleeve	Replacement Tube
<i>SOLID TINES</i>						
12mm	8.00"	-	12mm	SGS08500	-	-
12mm	12.25"	-	12mm	SGS10500	-	-
12mm	14.25"	-	12mm	SGS12500	-	-
12mm	16.25"	-	12mm	SGS14500	-	-

*Longer shank tine.

7/8" MOUNT

Mount	Length	Core Dia. (ID)	OD	Part	Adapter Sleeve	Replacement Tube
<i>CORING TINES</i>						
18mm Long	8.00"	.94"	1.31"	SGC08125	SG715802	SGT08125
18mm Long	8.00"	.74"	1.06"	SGC08100H	SG715802	SGT08100H
18mm Long	10.00"	.56"	.75"	SGC10750	SG715802	SGT10750
18mm Long	10.00"	.74"	1.06"	SGC10100H	SG715802	SGT10100H
18mm Long	10.00"	.76"	1.00"	SGC10100S	SG715802	SGT10100S
18mm Long	12.00"	.94"	1.31"	SGC12125	SG715802	SGT12125
7/8"	8.00"	.94"	1.31"	SGC08123	-	SGT08125
7/8"	12.00"	.94"	1.31"	SGC12123	-	SGT12125

Mount	Length	Core Dia. (ID)	OD	Part	Adapter Sleeve	Replacement Tube
<i>SOLID TINES</i>						
18mm	12.25"	-	18mm	SGS10750	SG715802	-
18mm	12.50"	-	.875"	SGS10875	SG715802	-
18mm	14.00"	-	.875"	SGS12875	SG715802	-
18mm	14.25"	-	18mm	SGS12750	SG715802	-
18mm	16.00"	-	.875"	SGS14875	SG715802	-
18mm	16.25"	-	18mm	SGS14750	SG715802	-
7/8"	12.50"	-	.875"	SGS10876	-	-
7/8"	14.00"	-	.875"	SGS12876	-	-
7/8"	17.88"	-	1.00"	SGS16100	-	-

SR75 ADAPTER HEAD KIT 117-7198 (4X12MM = 24 TINES OR 3X18MM = 18 TINES)

Mount	Length	Core Dia. (ID)	OD	Part	Adapter Sleeve	Replacement Tube
<i>CORING TINES</i>						
12mm Long	7.00"	.52"	.69"	SGC07625*	-	SGT07625
12mm Long	7.00"	.56"	.81"	SGC07750*	-	SGT07750
12mm Long	10.00"	.56"	.81"	SGC10813H	-	SGT10813H
12mm Long	10.00"	.56"	.75"	SGC10755*	-	SGT10750
18mm Long	8.00"	.74"	1.06"	SGC08100H	-	SGT08100H
18mm Long	8.00"	.94"	1.31"	SGC08125	-	SGT08125
18mm Long	10.00"	.56"	.75"	SGC10750	-	SGT07625
18mm Long	10.00"	.76"	1.00"	SGC10100S	-	SGT10100S
18mm Long	10.00"	.74"	1.06"	SGC10100H	-	SGT10100H
18mm Long	12.00"	.94"	1.31"	SGC12125	-	SGT12125

*Longer shank tine.

ADAPTER HEAD KIT 117-7198 – CONTINUED

Mount	Length	Core Dia. (ID)	OD	Part	Adapter Sleeve	Replacement Tube
<i>SOLID TINES</i>						
12mm	8.00"	–	12mm	SGS08500	–	–
12mm	10.75"	–	12mm	SGS10504	–	–
12mm	12.25"	–	12mm	SGS10500	–	–
12mm	14.25"	–	12mm	SGS12500	–	–
12mm	16.25"	–	12mm	SGS14500	–	–
18mm	12.25"	–	18mm	SGS10750	–	–
18mm	12.50"	–	.875"	SGS10875	–	–
18mm	14.00"	–	.875"	SGS12875	–	–
18mm	14.25"	–	18mm	SGS12750	–	–
18mm	16.00"	–	.875"	SGS14875	–	–
18mm	16.25"	–	18mm	SGS14750	–	–

COMPETITIVE MODELS



TITAN® Conversion Sleeves

Part Number	Description	Mount
112-1300	Sleeve	1/2"
112-1301	Sleeve	5/8"

Easily Converts TITAN® Tines to 1/2" and 5/8" mount. Toro® conversion sleeves allow the complete selection of Toro tines to fit on most competitive equipment. The conversion sleeve slides onto a 3/8" mount Toro tine to create a 1/2" mount or 5/8" mount.

TITAN® TINES COMPETITIVE MODELS

3/8" MOUNT					TITAN® Max		Competitive Model	
Length	Core Dia. (ID)	OD	Part Number	Wall	Part Number	Core Dia. (ID)	Ryan® GA 24/30/60	John Deere®
<i>TITAN QUAD</i>					<i>QUAD MAX</i>			
4.50"	.25"	.36"	108-9104	.052"	108-9112	.23"	X	X
4.50"	.32"	.46"	108-9105	.063"	108-9114	.28"	X	X
4.50"	.41"	.55"	108-9106	.063"	108-9116	.38"	X	X
4.50"	.48"	.58"	108-9293	.049"	-	-	X	X
5.00"	.25"	.36"	108-9108	.052"	108-9120	.23"	X	X
5.00"	.32"	.46"	108-9109	.063"	108-9122	.28"	X	X
5.00"	.41"	.55"	108-9110	.063"	108-9124	.38"	X	X
5.00"	.48"	.58"	108-9294	.049"	-	-	X	X
<i>TITAN SOLID ROUND</i>								
4.50"	-	.20"	108-9230	-	-	-	X	X
4.50"	-	.25"	108-9231	-	-	-	X	X
4.50"	-	.30"	108-9232	-	-	-	X	X
4.50"	-	.38"	108-9233	-	-	-	X	X
5.50"	-	.20"	108-9234	-	-	-	X	X
5.50"	-	.25"	108-9235	-	-	-	X	X
5.50"	-	.30"	108-9236	-	-	-	X	X
5.50"	-	.38"	108-9237	-	-	-	X	X
<i>TITAN SOLID SLICING</i>								
5.00"	-	.63"	108-9238	-	-	-	X	X
<i>TITAN CROSS</i>					<i>CROSS MAX</i>			
4.50"	-	.38"	108-9215	-	-	-	X	X
4.50"	-	.50"	108-9216	-	112-1310	-	X	X
4.50"	-	.62"	108-9217	-	-	-	X	X
5.50"	-	.38"	108-9218	-	-	-	X*	X
5.50"	-	.50"	108-9219	-	112-1311	-	X*	X
5.50"	-	.62"	108-9220	-	-	-	X*	X

*Only available on GA 30/60 models

TITAN® TINES COMPETITIVE MODELS

1/2" MOUNT					TITAN® Max		Competitive Model	
Length	Core Dia. (ID)	OD	Part Number	Wall	Part Number	Core Dia. (ID)	Ryan® GA 24/30/60	John Deere®
<i>TITAN QUAD</i>					<i>QUAD MAX</i>			
4.50"	.32"	.46"	112-1316	.063"	112-1322	.28"	X	-
<i>TITAN SOLID ROUND</i>								
4.50"	-	.50"	112-1347	-	-	-	X	-
5.50"	-	.25"	112-1329	-	-	-	X	-
<i>TITAN SOLID SLICING</i>								
5.00"	-	.63"	112-5102	-	-	-	X	-
<i>TITAN QUAD</i>					<i>QUAD MAX</i>			
4.50"	.32"	.46"	112-1316	.063"	112-1322	.28"	X	-
<i>5/8" MOUNT</i>					<i>TITAN® Max</i>		<i>Competitive Model</i>	
Length	Core Dia. (ID)	OD	Part Number	Wall	Part Number	Core Dia. (ID)	Ryan® GA 24/30/60	John Deere®
<i>TITAN SIDE EJECT</i>								
4.50"	.43"	.56"	112-1303	.058"	-	-	-	-
<i>TITAN SOLID ROUND</i>								
4.50"	-	.63"	112-1348	-	-	-	X	-
<i>TITAN SOLID SLICING</i>								
5.00"	-	.63"	112-5103	-	-	-	X	-

*Only available on GA 30/60 models

TITAN® TINES COMPETITIVE MODELS

3/4" MOUNT					TITAN® Max		Competitive Model	
Length	Core Dia. (ID)	OD	Part Number	Wall	Part Number	Core Dia. (ID)	Ryan® GA 24/30/60	John Deere®
TITAN HOLLOW					HOLLOW MAX			
4.75"	.28"	.46"	108-9128	.058"	108-9139	.28"	X	X
4.75"	.41"	.56"	108-9129	.058"	108-9141	.38"	X	X
4.75"	.53"	.66"	108-9130	.058"	108-9143	.48"	X	X
5.75"	.28"	.46"	108-9132	.058"	-	-	-	-
5.75"	.41"	.56"	108-9133	.058"	108-9147	.38"	X*	X
5.75"	.53"	.66"	108-9134	.058"	108-9149	.48"	X*	X
TITAN HOLLOW EXT. TAPER					HOLLOW EXT. TAPER MAX			
5.75"	.53"	.66"	114-0551	.058"	114-0553	.47"	X*	X
TITAN SIDE EJECT					SIDE EJECT MAX			
4.75"	.28"	.46"	108-9159	.058"	108-9170	.28"	X	-
4.75"	.41"	.56"	108-9160	.058"	108-9172	.38"	X	-
4.75"	.53"	.66"	108-9161	.058"	108-9174	.48"	X	-
5.75"	.28"	.46"	108-9163	.058"	108-9176	.28"	-	X
5.75"	.41"	.56"	108-9164	.058"	108-9178	.38"	-	X
5.75"	.53"	.66"	108-9165	.058"	108-9180	.48"	-	X
TITAN SIDE EJECT EXT. TAPER					SIDE EJECT EXT. TAPER MAX			
5.75"	.53"	.66"	114-0555	.058"	114-0557	.47"	X	-
TITAN FAIRWAY HD								
5.75"	.51"	.77"	108-9260	.120"	-	-	X*	X
5.75"	.51"	.88"	108-9261	.120"	-	-	X*	X
TITAN FAIRWAY								
5.75"	.51"	.77"	104-9876	.120"	-	-	-	X
5.75"	.51"	.88"	104-9875	.120"	-	-	-	X
CLASSIC								
4.75"	.40"	.50"	66-9140	.049"	-	-	X	X
4.75"	.50"	.63"	59-3670	.049"	-	-	X	X
5.75"	.51"	.63"	104-0984	.058"	-	-	X*	X
TITAN SOLID ROUND								
4.50"	-	.25"	108-9198	-	-	-	X	X
4.50"	-	.30"	108-9199	-	-	-	X	X
4.50"	-	.35"	108-9200	-	-	-	X	X
4.50"	-	.40"	108-9201	-	-	-	X	X
4.50"	-	.50"	108-9202	-	-	-	X	X
4.50"	-	.60"	108-9203	-	-	-	X	X
5.50"	-	.25"	108-9204	-	-	-	X*	X
5.50"	-	.30"	108-9205	-	-	-	X*	X
5.50"	-	.35"	108-9206	-	-	-	X*	X
5.50"	-	.40"	108-9207	-	-	-	X*	X
5.50"	-	.50"	108-9208	-	-	-	X*	X
5.50"	-	.60"	108-9209	-	-	-	X*	X
5.50"	-	.75"	108-9244	-	-	-	X*	X

TITAN® TINES COMPETITIVE MODELS

3/4" MOUNT – CONTINUED					TITAN® Max		Competitive Model	
Length	Core Dia. (ID)	OD	Part Number	Wall	Part Number	Core Dia. (ID)	Ryan® GA 24/30/60	John Deere®
TITAN SOLID SLICING								
4.50"	-	.75"	108-9239	-	-	-	X	X
5.50"	-	.75"	108-9240	-	-	-	X*	X
TITAN CROSS					CROSS MAX			
4.50"	-	.50"	108-9221	-	-	-	X	X
4.50"	-	.75"	108-9223	-	-	-	X	X
5.50"	-	.50"	108-9224	-	112-1313	-	X*	X
5.50"	-	.75"	108-9226	-	-	-	X*	X
TITAN HOLLOW					HOLLOW MAX			
4.75"	.51"	.66"	108-9190	.058"	-	-	X*	X
4.75"	.63"	.76"	108-9191	.058"	-	-	X*	X
5.75"	.51"	.66"	108-9192	.058"	108-9157	.48"	X*	X
5.75"	.63"	.76"	108-9193	.058"	-	-	X*	X
TITAN SIDE EJECT					SIDE EJECT MAX			
4.75"	.51"	.66"	108-9194	.058"	-	-	-	-
4.75"	.63"	.76"	108-9195	.058"	-	-	X*	X
5.75"	.51"	.66"	108-9196	.058"	108-9188	.48"	X*	X
5.75"	.63"	.76"	108-9197	.058"	-	-	X*	X
TITAN FAIRWAY HD								
5.75"	.64"	.88"	108-9264	.122"	-	-	X*	X
5.75"	.64"	1.0"	108-9265	.122"	-	-	X*	X
TITAN FAIRWAY								
4.75"	.64"	.88"	92-7941	.122"	-	-	X	X
5.75"	.64"	.88"	92-7900	.122"	-	-	X*	X
5.75"	.64"	1.0"	104-9877	.120"	-	-	X*	X
CLASSIC								
4.75"	.60"	.75"	62-4600	.065"	-	-	X*	X
5.75"	.60"	.75"	86-9720	.065"	-	-	X*	X
TITAN SOLID ROUND								
5.50"	-	.75"	108-9246	-	-	-	X*	X
5.50"	-	.88"	108-9247	-	-	-	X*	X
TITAN SOLID SLICING								
5.50"	-	.75"	108-9242	-	-	-	X*	X
TITAN CROSS								
5.50"	-	.88"	108-9259	-	-	-	X*	X

*Only available on GA 30/60 models

QUICK REFERENCE

Mount	Length	ID	OD	Wall Thickness	Part Number	TITAN® Max Part Number
TITAN Quad & Quad Max						
1/2"	4.50"	.32"	.46"	.063"	112-1316	-
3/8"	4.50"	.25"	.36"	.052"	108-9104	108-9112
3/8"	4.50"	.32"	.46"	.063"	108-9105	108-9114
3/8"	4.50"	.41"	.55"	.063"	108-9106	108-9116
3/8"	4.50"	.48"	.58"	.049"	108-9293	-
3/8"	5.00"	.25"	.36"	.052"	108-9108	108-9120
3/8"	5.00"	.32"	.46"	.063"	108-9109	108-9122
3/8"	5.00"	.41"	.55"	.063"	108-9110	108-9124
3/8"	5.00"	.48"	.58"	.049"	108-9294	-
3/8"	5.50"	.41"	.55"	.063"	108-9290	-
5/8"	4.50"	.32"	.46"	.063"	112-1332	112-1338

TITAN Hollow & Hollow Max

3/4"	4.75"	.28"	.46"	.058"	108-9128	108-9139
3/4"	4.75"	.41"	.56"	.058"	108-9129	108-9141
3/4"	4.75"	.53"	.66"	.058"	108-9130	108-9143
3/4"	5.75"	.28"	.46"	.058"	108-9132	-
3/4"	5.75"	.41"	.56"	.058"	108-9133	108-9147
3/4"	5.75"	.53"	.66"	.058"	108-9134	108-9149
3/4"	6.50"	.28"	.46"	.058"	108-9138	108-9135
3/4"	6.50"	.41"	.56"	.058"	108-9136	108-9151
3/4"	6.50"	.53"	.66"	.058"	108-9137	108-9153
7/8"	4.75"	.51"	.66"	.058"	108-9190	-
7/8"	4.75"	.63"	.76"	.058"	108-9191	-
7/8"	5.75"	.51"	.66"	.058"	108-9192	-
7/8"	5.75"	.63"	.76"	.058"	108-9193	-

TITAN Hollow Ext. Taper & Ext. Taper Max

3/4"	5.75"	.47"	.68"	.058"	114-0553	-
3/4"	5.75"	.53"	.66"	.058"	114-0551	114-0553
3/4"	6.50"	.53"	.66"	.058"	114-0550	-

TITAN Side Eject & Side Eject Max

3/4"	4.75"	.28"	.46"	.058"	108-9159	108-9170
3/4"	4.75"	.41"	.56"	.058"	108-9160	108-9172
3/4"	4.75"	.53"	.66"	.058"	108-9161	108-9174
3/4"	5.75"	.28"	.46"	.058"	108-9163	108-9176
3/4"	5.75"	.41"	.56"	.058"	108-9164	108-9178
3/4"	5.75"	.53"	.66"	.058"	108-9165	108-9180
3/4"	6.50"	.28"	.46"	.058"	108-9162	108-9166
3/4"	6.50"	.41"	.56"	.058"	108-9167	108-9182
3/4"	6.50"	.53"	.66"	.058"	108-9168	108-9184
5/8"	4.50"	.43"	.56"	.058"	112-1303	-
7/8"	4.75"	.51"	.66"	.058"	108-9194	-
7/8"	4.75"	.63"	.76"	.058"	108-9195	-
7/8"	5.75"	.51"	.66"	.058"	108-9196	108-9188
7/8"	5.75"	.63"	.76"	.058"	108-9197	-

TITAN Side Eject Ext. Taper & Ext. Taper Max

3/4"	5.75"	.53"	.66"	.058"	114-0555	114-0557
3/4"	6.50"	.53"	.66"	.058"	114-0558	114-0560

QUICK REFERENCE

Mount	Length	ID	OD	Wall Thickness	Part Number	TITAN® Max Part Number
Classic Hollow						
3/4"	4.75"	.40"	.50"	.049"	66-9140	-
3/4"	4.75"	.50"	.63"	.049"	59-3670	-
3/4"	5.75"	.51"	.63"	.058"	104-0984	-
3/4"	6.50"	.39"	.66"	.058"	105-1180	-
7/8"	4.75"	.60"	.75"	.065"	62-4600	-
7/8"	5.75"	.60"	.75"	.065"	86-9720	-

Fairway

3/4"	5.75"	.51"	.77"	.120"	104-9876	-
3/4"	5.75"	.51"	.88"	.120"	104-9875	-
7/8"	4.75"	.64"	.88"	.122"	92-7941	-
7/8"	5.75"	.64"	.88"	.122"	92-7900	-
7/8"	5.75"	.64"	1.0"	.120"	104-9877	-

TITAN HD Fairway

3/4"	5.75"	.51"	.77"	.120"	108-9260	-
3/4"	5.75"	.51"	.88"	.120"	108-9261	-
7/8"	5.75"	.64"	.88"	.122"	108-9264	-
7/8"	5.75"	.64"	1.0"	.122"	108-9265	-

TITAN Split

3/4"	5.75"	.51"	.88"	.120"	112-5122	-
7/8"	5.75"	.64"	.88"	.120"	112-5121	-
7/8"	5.75"	.64"	.92"	.120"	112-5123	-

TITAN Solid Round

1/2"	4.50"	-	.50"	-	112-1347	-
1/2"	5.50"	-	.25"	-	112-1329	-
3/4"	4.50"	-	.25"	-	108-9198	-
3/4"	4.50"	-	.30"	-	108-9199	-
3/4"	4.50"	-	.35"	-	108-9200	-
3/4"	4.50"	-	.40"	-	108-9201	-
3/4"	4.50"	-	.50"	-	108-9202	-
3/4"	4.50"	-	.60"	-	108-9203	-
3/4"	5.50"	-	.25"	-	108-9204	-
3/4"	5.50"	-	.30"	-	108-9205	-
3/4"	5.50"	-	.35"	-	108-9206	-
3/4"	5.50"	-	.40"	-	108-9207	-
3/4"	5.50"	-	.50"	-	108-9208	-
3/4"	5.50"	-	.60"	-	108-9209	-
3/4"	5.50"	-	.75"	-	108-9244	-
3/4"	6.50"	-	.30"	-	108-9210	-
3/4"	6.50"	-	.35"	-	108-9211	-
3/4"	6.50"	-	.40"	-	108-9212	-
3/4"	6.50"	-	.50"	-	108-9213	-
3/4"	6.50"	-	.60"	-	108-9214	-
3/4"	6.50"	-	.75"	-	108-9245	-
3/8"	4.50"	-	.20"	-	108-9230	-
3/8"	4.50"	-	.25"	-	108-9231	-
3/8"	4.50"	-	.30"	-	108-9232	-
3/8"	4.50"	-	.38"	-	108-9233	-
3/8"	5.50"	-	.20"	-	108-9234	-
3/8"	5.50"	-	.25"	-	108-9235	-
3/8"	5.50"	-	.30"	-	108-9236	-
3/8"	5.50"	-	.38"	-	108-9237	-
5/8"	4.50"	-	.63"	-	112-1348	-
7/8"	5.50"	-	.75"	-	108-9246	-
7/8"	5.50"	-	.88"	-	108-9247	-
7/8"	6.50"	-	.75"	-	108-9248	-
7/8"	6.50"	-	.88"	-	108-9249	-

QUICK REFERENCE

Mount	Length	ID	OD	Wall Thickness	Part Number	TITAN® Max Part Number
<i>TITAN Solid Slicing</i>						
1/2"	5.00"	–	.63"	–	112-5102	–
3/4"	4.50"	–	.75"	–	108-9239	–
3/4"	5.50"	–	.75"	–	108-9240	–
3/4"	6.50"	–	.75"	–	108-9241	–
3/8"	5.00"	–	.63"	–	108-9238	–
5/8"	5.00"	–	.63"	–	112-5103	–
7/8"	5.50"	–	.75"	–	108-9242	–
7/8"	6.50"	–	.75"	–	108-9243	–

Mount	Length	ID	OD	Wall Thickness	Part Number	TITAN® Max Part Number
<i>TITAN Cross & Cross Max</i>						
3/4"	4.50"	–	.50"	–	108-9221	–
3/4"	4.50"	–	.75"	–	108-9223	–
3/4"	5.50"	–	.50"	–	108-9224	112-1313
3/4"	5.50"	–	.75"	–	108-9226	–
3/4"	6.50"	–	.50"	–	108-9227	112-1314
3/4"	6.50"	–	.62"	–	108-9228	–
3/4"	6.50"	–	.75"	–	108-9229	–
3/8"	4.50"	–	.38"	–	108-9215	–
3/8"	4.50"	–	.50"	–	108-9216	112-1310
3/8"	4.50"	–	.62"	–	108-9217	–
3/8"	5.50"	–	.38"	–	108-9218	–
3/8"	5.50"	–	.50"	–	108-9219	112-1311
3/8"	5.50"	–	.62"	–	108-9220	–
7/8"	5.50"	–	.88"	–	108-9259	–

Mount	Length	ID	OD	Wall Thickness	Part Number	TITAN® Max Part Number
<i>TITAN Needle Tine</i>						
Needle	6.43"	–	.188"	–	100-3620	–
Needle	7.38"	–	.313"	–	100-3621	–
Needle	5.43"	–	5mm	–	125-3319	–


QUICK REFERENCE

Mount	Length	ID	OD	Wall Thickness	Part Number	TITAN® Max Part Number
<i>SR Series Deep Tine</i>						
5/16"	10.00"	–	.31"	–	SGS08313	–
5/16"	8.50"	–	.31"	–	SGS07313	–
12 mm	10.00"	.56"	.75"	–	SGC10754	–
12 mm	10.00"	.56"	.75"	–	SGC10755*	–
12 mm	10.00"	.56"	.81"	–	SGC10813H	–
12 mm	10.75"	–	.47"	–	SGS10504	–
12 mm	12.25"	–	.47"	–	SGS10500	–
12 mm	14.25"	–	.47"	–	SGS12500	–
12 mm	16.25"	–	.47"	–	SGS14500	–
12 mm	7.00"	.52"	.69"	–	SGC07624	–
12 mm	7.00"	.52"	.69"	–	SGC07625*	–
12 mm	7.00"	.56"	.81"	–	SGC07754	–
12 mm	7.00"	.56"	.81"	–	SGC07750*	–
12 mm	8.00"	–	.47"	–	SGS08500	–
18 mm	10.00"	.56"	.75"	–	SGC10750	–
18 mm	10.00"	.74"	1.06"	–	SGC10100H	–
18 mm	10.00"	.76"	1.00"	–	SGC10100S	–
18 mm	12.00"	.94"	1.31"	–	SGC12125	–
18 mm	12.25"	–	.71"	–	SGS10750	–
18 mm	12.50"	–	.88"	–	SGS10875	–
18 mm	14.00"	–	.88"	–	SGS12875	–
18 mm	14.25"	–	.71"	–	SGS12750	–
18 mm	16.00"	–	.88"	–	SGS14875	–
18 mm	16.25"	–	.71"	–	SGS14750	–
18 mm	8.00"	.74"	1.06"	–	SGC08100H	–
18 mm	8.00"	.94"	1.31"	–	SGC08125	–
3/8"	10.75"	–	.38"	–	SGS10374	–
3/8"	12.25"	–	.38"	–	SGS10375	–
3/8"	5.50"	.38"	.50"	–	SGC05550	–
3/8"	9.00"	–	.38"	–	SGS08375	–
7/8"	12.00"	.94"	1.31"	–	SGC12123	–
7/8"	12.50"	–	.88"	–	SGS10876	–
7/8"	14.00"	–	.88"	–	SGS12876	–
7/8"	17.88"	–	1.00"	–	SGS16100	–
7/8"	8.00"	.94"	1.31"	–	SGC08123	–

*Longer shank tine.



myTurf® Pro



Order Parts Online, 24/7

- Order Toro equipment & Irrigation parts online, 24/7
- Schedule maintenance and manage repairs
- Access up-to-date reference materials



toro.com/myTurfPro



Products depicted in this catalog are for demonstration purposes only. Actual products offered for sale may vary.
©2019 The Toro Company. All rights reserved. Printed in the U.S.A. Form No. 19-111-TC

