

TORO®

2020 Price List

Effective May 4, 2020



Aqua-Traxx Azul



**BlueLine®
Premium Dripline**



**Evolution® AG
Controller Series**



YAMIT Filtration



Micro Sprinkler PC

TORO®

Toro Ag

This price list is effective May 4, 2020 and replaces all previous price lists.
All list prices are US\$ FCA Distribution Center and subject to change without notice.



Toro Ag 2020 Price List



Contact Information

The Toro Company
Ag Business
1588 N. Marshall Avenue
El Cajon, CA 92020-1523, USA

Phone Numbers:

+1 (877) 373-0087

+1 (619) 596-2495

Fax Numbers:

+1 (800) 892-1822

+1 (619) 258-9973

Websites:

toro.com/agriculture

driptips.toro.com

©2020 The Toro Company

We reserve the right to improve our products and make changes in the specifications and designs without notice and without incurring obligation. Products depicted in this brochure are for demonstration purposes only. Actual products offered for sale may vary in design and features.

Toro Ag Highlights for 2020



Aqua-Traxx®Azul™ Drip Tape

6~12

- Enhanced clog resistance with 120 mesh filtration requirement
- Greater filtration area with patent-pending Multi-Stage filters
- Optimized flow passages further resist clogging
- The same superior quality and processes as the original Aqua-Traxx



BLUELINE®

25~29

Premium Dripline

- State-of-the-art emitter technology
- Accurate flow rate between 5 and 60 PSI
- Low profile emitter design for optimal distribution uniformity
- Cv of less than 3%



Evolution®AG

69

Irrigation & Fertigation Controller

- Program valve runtime from 1 second to 24 hours
- Operate up to 4 valves at one time
- Manage 2 Fertilizer pumps
- Wireless Valve Remote Control
- Handheld Remote Control with 1,000 ft. range
- Modular expansion: 4, 8, 12, and 16 stations

Yamit Filtration

73~78

Advanced Filter Solutions

- Wide range of reliable, quality filters, including automatic, semi-automatic and manual
- Sand media filters, pre-pump strainers, hydrocyclone separators
- Many available in carbon steel or stainless steel options



Table of Contents

	Product Category	Page No.
Drip Tape		
 FlowControl® Drip Tape	.I	.1~4
Aqua-Traxx® and Aqua-Traxx Azul™ Flow Rate Table	.-	.6
Aqua-Traxx® and Aqua-Traxx Azul™	.I	.7~11
Aqua-Traxx® and Aqua-Traxx Azul™ Short Reels	.I	.12
Aqua-Traxx® Reorder Chart	.-	.13
Fusion System Splicer for Aqua-Traxx®	.VIII	.14
Drip Tape Fittings		
Pro-Loc™ Tape Fittings	.VIII	.15~16
Tape Fitting Accessories	.VIII	.17
Ring-Loc™ Tape Fittings	.VIII	.17
Tape Riser Assembly	.VIII	.18
Flush Valves	.VI	.18
Thinwall Dripline		
Neptune® Flat Emitter Dripline	.XIII	.20~22
Neptune® Flow Rate Chart	.-	.23
Dripline		
BlueLine® PC Dripline	.II	.25~26
BlueLine® Classic Dripline	.II	.27~28
BlueLine® PC Clipperline	.II	.29
BlueLine® Classic Clipperline	.II	.29
Hose		
Toro Micro-Distribution Hose - Black, No Stripe	.III	.31
Toro Micro-Distribution Hose - White, No Stripe	.III	.31
Blue Stripe® Micro-Distribution Hose	.III	.32
Blue Stripe® Oval Hose	.III	.32
Layflat Hose	.III	.33
IPS Flexible PVC Tubing	.III	.33
Blue Stripe® Round Hose	.III	.34~35
Colored Striped Round Hose	.III	.35
Colored Round Hose	.III	.36
Outside Diameter (OD) Controlled Round Hose	.III	.37
Blue Stripe® Clipperhose™	.III	.38
Blue Stripe® Pre-Punched Hose	.III	.38
Hose & Dripline Fittings		
Hose & Compatible Fittings Chart	.VIII	.39
Pro-Loc™ Hose & Dripline Fittings	.VIII	.40~41
Barbed Hose Fittings & Accessories	.VIII	.42~43
Oval Hose & Layflat Fittings	.VIII	.44
Oval Hose & Layflat Clamps	.VIII	.45
Take-Off Fittings for PVC	.VIII	.45
Loc-Eze® Hose Fittings	.VIII	.45~46
Clip Rings for Clipperline™ & Clipperhose™	.VIII	.46
H-Curls	.VIII	.46
Accessories	.VIII	.47
Check & Flush Valves	.VI	.47
Emission Devices & Accessories		
N.G.E® Next Generation Pressure-Compensating Emitters	.IV	.49
N.G.E® AL (Anti-Drain) Emitter	.IV	.49
N.G.E® SF (Self Flushing) Emitter	.IV	.49
Turbo-SC® Plus Emitter	.IV	.49
Turbo-Plus™ II Emitter	.IV	.49
Turbo-Key® Emitter	.IV	.50
E-2® Emitter	.IV	.50
White Spider Single Outlet Device Assemblies	.IV	.51
White Spider Multi-Outlet Device Assemblies	.IV	.51
Spider & Single Stake Components	.IV	.52
Spider Leader Tube	.III	.52
Punches & Tools	.VIII	.52

Table of Contents

	Product Category	Page No.
Emission Devices & Accessories		
Micro-Sprinkler	.V	.54~55
Adapters, Bases & Stakes	.VIII	.56
Leader Tube with Take-Off	.VIII	.57
Leader Tube	.III	.57
Miscellaneous Accessories	.VIII	.57
Chemical Injection		
Mazzei® Injectors® Polypropylene	.VIII	.59
Mazzei® Injectors® PVDF	.VIII	.59
Mazzei® Injectors® Accessories	.VIII	.60
Valves		
Electric Valves	.VI	.63
Plastic Y-Pattern Bermad Valves	.XII	.64
Plastic Angle-Pattern Bermad Valves	.XII	.65
Metal Bermad Valves	.XII	.66
Pressure Regulators	.XII	.66
Valve Accessories	.XIII	.67
Air Release & Vacuum Relief Valves	.VI	.67
Controllers		
Evolution® AG Series Controller	.VII	.69
Total Control® Series Controllers	.VII	.69
Rain Dial® Series Controllers	.VII	.69
KwikDial Series Controller	.VII	.69
MC-E® Series Controllers	.VII	.70
IBOC® Plus Controllers - Battery or Solar Operated	.VII	.70
DDCWP® DC	.VII	.70
Junior™ DC	.VII	.70
Low Pressure Battery Operated Tap Timer	.VII	.70
Controller Accessories	.VII	.70
Filtration		
YAMIT Angle Manual Screen Filters	.IX	.73
YAMIT In-Line Manual Screen Filters	.IX	.73
YAMIT Circulating Manual Screen Filters	.IX	.74
YAMIT Sand Media Filters	.IX	.75
YAMIT Sand Media Filter Kits	.IX	.75
YAMIT Hydrocyclones	.IX	.76
YAMIT Semi-Automatic Suction Scanner Screen Filters	.IX	.76
YAMIT Automatic Hydraulic Screen Filters	.IX	.77~78
YAMIT Pre-Pump Strainer	.IX	.78
Fiberglass Sand Media Filters (Automatic Systems)	.IX	.79
Fiberglass Sand Media Filters (Single Filters & Components)	.IX	.80
Manual Disc Filters	.IX	.81
Manual Screen Filters	.IX	.82
Replacement Parts		
Turbo Emitters Replacement Parts	.IV	.85
Micro Sprinkler Replacement Parts	.V	.85~86
Valve Replacement Parts	.Parts	.87~91
Controller Replacement Modules	.VII	.92
Controller Replacement Parts	.Parts	.92
Filter Replacement Parts	.IX	.93~94
Promotional Items		
Product Literature (English)	.XI	.97
Product Literature (Spanish)	.XI	.98
Educational Literature (English)	.XI	.99
Educational Literature (Spanish)	.XI	.99
Posters, Banners & Merchandising	.XI	.100
Sales Policy		
Terms & Conditions		.101
Sales Warranty		.102



The advertisement features a background image of a vast agricultural field with rows of crops stretching towards the horizon under a clear sky. In the top right corner, the Toro logo is displayed in a dark rounded rectangle, with the tagline 'Count on it.' to its right. The main title 'AquaFlow Drip Irrigation Design Software' is prominently displayed in the upper center. Below this, a list of software features is presented in two columns. The lower half of the ad shows a computer monitor displaying the AquaFlow software interface, which includes various design parameters and a 'Uniformity Map'. To the right of the monitor, the slogan 'With AquaFlow, YOU are in control.' is written in a large, bold font. At the bottom, a dark banner contains contact information and a call to action.

TORO.


Count on it.

AquaFlow

Drip Irrigation Design Software

Save time. Improve designs. Make better decisions.

- Create designs online or download
- Dashboard automatically formats to screen or font size
- Compare different designs
- Color-coded uniformity display
- Unlimited slopes
- Multiple pipe types and sizes
- English or Spanish languages
- Single or multiple block reports
- Flushing for both laterals and submains
- Standard English or Metric units



**With AquaFlow,
YOU are in control.**

Toro's FREE state-of-the-art drip irrigation design software is available at **toro.com** or **driptips.toro.com**

Click Here to create designs online or download AquaFlow

A black and white photograph of a field with young plants. A black plastic mulch strip runs diagonally across the foreground. The word "Tape" is written in white, bold, sans-serif font over the plastic strip.

Tape

I COUNT ON **FLOWCONTROL**®

AND SO DO MY CROPS.



FLOWCONTROL® is the only flow-regulating drip tape available, so you get more control and uniformity on any terrain. No matter the application or field challenges, from the most extreme to the most straightforward, FlowControl can improve your uniformity and profitability. Learn more at toro.com/flowcontrol

TORO®



Drip Tape

FLOWCONTROL®



FlowControl (Category I)

Drip Tape

STOCKED ITEMS. PRODUCT GENERALLY AVAILABLE IN STOCK

Flow rate expressed in gpm per 100 feet (Q-100) @ 10 psi (0.7 Bar).

Part Number	Wall Thickness		Reel Length		Reel Weight		Spacing		Available Flow Rates		Reel		List Price
	mil	mm	Ft.	M	Lbs.	Kilos	in	cm	gpm Q-100 feet	liters / hour-meter	Dia.	Height	
5/8" Diameter (16mm)													
EAFCS060850-1000	6 mil	0.15	10,000	3,048	64	29	8"	20	0.50	3.74	20"	11"	482.00
EAFCS060867-1000	6 mil	0.15	10,000	3,048	64	29	8"	20	0.67	4.99	20"	11"	482.00
EAFCS061222-1000	6 mil	0.15	10,000	3,048	64	29	12"	30	0.22	1.66	20"	11"	482.00
EAFCS061234-1000	6 mil	0.15	10,000	3,048	64	29	12"	30	0.34	2.50	20"	11"	482.00
EAFCS061245-1000	6 mil	0.15	10,000	3,048	64	29	12"	30	0.45	3.33	20"	11"	482.00
EAFCS080850-750	8 mil	0.20	7,500	2,286	66	30	8"	20	0.50	3.74	20"	11"	399.00
EAFCS080867-750	8 mil	0.20	7,500	2,286	66	30	8"	20	0.67	4.99	20"	11"	399.00
EAFCS081222-750	8 mil	0.20	7,500	2,286	66	30	12"	30	0.22	1.66	20"	11"	399.00
EAFCS081234-750	8 mil	0.20	7,500	2,286	66	30	12"	30	0.34	2.50	20"	11"	399.00
EAFCS081245-750	8 mil	0.20	7,500	2,286	66	30	12"	30	0.45	3.33	20"	11"	399.00
EAFCS100867-600	10 mil	0.25	6,000	1,829	63	29	8"	20	0.67	4.99	20"	11"	399.00
7/8" Diameter (22mm)													
EAFCS080850-600	8 mil	0.20	6,000	1,829	72	33	8"	20	0.50	3.74	20"	11"	415.00
EAFCS080867-600	8 mil	0.20	6,000	1,829	72	33	8"	20	0.67	4.99	20"	11"	415.00
EAFCS081222-600	8 mil	0.20	6,000	1,829	72	33	12"	30	0.22	1.66	20"	11"	415.00
EAFCS081234-600	8 mil	0.20	6,000	1,829	72	33	12"	30	0.34	2.50	20"	11"	415.00
EAFCS081245-600	8 mil	0.20	6,000	1,829	72	33	12"	30	0.45	3.33	20"	11"	415.00
EAFCS100850-440	10 mil	0.25	4,400	1,341	71	32	8"	20	0.50	3.74	20"	11"	373.00
EAFCS100867-440	10 mil	0.25	4,400	1,341	71	32	8"	20	0.67	4.99	20"	11"	373.00
EAFCS101222-440	10 mil	0.25	4,400	1,341	71	32	12"	30	0.22	1.66	20"	11"	373.00
EAFCS101234-440	10 mil	0.25	4,400	1,341	71	32	12"	30	0.34	2.50	20"	11"	373.00
EAFCS101245-440	10 mil	0.25	4,400	1,341	71	32	12"	30	0.45	3.33	20"	11"	373.00

XXX or XX denotes the flow rate in gpm per 100 feet (Q-100) @ 10 psi. Substitute XXX or XX with the flow rates available for each spacing, indicated in the gpm Q-100 column. Example: EAFCS060867-1000 (Aqua-Traxx FC 5/8"; 6 mil; 8" spacing; 0.67 gpm Q-100; 10,000 Ft. Coil


The Advantages of Flow Control

FLOWCONTROL™

Toro FlowControl gives you uniform output regardless of elevation changes. So now you can adjust the amount of water you give your plants on hilly terrain, and they'll all receive the same amount through our uniform delivery system.

RESULT: More uniform plants and higher yields even in hilly terrain that might otherwise be impractical to farm.

Advantage #1 MORE UNIFORM OUTPUT FOR ANY TERRAIN



FLOWCONTROL™

Toro FlowControl puts you in control of watering decisions. You control how much water your plants receive by increasing or decreasing the operating pressure — without sacrificing uniformity.

RESULT: More uniform delivery of water and fertilizer to the roots of your plants with the flexibility to control application rates.

Advantage #2 THE ABILITY TO CONTROL THE FLOW



To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)



Drip Tape

FLOWCONTROL®

FlowControl (Category I)

Drip Tape

◇ **MADE TO ORDER.** 4 Pallets (or 64 Rolls) minimum order value will apply. Toro Ag Customer Service will confirm by e-mail that the order has been accepted and the estimated date of delivery.

Flow rate expressed in gpm per 100 feet (Q-100) @ 10 psi (0.7 Bar).



Part Number	Wall Thickness		Reel Length		Reel Weight		Spacing		Available Flow Rates		Reel		List Price
	mil	mm	Ft.	M	Lbs.	Kilos	in	cm	gpm Q-100 feet	liters / hour-meter	Dia.	Height	
5/8" Diameter (16mm)													
EAFCS060667-1000	6 mil	0.15	10,000	3,048	64	29	6"	15	0.67	4.99	20"	11"	482.00
EAFCS060690-1000	6 mil	0.15	10,000	3,048	64	29	6"	15	0.90	6.66	20"	11"	482.00
EAFCS061625-1000	6 mil	0.15	10,000	3,048	64	29	16"	40	0.25	1.86	20"	11"	482.00
EAFCS061634-1000	6 mil	0.15	10,000	3,048	64	29	16"	40	0.34	2.50	20"	11"	482.00
EAFCS061822-1000	6 mil	0.15	10,000	3,048	64	29	18"	45	0.22	1.66	20"	11"	482.00
EAFCS061830-1000	6 mil	0.15	10,000	3,048	64	29	18"	45	0.30	2.22	20"	11"	482.00
EAFCS062411-1000	6 mil	0.15	10,000	3,048	64	29	24"	60	0.11	0.83	20"	11"	482.00
EAFCS062417-1000	6 mil	0.15	10,000	3,048	64	29	24"	60	0.17	1.25	20"	11"	482.00
EAFCS062422-1000	6 mil	0.15	10,000	3,048	64	29	24"	60	0.22	1.67	20"	11"	482.00
EAFCS080667-750	8 mil	0.20	7,500	2,286	66	30	6"	15	0.67	4.99	20"	11"	399.00
EAFCS080690-750	8 mil	0.20	7,500	2,286	66	30	6"	15	0.90	6.66	20"	11"	399.00
EAFCS081625-750	8 mil	0.20	7,500	2,286	66	30	16"	40	0.25	1.86	20"	11"	399.00
EAFCS081634-750	8 mil	0.20	7,500	2,286	66	30	16"	40	0.34	2.5	20"	11"	399.00
EAFCS081822-750	8 mil	0.20	7,500	2,286	66	30	18"	45	0.22	1.66	20"	11"	399.00
EAFCS081830-750	8 mil	0.20	7,500	2,286	66	30	18"	45	0.30	2.22	20"	11"	399.00
EAFCS082411-750	8 mil	0.20	7,500	2,286	66	30	24"	60	0.11	0.83	20"	11"	399.00
EAFCS082417-750	8 mil	0.20	7,500	2,286	66	30	24"	60	0.17	1.25	20"	11"	399.00
EAFCS082422-750	8 mil	0.20	7,500	2,286	66	30	24"	60	0.22	1.67	20"	11"	399.00
EAFCS100667-600	10 mil	0.25	6,000	1,829	63	29	6"	15	0.67	4.99	20"	11"	399.00
EAFCS100690-600	10 mil	0.25	6,000	1,829	63	29	6"	15	0.90	6.66	20"	11"	399.00
EAFCS100850-600	10 mil	0.25	6,000	1,829	63	29	8"	20	0.50	3.74	20"	11"	399.00
EAFCS101222-600	10 mil	0.25	6,000	1,829	63	29	12"	30	0.22	1.66	20"	11"	399.00
EAFCS101234-600	10 mil	0.25	6,000	1,829	63	29	12"	30	0.34	2.50	20"	11"	399.00
EAFCS101245-600	10 mil	0.25	6,000	1,829	63	29	12"	30	0.45	3.33	20"	11"	399.00
EAFCS101625-600	10 mil	0.25	6,000	1,829	63	29	16"	40	0.25	1.86	20"	11"	399.00
EAFCS101634-600	10 mil	0.25	6,000	1,829	63	29	16"	40	0.34	2.50	20"	11"	399.00
EAFCS101822-600	10 mil	0.25	6,000	1,829	63	29	18"	45	0.22	1.66	20"	11"	399.00
EAFCS101830-600	10 mil	0.25	6,000	1,829	63	29	18"	45	0.30	2.22	20"	11"	399.00
EAFCS102411-600	10 mil	0.25	6,000	1,829	63	29	24"	60	0.11	0.83	20"	11"	399.00
EAFCS102417-600	10 mil	0.25	6,000	1,829	63	29	24"	60	0.17	1.25	20"	11"	399.00
EAFCS102422-600	10 mil	0.25	6,000	1,829	63	29	24"	60	0.22	1.67	20"	11"	399.00
EAFCS120667-510	12 mil	0.30	5,100	1,554	63	29	6"	15	0.67	4.99	20"	11"	380.00
EAFCS120690-510	12 mil	0.30	5,100	1,554	63	29	6"	15	0.90	6.66	20"	11"	380.00
EAFCS120850-510	12 mil	0.30	5,100	1,554	63	29	8"	20	0.50	3.74	20"	11"	380.00
EAFCS120867-510	12 mil	0.30	5,100	1,554	63	29	8"	20	0.67	4.99	20"	11"	380.00
EAFCS121222-510	12 mil	0.30	5,100	1,554	63	29	12"	30	0.22	1.66	20"	11"	380.00
EAFCS121234-510	12 mil	0.30	5,100	1,554	63	29	12"	30	0.34	2.50	20"	11"	380.00
EAFCS121245-510	12 mil	0.30	5,100	1,554	63	29	12"	30	0.45	3.33	20"	11"	380.00
EAFCS121625-510	12 mil	0.30	5,100	1,554	63	29	16"	40	0.25	1.86	20"	11"	380.00
EAFCS121634-510	12 mil	0.30	5,100	1,554	63	29	16"	40	0.34	2.50	20"	11"	380.00
EAFCS121822-510	12 mil	0.30	5,100	1,554	63	29	18"	45	0.22	1.66	20"	11"	380.00
EAFCS121830-510	12 mil	0.30	5,100	1,554	63	29	18"	45	0.30	2.22	20"	11"	380.00
EAFCS122411-510	12 mil	0.30	5,100	1,554	63	29	24"	60	0.11	0.83	20"	11"	380.00
EAFCS122417-510	12 mil	0.30	5,100	1,554	63	29	24"	60	0.17	1.25	20"	11"	380.00
EAFCS122422-510	12 mil	0.30	5,100	1,554	63	29	24"	60	0.22	1.67	20"	11"	380.00
EAFCS150667-400	15 mil	0.38	4,000	1,220	63	29	6"	15	0.67	4.99	20"	11"	440.00
EAFCS150690-400	15 mil	0.38	4,000	1,220	63	29	6"	15	0.90	6.66	20"	11"	440.00
EAFCS150850-400	15 mil	0.38	4,000	1,220	63	29	8"	20	0.50	3.74	20"	11"	440.00
EAFCS150867-400	15 mil	0.38	4,000	1,220	63	29	8"	20	0.67	4.99	20"	11"	440.00
EAFCS151222-400	15 mil	0.38	4,000	1,220	63	29	12"	30	0.22	1.66	20"	11"	440.00
EAFCS151234-400	15 mil	0.38	4,000	1,220	63	29	12"	30	0.34	2.50	20"	11"	440.00
EAFCS151245-400	15 mil	0.38	4,000	1,220	63	29	12"	30	0.45	3.33	20"	11"	440.00
EAFCS151625-400	15 mil	0.38	4,000	1,220	63	29	16"	40	0.25	1.86	20"	11"	440.00
EAFCS151634-400	15 mil	0.38	4,000	1,220	63	29	16"	40	0.34	2.50	20"	11"	440.00
EAFCS151822-400	15 mil	0.38	4,000	1,220	63	29	18"	45	0.22	1.66	20"	11"	440.00
EAFCS151830-400	15 mil	0.38	4,000	1,220	63	29	18"	45	0.30	2.22	20"	11"	440.00
EAFCS152411-400	15 mil	0.38	4,000	1,220	63	29	24"	60	0.11	0.83	20"	11"	440.00
EAFCS152417-400	15 mil	0.38	4,000	1,220	63	29	24"	60	0.17	1.25	20"	11"	440.00
EAFCS152422-400	15 mil	0.38	4,000	1,220	63	29	24"	60	0.22	1.67	20"	11"	440.00

XXX or XX denotes the flow rate in gpm per 100 feet (Q-100) @ 10 psi. Substitute XXX or XX with the flow rates available for each spacing, indicated in the gpm Q-100 column. Example: EAFCS150867-400 (Aqua-TraXX FC 5/8"; 15 mil; 8" spacing; 0.67 gpm Q-100; 4,000 Ft. Coil)

Drip Tape

FLOWCONTROL®

FlowControl (Category I)

Drip Tape

◇ **MADE TO ORDER.** US\$ 7,500.00 minimum order value will apply. Toro Ag Customer Service will confirm by Fax that the order has been accepted and the estimated date of delivery.

Flow rate expressed in gpm per 100 feet (Q-100) @ 10 psi (0.7 Bar).



Part Number	Wall Thickness		Reel Length		Reel Weight		Spacing		Available Flow Rates		Reel		List Price
	mil	mm	Ft.	M	Lbs.	Kilos	in	cm	gpm Q-100 feet	liters / hour-meter	Dia.	Height	
7/8" Diameter (22mm)													
EAFC7080667-600	8 mil	0.20	6,000	1,829	72	33	6"	15	0.67	4.99	20"	11"	415.00
EAFC7080690-600	8 mil	0.20	6,000	1,829	72	33	6"	15	0.90	6.66	20"	11"	415.00
EAFC7081625-600	8 mil	0.20	6,000	1,829	72	33	16"	40	0.25	1.86	20"	11"	415.00
EAFC7081634-600	8 mil	0.20	6,000	1,829	72	33	16"	40	0.34	2.5	20"	11"	415.00
EAFC7081822-600	8 mil	0.20	6,000	1,829	72	33	18"	45	0.22	1.66	20"	11"	415.00
EAFC7081830-600	8 mil	0.20	6,000	1,829	72	33	18"	45	0.30	2.22	20"	11"	415.00
EAFC7082411-600	8 mil	0.20	6,000	1,829	72	33	24"	60	0.11	0.83	20"	11"	415.00
EAFC7082417-600	8 mil	0.20	6,000	1,829	72	33	24"	60	0.17	1.25	20"	11"	415.00
EAFC7082422-600	8 mil	0.20	6,000	1,829	72	33	24"	60	0.22	1.67	20"	11"	415.00
EAFC7100667-440	10 mil	0.25	4,400	1,341	71	32	6"	15	0.67	4.99	20"	11"	373.00
EAFC7100690-440	10 mil	0.25	4,400	1,341	71	32	6"	15	0.90	6.66	20"	11"	373.00
EAFC7101625-440	10 mil	0.25	4,400	1,341	71	32	16"	40	0.25	1.86	20"	11"	373.00
EAFC7101634-440	10 mil	0.25	4,400	1,341	71	32	16"	40	0.34	2.5	20"	11"	373.00
EAFC7101822-440	10 mil	0.25	4,400	1,341	71	32	18"	45	0.22	1.66	20"	11"	373.00
EAFC7101830-440	10 mil	0.25	4,400	1,341	71	32	18"	45	0.30	2.22	20"	11"	373.00
EAFC7102411-440	10 mil	0.25	4,400	1,341	71	32	24"	60	0.11	0.83	20"	11"	373.00
EAFC7102417-440	10 mil	0.25	4,400	1,341	71	32	24"	60	0.17	1.25	20"	11"	373.00
EAFC7102422-440	10 mil	0.25	4,400	1,341	71	32	24"	60	0.22	1.67	20"	11"	373.00
EAFC7120667-400	12 mil	0.30	4,000	1,220	72	33	6"	15	0.67	4.99	20"	11"	446.00
EAFC7120690-400	12 mil	0.30	4,000	1,220	72	33	6"	15	0.90	6.66	20"	11"	446.00
EAFC7120850-400	12 mil	0.30	4,000	1,220	72	33	8"	20	0.50	3.74	20"	11"	446.00
EAFC7120867-400	12 mil	0.30	4,000	1,220	72	33	8"	20	0.67	4.99	20"	11"	446.00
EAFC7121222-400	12 mil	0.30	4,000	1,220	72	33	12"	30	0.22	1.66	20"	11"	446.00
EAFC7121234-400	12 mil	0.30	4,000	1,220	72	33	12"	30	0.34	2.50	20"	11"	446.00
EAFC7121245-400	12 mil	0.30	4,000	1,220	72	33	12"	30	0.45	3.33	20"	11"	446.00
EAFC7121625-400	12 mil	0.30	4,000	1,220	72	33	16"	40	0.25	1.86	20"	11"	446.00
EAFC7121634-400	12 mil	0.30	4,000	1,220	72	33	16"	40	0.34	2.50	20"	11"	446.00
EAFC7121822-400	12 mil	0.30	4,000	1,220	72	33	18"	45	0.22	1.66	20"	11"	446.00
EAFC7121830-400	12 mil	0.30	4,000	1,220	72	33	18"	45	0.30	2.22	20"	11"	446.00
EAFC7122411-400	12 mil	0.30	4,000	1,220	72	33	24"	60	0.11	0.83	20"	11"	446.00
EAFC7122417-400	12 mil	0.30	4,000	1,220	72	33	24"	60	0.17	1.25	20"	11"	446.00
EAFC7122422-400	12 mil	0.30	4,000	1,220	72	33	24"	60	0.22	1.67	20"	11"	446.00
EAFC7150667-300	15 mil	0.38	3,000	914	66	30	6"	15	0.67	4.99	20"	11"	407.00
EAFC7150690-300	15 mil	0.38	3,000	914	66	30	6"	15	0.90	6.66	20"	11"	407.00
EAFC7150850-300	15 mil	0.38	3,000	914	66	30	8"	20	0.50	3.74	20"	11"	407.00
EAFC7150867-300	15 mil	0.38	3,000	914	66	30	8"	20	0.67	4.99	20"	11"	407.00
EAFC7151222-300	15 mil	0.38	3,000	914	66	30	12"	30	0.22	1.66	20"	11"	407.00
EAFC7151234-300	15 mil	0.38	3,000	914	66	30	12"	30	0.34	2.50	20"	11"	407.00
EAFC7151245-300	15 mil	0.38	3,000	914	66	30	12"	30	0.45	3.33	20"	11"	407.00
EAFC7151625-300	15 mil	0.38	3,000	914	66	30	16"	40	0.25	1.86	20"	11"	407.00
EAFC7151634-300	15 mil	0.38	3,000	914	66	30	16"	40	0.34	2.50	20"	11"	407.00
EAFC7151822-300	15 mil	0.38	3,000	914	66	30	18"	45	0.22	1.66	20"	11"	407.00
EAFC7151830-300	15 mil	0.38	3,000	914	66	30	18"	45	0.30	2.22	20"	11"	407.00
EAFC7152411-300	15 mil	0.38	3,000	914	66	30	24"	60	0.11	0.83	20"	11"	407.00
EAFC7152417-300	15 mil	0.38	3,000	914	66	30	24"	60	0.17	1.25	20"	11"	407.00
EAFC7152422-300	15 mil	0.38	3,000	914	66	30	24"	60	0.22	1.67	20"	11"	407.00

XXX or XX denotes the flow rate in gpm per 100 feet (Q-100) @ 10 psi. Substitute XXX or XX with the flow rates available for each spacing, indicated in the gpm Q-100 column. Example: EAP7150867-400 (Aqua-Traxx PC 5/8"; 15 mil; 8" spacing; 0.67 gpm Q-100; 4,000 Ft. Coil)



More Control & Uniformity. Wherever you Farm.

Drip Tape

FLOWCONTROL®

FlowControl (Category I)

Drip Tape

◇ **MADE TO ORDER.** US\$ 7,500.00 minimum order value will apply. Toro Ag Customer Service will confirm by Fax that the order has been accepted and the estimated date of delivery.

Flow rate expressed in gpm per 100 feet (Q-100) @ 10 psi (0.7 Bar).



Part Number	Wall Thickness		Reel Length		Reel Weight		Spacing		Available Flow Rates		Reel		List Price
	mil	mm	Ft.	M	Lbs.	Kilos	in	cm	gpm Q-100 feet	liters / hour-meter	Dia.	Height	
1-3/8" Diameter (35mm)													
EAF11150667-270	15 mil	0.38	2,700	823	87	39	6"	15	0.67	4.99	20"	13"	586.00
EAF11150690-270	15 mil	0.38	2,700	823	87	39	6"	15	0.90	6.66	20"	13"	586.00
EAF11150850-270	15 mil	0.38	2,700	823	87	39	8"	20	0.50	3.74	20"	13"	586.00
EAF11150867-270	15 mil	0.38	2,700	823	87	39	8"	20	0.67	4.99	20"	13"	586.00
EAF11151222-270	15 mil	0.38	2,700	823	87	39	12"	30	0.22	1.66	20"	11"	586.00
EAF11151234-270	15 mil	0.38	2,700	823	87	39	12"	30	0.34	2.50	20"	13"	586.00
EAF11151245-270	15 mil	0.38	2,700	823	87	39	12"	30	0.45	3.33	20"	13"	586.00
EAF11151625-270	15 mil	0.38	2,700	823	87	39	16"	40	0.25	1.86	20"	13"	586.00
EAF11151634-270	15 mil	0.38	2,700	823	87	39	16"	40	0.34	2.50	20"	13"	586.00
EAF11151822-270	15 mil	0.38	2,700	823	87	39	18"	45	0.22	1.66	20"	13"	586.00
EAF11151830-270	15 mil	0.38	2,700	823	87	39	18"	45	0.30	2.22	20"	13"	586.00
EAF11152411-270	15 mil	0.38	2,700	823	87	39	24"	60	0.11	0.83	20"	11"	586.00
EAF11152417-270	15 mil	0.38	2,700	823	87	39	24"	60	0.17	1.25	20"	13"	586.00
EAF11152422-270	15 mil	0.38	2,700	823	87	39	24"	60	0.22	1.67	20"	13"	586.00

XXX or XX denotes the flow rate in gpm per 100 feet (Q-100) @ 10 psi. Substitute XXX or XX with the flow rates available for each spacing, indicated in the gpm Q-100 column. Example: EAF1150867-400 (Aqua-TraXX FC 5/8"; 15 mil; 8" spacing; 0.67 gpm Q-100; 4,000 Ft. Coil)

FlowControl - Full Reel Shipping Information

FlowControl Dimensions: Reels per Pallet Reels per truck load (approx. 53')								Reels per 20' container										
								1 Reel	Dia. 20" x H 11"		FlowControl	4mil	5mil	6mil	8mil	10mil	12mil	15mil
								16 Reels	B 43" x W 43" x H 50"		5/8"			280	280	280	280	280
								32 Reels	(16 x 2) or 28 Reels (16 + 12)		7/8"				280	280	280	280
								1-3/8"										
								Reels per 40' container										
FlowControl	4mil	5mil	6mil	8mil	10mil	12mil	15mil	FlowControl	4mil	5mil	6mil	8mil	10mil	12mil	15mil			
5/8"			640	640	640	640	640	5/8"			640	640	640	640	640			
7/8"				640	640	640	640	7/8"				640	640	640	640			
1-3/8"							480	1-3/8"							480			

FlowControl FC Flow Rates Available in 6, 8, 10, 12 & 15 mil Tape								
Emitter Flow Part Number	Outlet Spacing		Emitter Flow Rate		Q-100		Emitter Exponent	Filtration Requirement
			gph	lph	gpm / 100 ft	lph / 1 meter		
	in	cm	@ 10 psi	@ 0.7 bar	@ 10 psi	@ 0.7 bar		mesh (micron)
0.13 gph emitter								
EAFCXxx1222	12	30	0.13	0.49	0.22	1.66	0.3	150 (98)
EAFCXxx2411	24	60	0.13	0.49	0.11	0.83		
0.20 gph emitter								
EAFCXxx0667	6	15	0.20	0.76	0.67	4.99	0.3	150 (98)
EAFCXxx0850	8	20	0.20	0.76	0.50	3.74		
EAFCXxx1234	12	30	0.20	0.76	0.34	2.50		
EAFCXxx1625	16	40	0.20	0.76	0.25	1.87		
EAFCXxx1822	18	45	0.20	0.76	0.22	1.67		
EAFCXxx2417	24	60	0.20	0.76	0.17	1.25		
0.27 gph emitter								
EAFCXxx0690	6	15	0.27	1.01	0.90	6.66	0.3	150 (98)
EAFCXxx0867	8	20	0.27	1.01	0.67	4.99		
EAFCXxx1245	12	30	0.27	1.01	0.45	3.33		
EAFCXxx1634	16	40	0.27	1.01	0.34	2.50		
EAFCXxx1830	18	45	0.27	1.01	0.30	2.22		
EAFCXxx2422	24	60	0.27	1.01	0.22	1.67		
* X denotes the diameter. 5 for 5/8", 7 for 7/8", 8 for 1" and 11 for 1-3/8"								
** xx denotes mil thickness.								
*** 1" only available in 13 mil.								
Metric outlet spacing expressed in nominal length.								

* X denotes the diameter. 5 for 5/8", 7 for 7/8", 8 for 1" and 11 for 1-3/8"

** xx denotes mil thickness.

*** 1" only available in 13 mil.

Metric outlet spacing expressed in nominal length.



To order, call Toro Ag
Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495
List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)

NEW AQUA-TRAXX[®] AZUL[™]

MORE CLOG RESISTANT THAN EVER

LARGE CROSS SECTIONS =
ENHANCED CLOG RESISTANCE

GREATER FILTRATION AREA

MULTI-STAGE FILTERS

PATENT-PENDING MULTI-STAGE FILTERS
PROTECT THE EMITTER FROM
DIFFERENT SIZES OF DEBRIS



The same great quality and performance you expect from Aqua-Traxx with even more clog resistance and less worry. Learn more at toro.com/azul

TORO[®]

Drip Tape

AQUA-TRAXX®
AQUA-TRAXX® AZUL™
Aqua-Traxx FLOW RATES

Emitter Type	Emitter Flow Part Number	Outlet Spacing	Emitter Flow Rate				Q-100		lph / 1 meter		Emitter Exponent	Filtration Requirement mesh (micron)		
			gph		lph		gpm / 100 ft							
			in	cm	@ 8 psi	@ 10 psi	@ 0.55 bar	@ 0.7 bar	@ 8 psi	@ 10 psi			@ 0.55 bar	@ 0.7 bar
AQUA-TRAXX ULTRA-LOW FLOW	0.07 gph emitter													
	EAXxx0817	8	20	0.07	0.08	0.26	0.30	0.17	0.20	1.30	1.47	0.55	200 (74)	
	EAXxx1609	16	40	0.07	0.08	0.26	0.30	0.09	0.10	0.65	0.74			
	0.09 gph emitter													
	EAXxx0822	8	20	0.09	0.1	0.34	0.38	0.22	0.25	1.66	1.88	0.55	200 (74)	
	EAXxx1611	16	40	0.09	0.10	0.34	0.38	0.11	0.13	0.83	0.94			
	0.10 gph emitter													
	EAXxx0825	8	20	0.1	0.11	0.38	0.43	0.25	0.28	1.86	2.11	0.55	200 (74)	
	EAXxx1613	16	40	0.10	0.11	0.38	0.43	0.13	0.14	0.93	1.05			
	AQUA-TRAXX AZUL	0.13 gph emitter												
		EAXxx0467	4	10	0.13	0.15	0.51	0.57	0.67	0.75	4.99	5.58	0.5	120 (125)
		EAXxx0644	6	15	0.13	0.15	0.51	0.57	0.44	0.5	3.33	3.72		
EAXxx0834		8	20	0.13	0.15	0.51	0.57	0.34	0.37	2.50	2.79			
EAXxx1222		12	30	0.13	0.15	0.51	0.57	0.22	0.25	1.66	1.86			
EAXxx1617		16	40	0.13	0.15	0.51	0.57	0.17	0.19	1.25	1.40			
EAXxx1814		18	45	0.13	0.15	0.51	0.57	0.14	0.17	1.11	1.24			
EAXxx2411		24	60	0.13	0.15	0.51	0.57	0.11	0.12	0.83	0.93	0.5	120 (125)	
0.20 gph emitter														
EAXxx04100		4	10	0.2	0.22	0.76	0.85	1	1.12	7.47	8.36			
EAXxx0667		6	15	0.2	0.22	0.76	0.85	0.67	0.75	4.99	5.58			
EAXxx0850		8	20	0.2	0.22	0.76	0.85	0.5	0.56	3.74	4.18			
EAXxx1234		12	30	0.2	0.22	0.76	0.85	0.34	0.37	2.50	2.79			
EAXxx1625		16	40	0.2	0.22	0.76	0.85	0.25	0.28	1.87	2.09	0.5	120 (125)	
EAXxx1822		18	45	0.2	0.22	0.76	0.85	0.22	0.25	1.67	1.86			
EAXxx2417		24	60	0.20	0.22	0.76	0.85	0.17	0.19	1.25	1.40			
0.27 gph emitter														
EAXxx04134		4	10	0.27	0.3	1.01	1.13	1.34	1.5	9.99	11.16			
EAXxx0690		6	15	0.27	0.3	1.01	1.13	0.9	1	6.66	7.44			
EAXxx0867		8	20	0.27	0.3	1.01	1.13	0.67	0.75	4.99	5.58	0.5	120 (125)	
EAXxx1245		12	30	0.27	0.3	1.01	1.13	0.45	0.5	3.33	3.72			
EAXxx1634		16	40	0.27	0.3	1.01	1.13	0.34	0.37	2.50	2.79			
EAXxx1830		18	45	0.27	0.3	1.01	1.13	0.3	0.33	2.22	2.48			
EAXxx2422		24	60	0.27	0.30	1.01	1.13	0.22	0.25	1.67	1.86			
AQUA-TRAXX		0.15 gph emitter												
		EAXxx0650	6	15	0.15	0.17	0.57	0.63	0.50	0.56	3.73	4.17	0.5	140 (105)
		EAXxx1225	12	30	0.15	0.17	0.57	0.63	0.25	0.28	1.86	2.08		
	EAXxx1817	18	45	0.15	0.17	0.57	0.63	0.17	0.19	1.24	1.39			
	0.34 gph emitter													
	EAXxx04168	4	10	0.34	0.37	1.27	1.42	1.68	1.87	12.48	13.95	0.5	120 (125)	
	EAXxx06112	6	15	0.34	0.37	1.27	1.42	1.12	1.25	8.33	9.31			
	EAXxx0884	8	20	0.34	0.37	1.27	1.42	0.84	0.94	6.24	6.98			
	EAXxx1256	12	30	0.34	0.37	1.27	1.42	0.56	0.62	4.16	4.65			
	EAXxx1642	16	40	0.34	0.37	1.27	1.42	0.42	0.47	3.12	3.49			
	EAXxx1838	18	45	0.34	0.37	1.27	1.42	0.38	0.42	2.78	3.1			
	EAXxx2428	24	60	0.34	0.37	1.27	1.42	0.28	0.31	2.08	2.33	0.5	120 (125)	
	0.53 gph emitter													
	EAXxx04265	4	10	0.53	0.59	2.01	2.24	2.65	2.96	19.75	22.08			
	EAXxx08133	8	20	0.53	0.59	2.01	2.24	1.33	1.48	9.87	11.04			
	EAXxx1288	12	30	0.53	0.59	2.01	2.24	0.88	0.99	6.58	7.36			
	EAXxx1666	16	40	0.53	0.59	2.01	2.24	0.66	0.74	4.94	5.52			
	EAXxx2444	24	60	0.53	0.59	2.01	2.24	0.44	0.49	3.29	3.68	0.5	120 (125)	
	EAXxx3629	36	90	0.53	0.59	2.01	2.24	0.29	0.33	2.19	2.45			



Drip Tape

AQUA-TRAXX®
AQUA-TRAXX® AZUL
Aqua-Traxx (Category I)

Non-Pressure Compensating Drip Tape

STOCKED ITEMS. PRODUCT GENERALLY AVAILABLE IN STOCK

Flow rate expressed in gpm per 100 feet (Q-100) @ 8 psi (0.55 Bar).



Part Number	Wall Thickness		Reel Length		Reel Weight		Spacing		Available Flow Rates		Reel		List Price
	mil	mm	Ft.	M	Lbs.	Kilos	in	cm	gpm Q-100 feet	liters / hour-meter	Dia.	Height	
5/8" Diameter (16mm)													
EA50504134-1300	5 mil	0.13	13,000	3,962	72	33	4"	10	1.34	9.99	20"	11"	496.00
EA5050467-1300	5 mil	0.13	13,000	3,962	72	33	4"	10	0.67	4.99	20"	11"	496.00
EA5050650-1300	5 mil	0.13	13,000	3,962	72	33	6"	15	0.50	3.73	20"	11"	496.00
EA5050667-1300	5 mil	0.13	13,000	3,962	72	33	6"	15	0.67	4.99	20"	11"	496.00
EA5050817-1300	5 mil	0.13	13,000	3,962	72	33	8"	20	0.17	1.30	20"	11"	516.00
EA5050822-1300	5 mil	0.13	13,000	3,962	72	33	8"	20	0.22	1.66	20"	11"	516.00
EA5050825-1300	5 mil	0.13	13,000	3,962	72	33	8"	20	0.25	1.86	20"	11"	516.00
EA5050834-1300	5 mil	0.13	13,000	3,962	72	33	8"	20	0.34	2.50	20"	11"	496.00
EA5050850-1300	5 mil	0.13	13,000	3,962	72	33	8"	20	0.50	3.74	20"	11"	496.00
EA5050867-1300	5 mil	0.13	13,000	3,962	72	33	8"	20	0.67	4.99	20"	11"	496.00
EA5051222-1300	5 mil	0.13	13,000	3,962	72	33	12"	30	0.22	1.66	20"	11"	496.00
EA5051234-1300	5 mil	0.13	13,000	3,962	72	33	12"	30	0.34	2.5	20"	11"	496.00
EA5051245-1300	5 mil	0.13	13,000	3,962	72	33	12"	30	0.45	3.33	20"	11"	496.00
EA50604134-1000	6 mil	0.15	10,000	3,048	64	29	4"	10	1.34	9.99	20"	11"	438.00
EA5060467-1000	6 mil	0.15	10,000	3,048	64	29	4"	10	0.67	4.99	20"	11"	438.00
EA5060650-1000	6 mil	0.15	10,000	3,048	64	29	6"	15	0.50	3.73	20"	11"	438.00
EA5060667-1000	6 mil	0.15	10,000	3,048	64	29	6"	15	0.67	4.99	20"	11"	438.00
EA5060817-1000	6 mil	0.15	10,000	3,048	64	29	8"	20	0.17	1.30	20"	11"	457.00
EA5060822-1000	6 mil	0.15	10,000	3,048	64	29	8"	20	0.22	1.66	20"	11"	457.00
EA5060825-1000	6 mil	0.15	10,000	3,048	64	29	8"	20	0.25	1.86	20"	11"	457.00
EA5060834-1000	6 mil	0.15	10,000	3,048	64	29	8"	20	0.34	2.50	20"	11"	438.00
EA5060850-1000	6 mil	0.15	10,000	3,048	64	29	8"	20	0.50	3.74	20"	11"	438.00
EA5060867-1000	6 mil	0.15	10,000	3,048	64	29	8"	20	0.67	4.99	20"	11"	438.00
EA5060884-100	6 mil	0.15	10,000	3,048	64	29	8"	20	0.84	6.24	20"	11"	
EA5061222-1000	6 mil	0.15	10,000	3,048	64	29	12"	30	0.22	1.66	20"	11"	438.00
EA5061234-1000	6 mil	0.15	10,000	3,048	64	29	12"	30	0.34	2.50	20"	11"	438.00
EA5061245-1000	6 mil	0.15	10,000	3,048	64	29	12"	30	0.45	3.33	20"	11"	438.00
EA50804134-750	8 mil	0.20	7,500	2,286	66	30	4"	10	1.34	9.99	20"	11"	363.00
EA5080467-750	8 mil	0.20	7,500	2,286	66	30	4"	10	0.67	4.99	20"	11"	363.00
EA5080650-750	8 mil	0.20	7,500	2,286	66	30	6"	15	0.50	3.73	20"	11"	363.00
EA5080667-750	8 mil	0.20	7,500	2,286	66	30	6"	15	0.67	4.99	20"	11"	363.00
EA5080817-750	8 mil	0.20	7,500	2,286	66	30	8"	20	0.17	1.30	20"	11"	378.00
EA5080825-750	8 mil	0.20	7,500	2,286	66	30	8"	20	0.25	1.86	20"	11"	378.00
EA5080834-750	8 mil	0.20	7,500	2,286	66	30	8"	20	0.34	2.50	20"	11"	363.00
EA5080850-750	8 mil	0.20	7,500	2,286	66	30	8"	20	0.50	3.74	20"	11"	363.00
EA5080867-750	8 mil	0.20	7,500	2,286	66	30	8"	20	0.67	4.99	20"	11"	363.00
EA5081222-750	8 mil	0.20	7,500	2,286	66	30	12"	30	0.22	1.66	20"	11"	363.00
EA5081245-750	8 mil	0.20	7,500	2,286	66	30	12"	30	0.45	3.33	20"	11"	363.00
EA5101245-600	10 mil	0.25	6,000	1,829	63	29	12"	30	0.45	3.33	20"	11"	363.00
EA51508XX-400	15 mil	0.38	4,000	1,220	63	29	8"	20	0.34	2.5	20"	11"	400.00
7/8" Diameter (22mm)													
EA70608XXX-738	6mil	0.15	7,380	2,250	68	31	8"	20	1.33	9.87	20"	11"	406.00
EA70608XX-738	6mil	0.15	7,380	2,250	68	31	8"	20	0.84 ; 0.67 ; 0.50	6.24 ; 4.99 ; 3.74	20"	11"	406.00
EA7060817-738	6mil	0.15	7,380	2,250	68	31	8"	20	0.17	1.30	20"	11"	422.00
EA7060822-738	6mil	0.15	7,380	2,250	68	31	8"	20	0.22	1.66	20"	11"	422.00
EA7060825-738	6mil	0.15	7,380	2,250	68	31	8"	20	0.25	1.86	20"	11"	422.00
EA7061234-738	6mil	0.15	7,380	2,250	68	31	12"	30	0.34	2.50	20"	11"	406.00
EA7060834-738	6mil	0.15	7,380	2,250	68	31	8"	20	0.34	2.50	20"	11"	406.00
EA7061222-738	6mil	0.15	7,380	2,250	68	31	12"	30	0.22	1.66	20"	11"	406.00
EA7080650-600	8 mil	0.20	6,000	1,829	72	33	6"	15	0.50	3.73	20"	11"	377.00
EA7080834-600	8 mil	0.20	6,000	1,829	72	33	8"	20	0.34	2.50	20"	11"	377.00
EA7080867-600	8 mil	0.20	6,000	1,829	72	33	8"	20	0.67	4.99	20"	11"	377.00
EA7081234-600	8 mil	0.20	6,000	1,829	72	33	12"	30	0.34	2.50	20"	11"	377.00
EA7100834-440	10 mil	0.25	4,400	1,341	71	32	8"	20	0.34	2.50	20"	11"	339.00
EA7101234-440	10 mil	0.25	4,400	1,341	71	32	12"	30	0.34	2.5	20"	11"	339.00

Drip Tape

AQUA-TRAXX®
AQUA-TRAXX® AZUL

Aqua-Traxx (Category I)

Non-Pressure Compensating Drip Tape

◇ MADE TO ORDER. US\$ 7,500.00 minimum order value will apply.

† MADE TO ORDER. 10 pallet minimum order.

Toro Ag Customer Service will confirm by Fax that the order has been accepted and the estimated date of delivery.

Flow rate expressed in gpm per 100 feet (Q-100) @ 8 psi (0.55 Bar).



Part Number	Wall Thickness		Reel Length		Reel Weight		Spacing		Available Flow Rates		Reel		List Price
	mil	mm	Ft.	M	Lbs.	Kilos	in	cm	gpm Q-100 feet	liters / hour-meter	Dia.	Height	Per Reel
5/8" Diameter (16mm)													
◇ EA5040467-1500	4 mil	0.10	15,000	4,572	66	30	4"	10	0.67	4.99	20"	11"	543.00
◇ EA50404XXX-1500	4 mil	0.10	15,000	4,572	66	30	4"	10	2.65	19.75	20"	11"	543.00
◇ EA50406XX-1500	4 mil	0.10	15,000	4,572	66	30	6"	15	0.44; 0.50; 0.67; 0.90; 1.12	3.33; 3.73; 4.99; 6.66; 8.33	20"	11"	543.00
◇ EA5040867-1500	4 mil	0.10	15,000	4,572	66	30	8"	20	0.67	4.99	20"	11"	543.00
◇ EA50408XXX-1500	4 mil	0.10	15,000	4,572	66	30	8"	20	1.33	9.87	20"	11"	543.00
◇ EA50408XX-1500	4 mil	0.10	15,000	4,572	66	30	8"	20	0.34 ; 0.50	2.50 ; 3.74	20"	11"	543.00
◇ EA5040817-1500	4 mil	0.10	15,000	4,572	66	30	8"	20	0.17	1.30	20"	11"	543.00
◇ EA5040822-1500	4 mil	0.10	15,000	4,572	66	30	8"	20	0.22	1.66	20"	11"	543.00
◇ EA5040825-1500	4 mil	0.10	15,000	4,572	66	30	8"	20	0.25	1.86	20"	11"	543.00
◇ EA50412XX-1500	4 mil	0.10	15,000	4,572	66	30	12"	30	0.22; 0.25; 0.34; 0.45; 0.88	1.66; 1.86; 2.50; 3.33; 6.58	20"	11"	543.00
◇ EA50416XX-1500	4 mil	0.10	15,000	4,572	66	30	16"	40	0.17; 0.25; 0.34; 0.42; 0.66	1.25; 1.87; 2.50; 3.12; 4.94	20"	11"	543.00
◇ EA50418XX-1500	4 mil	0.10	15,000	4,572	66	30	18"	45	0.14; 0.17; 0.22; 0.30	1.11; 1.24; 1.67; 2.22	20"	11"	543.00
◇ EA50424XX-1500	4 mil	0.10	15,000	4,572	66	30	24"	60	0.11; 0.17; 0.22; 0.28; 0.44	0.83; 1.25; 1.67; 2.08; 3.29	20"	11"	543.00
† EA50504XXX-1200	5 mil	0.13	12,000	3,658	64	30	4"	10	2.65	19.75	20"	11"	458.00
† EA50506XXX-1200	5 mil	0.13	12,000	3,658	64	30	6"	15	1.12	8.33	20"	11"	458.00
† EA50506XX-1200	5 mil	0.13	12,000	3,658	64	30	6"	15	0.44 ; 0.90	3.33 ; 6.66	20"	11"	458.00
† EA50508XXX-1200	5 mil	0.13	12,000	3,658	64	30	8"	20	1.33	9.87	20"	11"	458.00
† EA50508XX-1200	5 mil	0.13	12,000	3,658	64	30	8"	20	0.17 ; 0.22 ; 0.25	1.30 ; 1.66 ; 1.86	20"	11"	458.00
† EA50512XX-1200	5 mil	0.13	12,000	3,658	64	30	12"	30	0.34 ; 0.88	2.5 ; 6.58	20"	11"	458.00
† EA50516XX-1200	5 mil	0.13	12,000	3,658	64	30	16"	40	0.34; 0.25; 0.17; 0.66	2.50; 1.87; 1.25; 4.94	20"	11"	458.00
† EA50518XX-1200	5 mil	0.13	12,000	3,658	64	30	18"	45	0.14; 0.17; 0.22; 0.30	1.11; 1.24; 1.67; 2.22	20"	11"	458.00
† EA50524XX-1200	5 mil	0.13	12,000	3,658	64	30	24"	60	0.22; 0.17; 0.11; 0.44	1.67; 1.25; 0.83; 3.29	20"	11"	458.00
◇ EA50504XXX-1300	5 mil	0.13	13,000	3,962	72	33	4"	10	2.65	19.75	20"	11"	496.00
◇ EA50506XXX-1300	5 mil	0.13	13,000	3,962	72	33	6"	15	1.12	8.33	20"	11"	496.00
◇ EA50506XX-1300	5 mil	0.13	13,000	3,962	72	33	6"	15	0.44 ; 0.90	3.33 ; 6.66	20"	11"	496.00
◇ EA50508XXX-1300	5 mil	0.13	13,000	3,962	72	33	8"	20	1.33	9.87	20"	11"	496.00
◇ EA5050825-1300	5 mil	0.13	13,000	3,962	72	33	8"	20	0.25	1.86	20"	11"	516.00
◇ EA50512XX-1300	5 mil	0.13	13,000	3,962	72	33	12"	30	0.88	6.58	20"	11"	496.00
◇ EA50516XX-1300	5 mil	0.13	13,000	3,962	72	33	16"	40	0.34; 0.25; 0.17; 0.66	2.50; 1.87; 1.25; 4.94	20"	11"	496.00
◇ EA50518XX-1300	5 mil	0.13	13,000	3,962	72	33	18"	45	0.14; 0.17; 0.22; 0.30	1.11; 1.24; 1.67; 2.22	20"	11"	496.00
◇ EA50524XX-1300	5 mil	0.13	13,000	3,962	72	33	24"	60	0.22; 0.17; 0.11; 0.44	1.67; 1.25; 0.83; 3.29	20"	11"	496.00
◇ EA50604XXX-1000	6 mil	0.15	10,000	3,048	64	29	4"	10	2.65	19.75	20"	11"	438.00
◇ EA50606XXX-1000	6 mil	0.15	10,000	3,048	64	29	6"	15	1.12	8.33	20"	11"	438.00
◇ EA50606XX-1000	6 mil	0.15	10,000	3,048	64	29	6"	15	0.44 ; 90	3.33 ; 6.66	20"	11"	438.00
◇ EA50608XXX-1000	6 mil	0.15	10,000	3,048	64	29	8"	20	1.33	9.87	20"	11"	438.00
◇ EA50612XX-1000	6 mil	0.15	10,000	3,048	64	29	12"	30	0.56 ; 0.88	4.16 ; 6.58	20"	11"	438.00
◇ EA50616XX-1000	6 mil	0.15	10,000	3,048	64	29	16"	40	0.34; 0.25; 0.17; 0.66	2.50; 1.87; 1.25; 4.94	20"	11"	438.00
◇ EA50618XX-1000	6 mil	0.15	10,000	3,048	64	29	18"	45	0.14; 0.17; 0.22; 0.30	1.11; 1.25; 1.67; 2.22	20"	11"	438.00
◇ EA50624XX-1000	6 mil	0.15	10,000	3,048	64	29	24"	60	0.22; 0.17; 0.11; 0.44	1.67; 1.25; 0.83; 3.29	20"	11"	438.00
◇ EA50804XXX-750	8 mil	0.20	7,500	2,286	66	30	4"	10	2.65	19.75	20"	11"	363.00
◇ EA50806XX-750	8 mil	0.20	7,500	2,286	66	30	6"	15	0.44; 0.67; 0.90; 1.12	3.33; 4.99; 6.66; 8.33	20"	11"	363.00
◇ EA50808XXX-750	8 mil	0.20	7,500	2,286	66	30	8"	20	1.33	9.87	20"	11"	363.00
◇ EA50808XX-750	8 mil	0.20	7,500	2,286	66	30	8"	20	0.84	6.24	20"	11"	363.00
◇ EA5080822-750	8 mil	0.20	7,500	2,286	66	30	8"	20	0.22	1.66	20"	11"	378.00
◇ EA5080825-750	8 mil	0.20	7,500	2,286	66	30	8"	20	0.22	1.86	20"	11"	378.00
◇ EA50812XX-750	8 mil	0.20	7,500	2,286	66	30	12"	30	0.34 ; 0.56 ; 0.88	2.50 ; 4.16 ; 6.58	20"	11"	363.00
◇ EA50816XX-750	8 mil	0.20	7,500	2,286	66	30	16"	40	0.42; 0.34; 0.25; 0.17; 0.66	3.12; 2.50; 1.87; 1.25; 4.94	20"	11"	363.00
◇ EA50818XX-750	8 mil	0.20	7,500	2,286	66	30	18"	45	0.14; 0.17; 0.22; 0.30	1.11; 1.25; 1.67; 2.22	20"	11"	363.00
◇ EA50824XX-750	8 mil	0.20	7,500	2,286	66	30	24"	60	0.28; 0.22; 0.17; 0.11; 0.44	2.08; 1.67; 1.25; 0.83; 3.29	20"	11"	363.00
◇ EA51004XXX-600	10 mil	0.25	6,000	1,829	63	29	4"	10	1.34 ; 2.65	9.99 ; 19.75	20"	11"	363.00
◇ EA51006XXX-600	10 mil	0.25	6,000	1,829	63	29	6"	15	1.12	8.33	20"	11"	363.00
◇ EA51006XX-600	10 mil	0.25	6,000	1,829	63	29	6"	15	0.44; 0.50; 0.67; 0.90	3.33; 3.74; 4.99; 6.66	20"	11"	363.00
◇ EA51008XXX-600	10 mil	0.25	6,000	1,829	63	29	8"	20	1.33	9.87	20"	11"	363.00
◇ EA51008XX-600	10 mil	0.25	6,000	1,829	63	29	8"	20	0.84 ; 0.50 ; 0.34	6.24 ; 3.74 ; 2.50	20"	11"	363.00
◇ EA5100817-600	10 mil	0.25	6,000	1,829	63	29	8"	20	0.17	1.30	20"	11"	378.00
◇ EA5100822-600	10 mil	0.25	6,000	1,829	63	29	8"	20	0.22	1.66	20"	11"	378.00
◇ EA5100825-600	10 mil	0.25	6,000	1,829	63	29	8"	20	0.25	1.86	20"	11"	378.00
◇ EA5100867-600	10 mil	0.25	6,000	1,829	63	29	8"	20	0.67	4.99	20"	11"	363.00
◇ EA51012XX-600	10 mil	0.25	6,000	1,829	63	29	12"	30	0.56; 0.34; 0.22; 0.88	4.16; 2.50; 1.66; 6.58	20"	11"	363.00
◇ EA51016XX-600	10 mil	0.25	6,000	1,829	63	29	16"	40	0.42; 0.34; 0.25; 0.17; 0.66	3.12; 2.50; 1.87; 1.66; 4.94	20"	11"	363.00
◇ EA51018XX-600	10 mil	0.25	6,000	1,829	63	29	18"	45	0.14; 0.17; 0.22; 0.30	1.11; 1.25; 1.67; 2.22	20"	11"	363.00
◇ EA51024XX-600	10 mil	0.25	6,000	1,829	63	29	24"	60	0.28; 0.22; 0.17; 0.11; 0.44	2.08; 1.67; 1.25; 0.83; 3.29	20"	11"	363.00

continue next page...

Drip Tape

AQUA-TRAXX®
AQUA-TRAXX® AZUL™
Aqua-Traxx (Category I)
Non-Pressure Compensating Drip Tape

◇ **MADE TO ORDER.** US\$ 7,500.00 minimum order value will apply.

Toro Ag Customer Service will confirm by Fax that the order has been accepted and the estimated date of delivery.

Flow rate expressed in gpm per 100 feet (Q-100) @ 8 psi (0.55 Bar).

Part Number	Wall Thickness		Reel Length		Reel Weight		Spacing		Available Flow Rates		Reel		List Price
	mil	mm	Ft.	M	Lbs.	Kilos	in	cm	gpm Q-100 feet	liters / hour-meter	Dia.	Height	
◇ EA51204XXX-510	12 mil	0.30	5,100	1,554	63	29	4"	10	1.34 ; 2.65	9.99 ; 19.75	20"	11"	345.00
◇ EA51206XXX-510	12 mil	0.30	5,100	1,554	63	29	6"	15	1.12	8.33	20"	11"	345.00
◇ EA51206XX-510	12 mil	0.30	5,100	1,554	63	29	6"	15	0.44 ; 0.50 ; 0.67 ; 0.90	3.33 ; 3.74 ; 4.99 ; 6.66	20"	11"	345.00
◇ EA51208XXX-510	12 mil	0.30	5,100	1,554	63	29	8"	20	1.33	9.87	20"	11"	345.00
◇ EA51208XX-510	12 mil	0.30	5,100	1,554	63	29	8"	20	0.84 ; 0.67 ; 0.50 ; 0.34	6.24 ; 4.99 ; 3.74 ; 2.50	20"	11"	345.00
◇ EA5120817-510	12 mil	0.30	5,100	1,554	63	29	8"	20	0.17	1.30	20"	11"	359.00
◇ EA5120822-510	12 mil	0.30	5,100	1,554	63	29	8"	20	0.22	1.66	20"	11"	359.00
◇ EA5120825-510	12 mil	0.30	5,100	1,554	63	29	8"	20	0.25	1.86	20"	11"	359.00
◇ EA51212XX-510	12 mil	0.30	5,100	1,554	63	29	12"	30	0.56 ; 0.45 ; 0.34 ; 0.22 ; 0.88	4.16 ; 3.33 ; 2.50 ; 1.66 ; 6.58	20"	11"	345.00
◇ EA51216XX-510	12 mil	0.30	5,100	1,554	63	29	16"	40	0.42 ; 0.34 ; 0.25 ; 0.17 ; 0.66	3.12 ; 2.50 ; 1.87 ; 1.66 ; 4.94	20"	11"	345.00
◇ EA51218XX-510	12 mil	0.30	5,100	1,554	63	29	18"	45	0.14 ; 0.17 ; 0.22 ; 0.30	1.11 ; 1.25 ; 1.67 ; 2.22	20"	11"	345.00
◇ EA51224XX-510	12 mil	0.30	5,100	1,554	63	29	24"	60	0.28 ; 0.22 ; 0.17 ; 0.11 ; 0.44	2.08 ; 1.67 ; 1.25 ; 0.83 ; 3.29	20"	11"	345.00
◇ EA51504XXX-400	15 mil	0.38	4,000	1,220	63	29	4"	10	1.34 ; 2.65	9.99 ; 19.75	20"	11"	400.00
◇ EA51506XXX-400	15 mil	0.38	4,000	1,220	63	29	6"	15	1.12	8.33	20"	11"	400.00
◇ EA51506XX-400	15 mil	0.38	4,000	1,220	63	29	6"	15	0.44 ; 0.50 ; 0.67 ; 0.90	3.33 ; 3.74 ; 4.99 ; 6.66	20"	11"	400.00
◇ EA51508XXX-400	15 mil	0.38	4,000	1,220	63	29	8"	20	1.33	9.87	20"	11"	400.00
◇ EA51508XX-400	15 mil	0.38	4,000	1,220	63	29	8"	20	0.84 ; 0.67 ; 0.50	6.24 ; 4.99 ; 3.74	20"	11"	400.00
◇ EA5150817-400	15 mil	0.38	4,000	1,220	63	29	8"	20	0.17	1.30	20"	11"	419.00
◇ EA5150822-400	15 mil	0.38	4,000	1,220	63	29	8"	20	0.22	1.66	20"	11"	419.00
◇ EA5150825-400	15 mil	0.38	4,000	1,220	63	29	8"	20	0.25	1.86	20"	11"	419.00
◇ EA51512XX-400	15 mil	0.38	4,000	1,220	63	29	12"	30	0.56 ; 0.45 ; 0.34 ; 0.22 ; 0.88	4.16 ; 3.33 ; 2.50 ; 1.66 ; 6.58	20"	11"	400.00
◇ EA51516XX-400	15 mil	0.38	4,000	1,220	63	29	16"	40	0.42 ; 0.34 ; 0.25 ; 0.17 ; 0.66	3.12 ; 2.50 ; 1.87 ; 1.66 ; 4.94	20"	11"	400.00
◇ EA51518XX-400	15 mil	0.38	4,000	1,220	63	29	18"	45	0.14 ; 0.17 ; 0.22 ; 0.30	1.11 ; 1.25 ; 1.67 ; 2.22	20"	11"	400.00
◇ EA51524XX-400	15 mil	0.38	4,000	1,220	63	29	24"	60	0.28 ; 0.22 ; 0.17 ; 0.11 ; 0.44	2.08 ; 1.67 ; 1.25 ; 0.83 ; 3.29	20"	11"	400.00

XXX or XX denotes the flow rate in gpm per 100 feet (Q-100) @ 8 psi. Substitute XXX or XX with the flow rates available for each spacing, indicated in the gpm Q-100 column. Example: EA51204134-510 (Aqua-Traxx 5/8"; 12 mil; 4" spacing; 1.34 gpm Q-100; 5,100 Ft. Coil) or EA5120850-510 (Aqua-Traxx 5/8"; 12 mil; 8" spacing; 0.50 gpm Q-100; 5,100 Ft. Coil).

Note: Aqua-Traxx products with flow rates of 0817, 0822, and 0825 have higher list prices than other flows.

Drip Tape

AQUA-TRAXX®
AQUA-TRAXX® AZUL

Aqua-Traxx (Category I)

Non-Pressure Compensating Drip Tape

◇ **MADE TO ORDER.** 4 Pallets (or 64 Rolls) minimum order value will apply. Toro Ag Customer Service will confirm by e-mail that the order has been accepted and the estimated date of delivery.
Flow rate expressed in gpm per 100 feet (Q-100) @ 8 psi (0.55 Bar).

Part Number	Wall Thickness		Reel Length		Reel Weight		Spacing		Available Flow Rates		Reel		List Price	
	mil	mm	Ft.	M	Lbs.	Kilos	in	cm	gpm	Q-100 feet	liters / hour-meter	Dia.		Height
7/8" Diameter (22mm)														
EA70508xx-1000	5mil	0.13	10,000	3048	75	34	8"	20	0.34		2.5	20	13"	378.00
EA70508xx-1200	5mil	0.13	12,000	3658	82	37	8"	20	0.34		2.5	20	13"	454.00
EA70604XXX-738	6mil	0.15	7,380	2,250	68	31	4"	10	2.65		19.75	20"	11"	406.00
EA70606XX-738	6mil	0.15	7,380	2,250	68	31	6"	10	0.67 ; 0.50		4.99 ; 3.73	20"	11"	406.00
EA70612XX-738	6mil	0.15	7,380	2,250	68	31	12"	30	0.56 ; 0.45 ; 0.25 ; 0.88	4.16 ; 3.33 ; 1.86 ; 6.58		20"	11"	406.00
EA70616XX-738	6mil	0.15	7,380	2,250	68	31	16"	40	0.42;0.34;0.25;0.17;0.66	3.12;2.50;1.87;1.25;4.94		20"	11"	406.00
EA70618XX-738	6mil	0.15	7,380	2,250	68	31	18"	45	0.14 ; 0.17 ; 0.22 ; 0.30	1.11 ; 1.24 ; 1.67 ; 2.22		20"	11"	406.00
EA70624XX-738	6mil	0.15	7,380	2,250	68	31	24"	60	0.28;0.22;0.17;0.11;0.44	2.08;1.67;1.25;0.83;3.29		20"	11"	406.00
EA70804XXX-600	8 mil	0.20	6,000	1,829	72	33	4"	10	1.34 ; 2.65		9.99 ; 19.75	20"	11"	377.00
EA70806XXX-600	8 mil	0.20	6,000	1,829	72	33	6"	15	1.12		8.33	20"	11"	377.00
EA70806XX-600	8 mil	0.20	6,000	1,829	72	33	6"	15	0.44 ; 0.67 ; 0.90	3.33 ; 4.99 ; 6.66		20"	11"	377.00
EA70808XXX-600	8 mil	0.20	6,000	1,829	72	33	8"	20	1.33		9.87	20"	11"	377.00
EA70808XX-600	8 mil	0.20	6,000	1,829	72	33	8"	20	0.84 ; 0.50	6.24 ; 3.74		20"	11"	377.00
EA7080817-600	8 mil	0.20	6,000	1,829	72	33	8"	20	0.17	1.30		20"	11"	393.00
EA7080822-600	8 mil	0.20	6,000	1,829	72	33	8"	20	0.22	1.66		20"	11"	393.00
EA7080825-600	8 mil	0.20	6,000	1,829	72	33	8"	20	0.25	1.86		20"	11"	393.00
EA70812XX-600	8 mil	0.20	6,000	1,829	72	33	12"	30	0.56 ; 0.45 ; 0.22 ; 0.88	4.16 ; 3.33 ; 1.66 ; 6.58		20"	11"	377.00
EA70816XX-600	8 mil	0.20	6,000	1,829	72	33	16"	40	0.42;0.34;0.25;0.17;0.66	3.12;2.50;1.87;1.25;4.94		20"	11"	377.00
EA70818XX-600	8 mil	0.20	6,000	1,829	72	33	18"	45	0.14 ; 0.17 ; 0.22 ; 0.30	1.11 ; 1.24 ; 1.67 ; 2.22		20"	11"	377.00
EA70824XX-600	8 mil	0.20	6,000	1,829	72	33	24"	60	0.28;0.22;0.17;0.11;0.44	2.08;1.67;1.25;0.83;3.29		20"	11"	377.00
EA71004XXX-440	10 mil	0.25	4,400	1,341	71	32	4"	10	1.34 ; 2.65		9.99 ; 19.75	20"	11"	339.00
EA71006XXX-440	10 mil	0.25	4,400	1,341	71	32	6"	10	1.12		8.33	20"	11"	339.00
EA71006XX-440	10 mil	0.25	4,400	1,341	71	32	6"	10	0.44 ; 0.50 ; 0.67 ; 0.90	3.33 ; 3.78 ; 4.99 ; 6.66		20"	11"	339.00
EA71008XXX-440	10 mil	0.25	4,400	1,341	71	32	8"	20	1.33		9.87	20"	11"	339.00
EA71008XX-440	10 mil	0.25	4,400	1,341	71	32	8"	20	0.84 ; 0.67 ; 0.50	6.24 ; 4.99 ; 3.74		20"	11"	339.00
EA7100817-440	10 mil	0.25	4,400	1,341	71	32	8"	20	0.17	1.30		20"	11"	353.00
EA7100822-440	10 mil	0.25	4,400	1,341	71	32	8"	20	0.22	1.66		20"	11"	353.00
EA7100825-440	10 mil	0.25	4,400	1,341	71	32	8"	20	0.25	1.86		20"	11"	353.00
EA71012XX-440	10 mil	0.25	4,400	1,341	71	32	12"	30	0.56 ; 0.45 ; 0.22 ; 0.88	4.16 ; 3.33 ; 1.66 ; 6.58		20"	11"	339.00
EA71016XX-440	10 mil	0.25	4,400	1,341	71	32	16"	40	0.42;0.34;0.25;0.17;0.66	3.12;2.50;1.87;1.25;4.94		20"	11"	339.00
EA71018XX-440	10 mil	0.25	4,400	1,341	71	32	18"	45	0.14 ; 0.17 ; 0.22 ; 0.30	1.11 ; 1.24 ; 1.67 ; 2.22		20"	11"	339.00
EA71024XX-440	10 mil	0.25	4,400	1,341	71	32	24"	60	0.28;0.22;0.17;0.11;0.44	2.08;1.67;1.25;0.83;3.29		20"	11"	339.00
EA71204XXX-400	12 mil	0.30	4,000	1,220	72	33	4"	10	1.34 ; 2.65		9.99 ; 19.75	20"	11"	405.00
EA71206XXX-400	12 mil	0.30	4,000	1,220	72	33	6"	10	1.12		8.33	20"	11"	405.00
EA71206XX-400	12 mil	0.30	4,000	1,220	72	33	6"	10	0.44 ; 0.50 ; 0.67 ; 0.90	3.33 ; 3.78 ; 4.99 ; 6.66		20"	11"	405.00
EA71208XXX-400	12 mil	0.30	4,000	1,220	72	33	8"	20	1.33		9.87	20"	11"	405.00
EA71208XX-400	12 mil	0.30	4,000	1,220	72	33	8"	20	0.84 ; 0.67 ; 0.50 ; 0.34	6.24 ; 4.99 ; 3.74 ; 2.50		20"	11"	405.00
EA7120817-400	12 mil	0.30	4,000	1,220	72	33	8"	20	0.17	1.30		20"	11"	421.00
EA7120822-400	12 mil	0.30	4,000	1,220	72	33	8"	20	0.22	1.66		20"	11"	421.00
EA7120825-400	12 mil	0.30	4,000	1,220	72	33	8"	20	0.25	1.86		20"	11"	421.00
EA71212XX-400	12 mil	0.30	4,000	1,220	72	33	12"	30	0.56;0.45;0.34;0.22;0.88	4.16;3.33;2.50;1.66;6.58		20"	11"	405.00
EA71216XX-400	12 mil	0.30	4,000	1,220	72	33	16"	40	0.42;0.34;0.25;0.17;0.66	3.12;2.50;1.87;1.25;4.94		20"	11"	405.00
EA71218XX-400	12 mil	0.30	4,000	1,220	72	33	18"	45	0.14 ; 0.17 ; 0.22 ; 0.30	1.11 ; 1.24 ; 1.67 ; 2.22		20"	11"	405.00
EA71224XX-400	12 mil	0.30	4,000	1,220	72	33	24"	60	0.28;0.22;0.17;0.11;0.44	2.08;1.67;1.25;0.83;3.29		20"	11"	405.00
EA71504XXX-300	15 mil	0.38	3,000	914	66	30	4"	10	1.34 ; 2.65		9.99 ; 19.75	20"	11"	370.00
EA71506XXX-300	15 mil	0.38	3,000	914	66	30	6"	10	1.12		8.33	20"	11"	370.00
EA71506XX-300	15 mil	0.38	3,000	914	66	30	6"	10	0.44 ; 0.50 ; 0.67 ; 0.90	3.33 ; 3.78 ; 4.99 ; 6.66		20"	11"	370.00
EA71508XXX-300	15 mil	0.38	3,000	914	66	30	8"	20	1.33		9.87	20"	11"	370.00
EA71508XX-300	15 mil	0.38	3,000	914	66	30	8"	20	0.84 ; 0.67 ; 0.50 ; 0.34	6.24 ; 4.99 ; 3.74 ; 2.50		20"	11"	370.00
EA7150817-300	15 mil	0.38	3,000	914	66	30	8"	20	0.17	1.30		20"	11"	385.00
EA7150822-300	15 mil	0.38	3,000	914	66	30	8"	20	0.22	1.66		20"	11"	385.00
EA7150825-300	15 mil	0.38	3,000	914	66	30	8"	20	0.25	1.86		20"	11"	385.00
EA71512XX-300	15 mil	0.38	3,000	914	66	30	12"	30	0.56;0.45;0.34;0.22;0.88	4.16;3.33;2.50;1.66;6.58		20"	11"	370.00
EA71516XX-300	15 mil	0.38	3,000	914	66	30	16"	40	0.42;0.34;0.25;0.17;0.66	3.12;2.50;1.87;1.25;4.94		20"	11"	370.00
EA71518XX-300	15 mil	0.38	3,000	914	66	30	18"	45	0.14 ; 0.17 ; 0.22 ; 0.30	1.11 ; 1.24 ; 1.67 ; 2.22		20"	11"	370.00
EA71524XX-300	15 mil	0.38	3,000	914	66	30	24"	60	0.28;0.22;0.17;0.11;0.44	2.08;1.67;1.25;0.83;3.29		20"	11"	370.00

Note: Aqua-Traxx products with flow rates of 0817, 0822, and 0825 have higher list prices than other flows.



Drip Tape

AQUA-TRAXX®
AQUA-TRAXX® AZUL

Aqua-Traxx (Category I)

Non-Pressure Compensating Drip Tape

- ◇ **MADE TO ORDER.** 4 Pallets (or 64 Rolls) minimum order value will apply. Toro Ag Customer Service will confirm by e-mail that the order has been accepted and the estimated date of delivery.
Flow rate expressed in gpm per 100 feet (Q-100) @ 8 psi (0.55 Bar).

Part Number	Wall Thickness mil mm	Reel Length Ft. M	Reel Weight Lbs. Kilos	Spacing inches cm	Available Flow Rates gpm Q-100 feet liters / hour-meter	Reel Dia. Height	List Price Per Reel
1" Diameter (25mm)							
EA81304XXX-300	13 mil 0.33	3,000 914	66 30	4" 10	1.34 ; 2.65	9.99 ; 19.75	20" 11" 388.00
EA81306XXX-300	13 mil 0.33	3,000 914	66 30	6" 10	1.12	8.33	20" 11" 388.00
EA81306XX-300	13 mil 0.33	3,000 914	66 30	6" 10	0.44 ; 0.50 ; 0.67 ; 0.90	3.33 ; 3.78 ; 4.99 ; 6.66	20" 11" 388.00
EA81308XXX-300	13 mil 0.33	3,000 914	66 30	8" 20	1.33	9.87	20" 11" 388.00
EA81308XX-300	13 mil 0.33	3,000 914	66 30	8" 20	0.84 ; 0.67 ; 0.50 ; 0.34	6.24 ; 4.99 ; 3.74 ; 2.50	20" 11" 388.00
EA8130817-300	13 mil 0.33	3,000 914	66 30	8" 20	0.17	1.30	20" 11" 404.00
EA8130822-300	13 mil 0.33	3,000 914	66 30	8" 20	0.22	1.66	20" 11" 404.00
EA8130825-300	13 mil 0.33	3,000 914	66 30	8" 20	0.25	1.86	20" 11" 404.00
EA81312XX-300	13 mil 0.33	3,000 914	66 30	12" 30	0.56 ; 0.45 ; 0.34 ; 0.22 ; 0.88	4.16 ; 3.33 ; 2.50 ; 1.66 ; 6.58	20" 11" 388.00
EA81316XX-300	13 mil 0.33	3,000 914	66 30	16" 40	0.42 ; 0.34 ; 0.25 ; 0.17 ; 0.66	3.12 ; 2.50 ; 1.87 ; 1.25 ; 4.94	20" 11" 388.00
EA81318XX-300	13 mil 0.33	3,000 914	66 30	18" 45	0.14 ; 0.17 ; 0.22 ; 0.30	1.11 ; 1.24 ; 1.67 ; 2.22	20" 11" 388.00
EA81324XX-300	13 mil 0.33	3,000 914	66 30	24" 60	0.28 ; 0.22 ; 0.17 ; 0.11 ; 0.44	2.08 ; 1.67 ; 1.25 ; 0.83 ; 3.29	20" 11" 388.00

1-1/8" Diameter (28mm)

EA91504XXX-300	15 mil 0.38	3,000 914	71 32	4" 10	1.34 ; 2.65	9.99 ; 19.75	20" 13" 384.00
EA91506XXX-300	15 mil 0.38	3,000 914	71 32	6" 10	1.12	8.33	20" 13" 384.00
EA91506XX-300	15 mil 0.38	3,000 914	71 32	6" 10	0.44 ; 0.50 ; 0.67 ; 0.90	3.33 ; 3.78 ; 4.99 ; 6.66	20" 13" 384.00
EA91508XXX-300	15 mil 0.38	3,000 914	71 32	8" 20	1.33	9.87	20" 13" 384.00
EA91508XX-300	15 mil 0.38	3,000 914	71 32	8" 20	0.84 ; 0.67 ; 0.50 ; 0.34	6.24 ; 4.99 ; 3.74 ; 2.50	20" 13" 384.00
EA9150817-300	15 mil 0.38	3,000 914	71 32	8" 20	0.17	1.30	20" 13" 400.00
EA9150822-300	15 mil 0.38	3,000 914	71 32	8" 20	0.22	1.66	20" 13" 400.00
EA9150825-300	15 mil 0.38	3,000 914	71 32	8" 20	0.25	1.86	20" 13" 400.00
EA91512XX-300	15 mil 0.38	3,000 914	71 32	12" 30	0.56 ; 0.45 ; 0.34 ; 0.22 ; 0.88	4.16 ; 3.33 ; 2.50 ; 1.66 ; 6.58	20" 13" 384.00
EA91516XX-300	15 mil 0.38	3,000 914	71 32	16" 40	0.42 ; 0.34 ; 0.25 ; 0.17 ; 0.66	3.12 ; 2.50 ; 1.87 ; 1.25 ; 4.94	20" 13" 384.00
EA91518XX-300	15 mil 0.38	3,000 914	71 32	18" 45	0.14 ; 0.17 ; 0.22 ; 0.30	1.11 ; 1.24 ; 1.67 ; 2.22	20" 13" 384.00
EA91524XX-300	15 mil 0.38	3,000 914	71 32	24" 60	0.28 ; 0.22 ; 0.17 ; 0.11 ; 0.44	2.08 ; 1.67 ; 1.25 ; 0.83 ; 3.29	20" 13" 384.00

1-3/8" Diameter (35mm)

EA111504XXX-270	15 mil 0.38	2,700 823	87 39	4" 10	1.34 ; 2.65	9.99 ; 19.75	20" 13" 533.00
EA111506XXX-270	15 mil 0.38	2,700 823	87 39	6" 10	1.12	8.33	20" 13" 533.00
EA111506XX-270	15 mil 0.38	2,700 823	87 39	6" 10	0.44 ; 0.50 ; 0.67 ; 0.90	3.33 ; 3.78 ; 4.99 ; 6.66	20" 13" 533.00
EA111508XXX-270	15 mil 0.38	2,700 823	87 39	8" 20	1.33	9.87	20" 13" 533.00
EA111508XX-270	15 mil 0.38	2,700 823	87 39	8" 20	0.84 ; 0.67 ; 0.50 ; 0.34	6.24 ; 4.99 ; 3.74 ; 2.50	20" 13" 533.00
EA11150817-270	15 mil 0.38	2,700 823	87 39	8" 20	0.17	1.30	20" 13" 554.00
EA11150822-270	15 mil 0.38	2,700 823	87 39	8" 20	0.22	1.66	20" 13" 554.00
EA11150825-270	15 mil 0.38	2,700 823	87 39	8" 20	0.25	1.86	20" 13" 554.00
EA111512XX-270	15 mil 0.38	2,700 823	87 39	12" 30	0.56 ; 0.45 ; 0.34 ; 0.22 ; 0.88	4.16 ; 3.33 ; 2.50 ; 1.66 ; 6.58	20" 13" 533.00
EA111516XX-270	15 mil 0.38	2,700 823	87 39	16" 40	0.42 ; 0.34 ; 0.25 ; 0.17 ; 0.66	3.12 ; 2.50 ; 1.87 ; 1.25 ; 4.94	20" 13" 533.00
EA111518XX-270	15 mil 0.38	2,700 823	87 39	18" 45	0.14 ; 0.17 ; 0.22 ; 0.30	1.11 ; 1.24 ; 1.67 ; 2.22	20" 13" 533.00
EA111524XX-270	15 mil 0.38	2,700 823	87 39	24" 60	0.28 ; 0.22 ; 0.17 ; 0.11 ; 0.44	2.08 ; 1.67 ; 1.25 ; 0.83 ; 3.29	20" 13" 533.00

XXX or XX denotes the flow rate in gpm per 100 feet (Q-100) @ 8 psi. Substitute XXX or XX with the flow rates available for each spacing, indicated in the gpm Q-100 column. Example: EA71204134-400 (Aqua-Traxx 7/8"; 12 mil; 4" spacing; 1.34 gpm Q-100; 4,000 Ft. Coil) or EA7120850-400 (Aqua-Traxx 7/8"; 12 mil; 8" spacing; 0.50 gpm Q-100; 4,000 Ft. Coil).

Note: Aqua-Traxx products with flow rates of 0817, 0822, and 0825 have higher list prices than other flows.

AQUA-TRAXX®- Full Reel Shipping Information

Aqua-Traxx Dimensions:		1 Reel	Dia. 20" x H 11"		Reels per 20' container									
Reels per Pallet		16 Reels	B 43" x W 43" x H 50"		Aqua-Traxx	4mil	5mil	5mil(12K')	6mil	8mil	10mil	12mil	13mil	15mil
		32 Reels	(16 x 2) or 28 Reels (16 + 12)		5/8"	280	280	280	280	280	280	280		280
					7/8"						280	280		280
					1"								280	
					1-1/8"									280
					1-3/8"									280
Reels per truck load (approx. 53')					Reels per 40' container									
Aqua-Traxx		4mil	5mil	5mil(12K')	6mil	8mil	10mil	12mil	13mil	15mil				
5/8"	560	592	640	640	640	640	640	640	640	640				
7/8"				640	640	640	640	640	640	640				
1"							640							
1-1/8"								640						
1-3/8"									640					
Note: 5mil (12K') = 12,000 ft. 5mil reels. Regular 5mil reels contain 13,000 ft.					5/8"	560	592	640	640	640	640	640	640	640
					7/8"				640	640	640	640	640	640
					1"					640	640	640	640	640
					1-1/8"						640	640	640	640
					1-3/8"							640	640	640

Drip Tape

AQUA-TRAXX®
AQUA-TRAXX® AZUL

Aqua-Traxx - Short Reels (Category I)

Non-Pressure Compensating Drip Tape

◆ **MADE TO ORDER.** 256 Short Reels (or 4 Pallets) minimum order value will apply. Toro Ag Customer Service will confirm by e-mail that the order has been accepted and the estimated date of delivery.

Flow rate expressed in gpm per 100 feet (Q-100) @ 8 psi (0.55 Bar).

Part Number	Wall Thickness mil mm	Reel Length Ft. M	Reel Weight Lbs. Kilos	Spacing inches cm	Available Flow Rates gpm Q-100 feet	liters / hour-meter	Reel Dia. Height	List Price Per Reel
-------------	--------------------------	----------------------	---------------------------	----------------------	--	---------------------	---------------------	------------------------

5/8" Diameter (16mm) Wrapped Short Reels

EA50604XXX-250	6 mil 0.15	2,500 762	17 7.7	4" 10	1.00	7.47	10" 11"	139.00
EA50606XX-250	6 mil 0.15	2,500 762	17 7.7	6" 15	0.50 ; 0.67	3.73 ; 4.99	10" 11"	139.00
EA50608XX-250	6 mil 0.15	2,500 762	17 7.7	8" 20	0.34 ; 0.50 ; 0.67	2.50 ; 3.74 ; 4.99	10" 11"	139.00
EA50612XX-250	6 mil 0.15	2,500 762	17 7.7	12" 30	0.34 ; 0.45	2.50 ; 3.33	10" 11"	139.00



EA50804XXX-200	8 mil 0.20	2,000 610	17 7.7	4" 10	1.00	7.47	10" 11"	133.00
EA50806XX-200	8 mil 0.20	2,000 610	17 7.7	6" 15	0.50 ; 0.67	3.73 ; 4.99	10" 11"	133.00
EA50808XX-200	8 mil 0.20	2,000 610	17 7.7	8" 20	0.34 ; 0.50 ; 0.67	2.50 ; 3.74 ; 4.99	10" 11"	133.00
EA50812XX-200	8 mil 0.20	2,000 610	17 7.7	12" 30	0.34 ; 0.45	2.50 ; 3.33	10" 11"	133.00

EA51504XXX-100	15 mil 0.38	1,000 305	16 7.3	4" 10	1.00	7.47	10" 11"	127.00
EA51506XX-100	15 mil 0.38	1,000 305	16 7.3	6" 15	0.50 ; 0.67	3.73 ; 4.99	10" 11"	127.00
EA51508XX-100	15 mil 0.38	1,000 305	16 7.3	8" 20	0.34 ; 0.50 ; 0.67	2.50 ; 3.74 ; 4.99	10" 11"	127.00
EA51512XX-100	15 mil 0.38	1,000 305	16 7.3	12" 30	0.34 ; 0.45	2.50 ; 3.33	10" 11"	127.00

5/8" Diameter (16mm) Boxed Short Reels

EA50604XXX-250B	6 mil 0.15	2,500 762	17 7.7	4" 10	1.00	7.47	10" 11"	140.00
EA50606XX-250B	6 mil 0.15	2,500 762	17 7.7	6" 15	0.50 ; 0.67	3.73 ; 4.99	10" 11"	140.00
EA50608XX-250B	6 mil 0.15	2,500 762	17 7.7	8" 20	0.34 ; 0.50 ; 0.67	2.50 ; 3.74 ; 4.99	10" 11"	140.00
EA50612XX-250B	6 mil 0.15	2,500 762	17 7.7	12" 30	0.34 ; 0.45	2.50 ; 3.33	10" 11"	140.00

EA50804XXX-200B	8 mil 0.20	2,000 610	17 7.7	4" 10	1.00	7.47	10" 11"	134.00
EA50806XX-200B	8 mil 0.20	2,000 610	17 7.7	6" 15	0.50 ; 0.67	3.73 ; 4.99	10" 11"	134.00
EA50808XX-200B	8 mil 0.20	2,000 610	17 7.7	8" 20	0.34 ; 0.50 ; 0.67	2.50 ; 3.74 ; 4.99	10" 11"	134.00
EA50812XX-200B	8 mil 0.20	2,000 610	17 7.7	12" 30	0.34 ; 0.45	2.50 ; 3.33	10" 11"	134.00

EA51504XXX-100B	15 mil 0.38	1,000 305	16 7.3	4" 10	1.00	7.47	10" 11"	128.00
EA51506XX-100B	15 mil 0.38	1,000 305	16 7.3	6" 15	0.50 ; 0.67	3.73 ; 4.99	10" 11"	128.00
EA51508XX-100B	15 mil 0.38	1,000 305	16 7.3	8" 20	0.34 ; 0.50 ; 0.67	2.50 ; 3.74 ; 4.99	10" 11"	128.00
EA51512XX-100B	15 mil 0.38	1,000 305	16 7.3	12" 30	0.34 ; 0.45	2.50 ; 3.33	10" 11"	128.00

XXX or XX denotes the flow rate in gpm per 100 feet (Q-100) @ 8 psi. Substitute XXX or XX with the flow rates available for each spacing, indicated in the gpm Q-100 column. Example: EA71204134-400 (Aqua-Traxx 7/8"; 12 mil; 4" spacing; 1.34 gpm Q-100; 4,000 Ft. Coil) or EA7120850-400 (Aqua-Traxx 7/8"; 12 mil; 8" spacing; 0.50 gpm Q-100; 4,000 Ft. Coil).

Note: Add suffix "B" to the end of the short reel part number to denote a boxed short reel of Aqua-Traxx tape.
Example: EA5060834-250B (Aqua-Traxx 5/8", 6 mil, 8" spacing, 0.34 gpm Q-100, 2,500 ft coil, packaged in a box).

AQUA-TRAXX®- Short Reel Shipping Information

Aqua-Traxx Dimensions:		1 Reel	Dia. 10" x H 11"		Reels per 20' container					
Reels per Pallet		64 Reels	B 43" x W 43" x H 50"		Aqua-Traxx	6mil	8mil	10mil	12mil	15mil
Reels per truck load (approx. 53')					5/8"	1,120	1,120	1,120	1,120	1,120
					Reels per 40' container					
					Aqua-Traxx	6mil	8mil	10mil	12mil	15mil
5/8"		2,432	2,432	2,432	2,560	2,560	2,432	2,432	2,432	2,560



Drip Tape

Aqua-Traxx Reorder Chart / Full Reels Per Acre


Row Spacing in ft		AT Family SKU Reel length ft	5/8" ID							7/8" ID					1" ID	1 1/8" ID	1 3/8" ID
			EA504	EA505	EA506	EA508	EA510	EA512	EA515	EA706	EA708	EA710	EA712	EA715	EA813	EA915	EA1115
			15,000	13,000	10,000	7,500	6,000	5,100	4,000	7,380	6,000	4,400	4,000	3,000	3,000	3,000	2,700
30	2.50		1.16	1.34	1.74	2.32	2.90	3.42	4.36	2.36	2.90	4.36	4.36	5.81	5.81	5.81	6.45
32	2.67		1.09	1.26	1.63	2.18	2.72	3.20	4.08	2.21	2.72	3.71	4.08	5.45	5.45	5.45	6.05
34	2.83		1.02	1.18	1.54	2.05	2.56	3.01	3.84	2.08	2.56	3.49	3.84	5.12	5.12	5.12	5.69
36	3.00		0.97	1.12	1.45	1.94	2.42	2.85	3.63	1.97	2.42	3.30	3.63	4.84	4.84	4.84	5.38
38	3.17		0.92	1.06	1.38	1.83	2.29	2.70	3.44	1.86	2.29	3.13	3.44	4.59	4.59	4.59	5.09
40	3.33		0.87	1.01	1.31	1.74	2.18	2.56	3.27	1.77	2.18	2.97	3.27	4.36	4.36	4.36	4.84
42	3.50		0.83	0.96	1.24	1.66	2.07	2.44	3.11	1.69	2.07	2.83	3.11	4.15	4.15	4.15	4.61
44	3.67		0.79	0.91	1.19	1.58	1.98	2.33	2.97	1.61	1.98	2.70	2.97	3.96	3.96	3.96	4.40
46	3.83		0.76	0.87	1.14	1.52	1.89	2.23	2.84	1.54	1.89	2.58	2.84	3.79	3.79	3.79	4.21
48	4.00		0.73	0.84	1.09	1.45	1.82	2.14	2.72	1.48	1.82	2.48	2.72	3.63	3.63	3.63	4.03
50	4.17		0.70	0.80	1.05	1.39	1.74	2.05	2.61	1.42	1.74	2.38	2.61	3.48	3.48	3.48	3.87
52	4.33		0.67	0.77	1.01	1.34	1.68	1.97	2.51	1.36	1.68	2.28	2.51	3.35	3.35	3.35	3.72
54	4.50		0.65	0.74	0.97	1.29	1.61	1.90	2.42	1.31	1.61	2.20	2.42	3.23	3.23	3.23	3.59
56	4.67		0.62	0.72	0.93	1.24	1.56	1.83	2.33	1.26	1.56	2.12	2.33	3.11	3.11	3.11	3.46
58	4.83		0.60	0.69	0.90	1.20	1.50	1.77	2.25	1.22	1.50	2.05	2.25	3.00	3.00	3.00	3.34
60	5.00		0.58	0.67	0.87	1.16	1.45	1.71	2.18	1.18	1.45	1.98	2.18	2.90	2.90	2.90	3.23
62	5.17		0.56	0.65	0.84	1.12	1.41	1.65	2.11	1.14	1.41	1.92	2.11	2.81	2.81	2.81	3.12
64	5.33		0.54	0.63	0.82	1.09	1.36	1.60	2.04	1.11	1.36	1.86	2.04	2.72	2.72	2.72	3.03
66	5.50		0.53	0.61	0.79	1.06	1.32	1.55	1.98	1.07	1.32	1.80	1.98	2.64	2.64	2.64	2.93
68	5.67		0.51	0.59	0.77	1.02	1.28	1.51	1.92	1.04	1.28	1.75	1.92	2.56	2.56	2.56	2.85
70	5.83		0.50	0.57	0.75	1.00	1.24	1.46	1.87	1.01	1.24	1.70	1.87	2.49	2.49	2.49	2.77
72	6.00		0.48	0.56	0.73	0.97	1.21	1.42	1.82	0.98	1.21	1.65	1.82	2.42	2.42	2.42	2.69
74	6.17		0.47	0.54	0.71	0.94	1.18	1.39	1.77	0.96	1.18	1.61	1.77	2.35	2.35	2.35	2.62
76	6.33		0.46	0.53	0.69	0.92	1.15	1.35	1.72	0.93	1.15	1.56	1.72	2.29	2.29	2.29	2.55
78	6.50		0.45	0.52	0.67	0.89	1.12	1.31	1.68	0.91	1.12	1.52	1.68	2.23	2.23	2.23	2.48
80	6.67		0.44	0.50	0.65	0.87	1.09	1.28	1.63	0.89	1.09	1.49	1.63	2.18	2.18	2.18	2.42

To use this chart: Intersect row spacing on first column with product type from first row.
Multiply the factor by acreage. The result will be the number of reels required for your next order.

Drip Tape Accessories

Aqua-Traxx Fusion System

Fusion System Splicer for Aqua-Traxx (Category VIII)



Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Fusion System Splicer for Aqua-Traxx 5/8" & 7/8"								
ZCP9700	Aqua-Traxx Fusion System Splicer	—	1	45.0	20.41	3.67	0.104	6,000.00
ZCP9710	Replacement Teflon - 6mil (10 per bag)	10	—	—	—	—	—	119.00
ZCP9760	Replacement Teflon - 10mil (10 per bag)	10	—	—	—	—	—	
ZCP9720	Replacement Heating Element (2 sets)	2	—	—	—	—	—	214.00
	*Note: Includes 2 Lower Insulating Tape, 2 Heating Elements, 2 Upper Teflon Insulating Tape							
ZCP9730	Replacement Heating Blocks (1 unit)	1	—	—	—	—	—	349.00
	*Note: Each Splicer requires two Heating Blocks							
ZCP9740	Replacement Masking Adapters (set of 2)	2	—	—	—	—	—	116.00
ZCP9750	Replacement Splicer Fuse (5 per bag)	5	—	—	—	—	—	46.60
ZCP9770	Replacement Start Cycle Button	1	—	—	—	—	—	45.00

Drip Tape Fittings

Pro-Loc™ Tape Fittings (Category VIII)

	Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price Each
			Bag	Carton	Lbs.	Kilos	Ft.	M.	
	Couplings								
	FTC500	5/8" Tape Coupling	50	500	—	—	1.28	0.036	0.51
	FTC700	7/8" Tape Coupling	50	350	—	—	1.28	0.036	0.99
	FTC800	1" Tape Coupling	50	300	—	—	1.28	0.036	1.56
	250 Series Barb Adapter								
	FTA5-250B	5/8" Tape x 250 Series Barb Adapter	—	400	—	—	1.28	0.036	0.37
	400 Series Barb Coupling								
	FBC400B	400 Series Barb Coupling	500	1500	—	—	1.28	0.036	0.32
	400 Series Barb Adapter								
	FTA5-400B	5/8" Tape x 400 Series Barb Adapter	—	400	—	—	1.28	0.036	0.37
	700 Series Barb Adapter								
	FTA5-700B	5/8" Tape x 700 Series Barb Adapter	—	400	—	—	1.28	0.036	0.40
	FTA7-700B	7/8" Tape x 700 Series Barb Adapter	—	400	—	—	1.28	0.036	0.84
	425 Series Barb Adapter								
	FTA5-425G	5/8" Tape x 425 Series Barb Adapter with Integral Gasket	50	700	—	—	1.28	0.036	0.40
	425 Series Barb Adapter with Rubber Grommet								
	FTA5-425GR	5/8" Tape x 425 Series Barb Adapter with Rubber Grommet	50	600	—	—	1.28	0.036	0.58
	FTA7-425GR	7/8" Tape x 425 Series Barb Adapter with Rubber Grommet	50	400	—	—	1.28	0.036	0.92
	Top Hat Grommets								
	FTHG4	Top Hat Grommet for 400 - 425 Series Barbs	50	7,000	—	—	1.28	0.036	0.26
	Tape End Plugs								
	FTA5-END	5/8" TAPE END PLUG	50	800	—	—	1.28	0.036	0.55
	FTA7-END	7/8" TAPE END PLUG	50	500	—	—	1.28	0.036	0.70
	Female Hose Thread Swivel Adapter								
	FTA5-75FHS	5/8" Tape x 3/4" Female Hose Swivel Adapter	—	400	—	—	1.28	0.036	1.33
	3/4" Male Adapter								
	FTA5-75MPT	5/8" Tape x 3/4" MPT Male Adapter	50	500	—	—	1.28	0.036	0.45
	FTA7-75MPT	7/8" Tape x 3/4" MPT Male Adapter	50	400	—	—	1.28	0.036	0.66
	FTA8-75MPT	1" Tape x 3/4" MPT Male Adapter	50	300	—	—	1.28	0.036	1.09
	Barb Adapters x Flush Valves								
	FTA5-FVL	5/8" Tape x Low Pressure Flush Valve	50	350	—	—	1.28	0.036	1.73
	FTA7-FVL	7/8" Tape x Low Pressure Flush Valve	50	350	—	—	1.28	0.036	2.03
	Flush Valves								
	FFVFPT-L	Automatic Flush Valve x 3/4" Female Low Flow - White	50	800	—	—	1.28	0.036	0.94
	FFVFPT-H	Automatic Flush Valve x 3/4" Female High Flow - Red	50	800	—	—	1.28	0.036	0.94
	Layflat Takeoff Fittings - Single Grip								
	FTA5-LF	5/8" Tape x Layflat Takeoff - Single Grip	50	400	—	—	1.28	0.036	0.75
	FTA7-LF	7/8" Tape x Layflat Takeoff - Single Grip	50	300	—	—	1.28	0.036	1.14
	Layflat Takeoff Fittings - Double Grip								
	FTA5-LF2	5/8" Tape x Layflat Takeoff - Double Grip	50	400	—	—	1.28	0.036	1.00
	Tape x Hose Adapter with Locking Nut								
	FTA5-600HN	5/8" Tape x 600 Series Pro-Loc Adapter with Locking Nut	50	500	—	—	1.28	0.036	1.06
	Barbed Hose Adapters								
	FTA5-500HB	5/8" Tape x 500 Series Hose Barb Adapter	50	700	—	—	1.28	0.036	0.37
	FTA5-700HB	5/8" Tape x 700 Series Hose Barb Adapter	50	600	—	—	1.28	0.036	0.43
	FTA7-700HB	7/8" Tape x 700 Series Hose Barb Adapter	50	400	—	—	1.28	0.036	0.65

Pro-Loc™ Tape Fittings Feature a Blue Nut for Easy Identification

Drip Tape Fittings

Pro-Loc™ Tape Fittings Cont... (Category VIII)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Tape x Tubing Assembly								
FTA5-CL12B	5/8" Pro-Loc Tapex 400B w/12" tubing assembly	—	550	—	—	1.28	0.036	1.15
FTA5-CL18B	5/8" Pro-Loc Tapex 400B w/18" tubing assembly	—	500	—	—	1.28	0.036	1.25
FTA5-CL24B	5/8" Pro-Loc Tapex 400B w/24" tubing assembly	—	450	—	—	1.28	0.036	1.33
FTA5-CL30B	5/8" Pro-Loc Tapex 400B w/30" tubing assembly	—	400	—	—	1.28	0.036	1.49
Tees								
FTT500	5/8" Tape Tee	50	200	—	—	1.28	0.036	1.22
FTT700	7/8" Tape Tee	50	150	—	—	1.28	0.036	2.37
Barbed Tees								
FTT5-500HB	5/8" Tape Tee x 500 Series Hose Barb	50	300	—	—	1.28	0.036	1.59
FTT5-700HB	5/8" Tape Tee x 700 Series Hose Barb	50	300	—	—	1.28	0.036	1.68
Shutoff Valves								
FTV500	5/8" Tape Shutoff Valve	50	250	—	—	1.28	0.036	1.34
FTV700	7/8" Tape Shutoff Valve	—	400	—	—	1.28	0.036	1.41
250 Series Barb Adapters with Shutoff Valve								
FTV5-250B	5/8" Tape x 250 Barb Adapter Shutoff Valve	50	350	—	—	1.28	0.036	1.63
FTV7-250B	7/8" Tape x 250 Barb Adapter Shutoff Valve	50	300	—	—	1.28	0.036	2.04
400 Series Barb Adapters with Shutoff Valve								
FTV5-400B	5/8" Tape x 400 Barb Adapter Shutoff Valve	50	350	—	—	1.28	0.036	1.73
FTV7-400B	7/8" Tape x 400 Barb Adapter Shutoff Valve	50	300	—	—	1.28	0.036	2.16
Barbed Shutoff Valve with Locking Nut								
FTV5-420BN	5/8" Tape x 420 Series Barb with Locking Nut Shutoff Valve	—	400	—	—	1.28	0.036	1.45
Barbed Shutoff Valve with Locking Nut								
FTV5-500HN	5/8" Tape x 500 Series Hose Barb with Locking Nut Shutoff Valve	50	300	—	—	1.28	0.036	1.63
FTV5-600HN	5/8" Tape x 600 Series Hose Barb with Locking Nut Shutoff Valve	50	300	—	—	1.28	0.036	1.81
Barbed Shutoff Valves								
FTV5-500HB	5/8" Tape x 500 Series Hose Barb Shutoff Valve	50	350	—	—	1.28	0.036	1.03
FTV7-500HB	7/8" Tape x 500 Series Hose Barb Shutoff Valve	—	400	—	—	1.28	0.036	1.63
Layflat Takeoff Shutoff Valve								
FTV5-LF	5/8" Tape x Layflat Takeoff Shutoff Valve	50	200	—	—	1.28	0.036	1.93
FTV7-LF	7/8" Tape x Layflat Takeoff Shutoff Valve	50	200	—	—	1.28	0.036	2.62
Layflat Installation Tools								
LF-INST	T-Handle Hex Tool for Layflat Installation	25	250	—	—	1.28	0.036	5.73
LF-CUT14	Layflat Cutter - 14mm BLUE	1	50	23.33	10.60	1.28	0.036	97.40
LF-CUT16	Layflat Cutter - 16mm RED	1	50	23.33	10.60	1.28	0.036	97.40
LF-CUT19	Layflat Cutter - 19mm GREEN	1	50	23.33	10.60	1.28	0.036	113.00
400 Series Barb Tools								
INS-400XS	400B Cutting and Inserting Tool - Extra Short	10	80	25.43	11.56	1.28	0.036	31.50
INS-400S	400B Cutting and Inserting Tool - Short	10	80	25.43	11.56	1.28	0.036	31.50
INS-400AS	400B Cutting and Inserting Tool with Adjustable Tip - Short	10	80	25.43	11.56	1.28	0.036	45.00
INS-400AL	400B Cutting and Inserting Tool with Adjustable Tip - Long	10	80	25.43	11.56	1.28	0.036	45.00
TIP-400XS	400B Replacement Tip - ExtraShort	27	216	25.43	11.56	1.28	0.036	24.70
TIP-400S	400B Replacement Tip - Short	27	216	25.43	11.56	1.28	0.036	24.70
TIP-400AS	400B Replacement Adjustable Tip - Short	27	216	25.43	11.56	1.28	0.036	37.50
TIP-400AL	400B Replacement Adjustable Tip - Long	24	192	25.43	11.56	1.28	0.036	37.50


Pro-Loc™ Tape Fittings Feature a Blue Nut for Easy Identification

Pro-Loc™ Fittings Selection Chart					
Nominal Size ID	Series Number	Inside Diameter Tolerance		Wall Thickness Tolerance	
		Inches	Millimeters	Inches	Millimeters
16mm & 17mm	500	0.519 - 0.590	13.2 - 15.0	0.020 - 0.055	0.50 - 1.40
18mm	600	0.598 - 0.649	15.2 - 16.5	0.030 - 0.055	0.75 - 1.40
20mm	700	0.677 - 0.728	17.2 - 18.5	0.032 - 0.055	0.80 - 1.40
22mm	800	0.787 - 0.846	20.0 - 21.5	0.040 - 0.059	1.00 - 1.50



To order, call Toro Ag
Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495
List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)

Drip Tape Accessories



Tape Fitting Accessories (Category VIII)

- ◇ **MADE TO ORDER.** US\$ 7,500.00 minimum order value will apply. Toro Ag Customer Service will confirm by Fax that the order has been accepted and the estimated date of delivery.

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price Each
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Wire Ties & Handles								
FMH08-1	Wire tie handle	1	24	8.0	3.63	0.20	0.006	14.40
FWA01-5000	Stainless steel wire tie, 18 gauge, 6" long, 5000 quantity	—	5,000	22.0	9.98	0.91	0.026	600.00
FWA02-5000	Galvanized steel wire tie, 18 gauge, 6" long, 5000 quantity	—	5,000	24.0	10.89	0.64	0.018	250.00
FWA03-5000	Stainless steel wire tie, 18 gauge, 7" long, 5000 quantity	—	5,000	—	—	—	—	500.00
FWA04-5000	Stainless steel wire tie, 18 gauge, 8" long, 5000 quantity	—	5,000	—	—	—	—	700.00
FWA05-5000	Galvanized steel wire tie, 16 gauge, 10" long, 5000 quantity	—	5,000	—	—	—	—	650.00
Hose Punch								
FHP16	Oval hose punch, steel	1	—	—	—	—	—	84.10
Threaded Cap & Washers								
FEP1380	3/4" FHT Cap w/ Washer	100	1,200	Call Toro Ag Customer Service				
FEP1376	3/4" Washer w/ Screen	—	5,000	25.0	11	2	0.042	0.49
FEP1377	3/4" Washer	—	7,000	22.0	10	1	0.028	0.30

Drip Tape Fittings

Tape Fittings, Ring-Loc™ (Category VIII)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price Each							
		Bag	Carton	Lbs.	Kilos	Ft.	M.								
Coupling, Tape X Tape Ring-Loc															
FCC98	5/8" Ring-Loc X 5/8" Ring-Loc	100	1,000	23.0	10	1.35	0.038	0.59							
Reducer Coupling, Hose (ID) Loc-Eze X Tape Ring-Loc															
FCR1698	16mm Loc-Eze X 5/8" Ring-Loc	100	1,000	24.0	11	1.35	0.038	POR							
Elbow, Tape X Tape Ring-Loc															
FEE98	5/8" Ring-Loc X 5/8" Ring-Loc	100	700	21.0	10	1.35	0.038	1.00							
Tee, Tape Ring-Loc X Tape Ring-Loc X Tape Ring-Loc															
FTT98	5/8" X 5/8" X 5/8" Ring-Loc	100	500	22.0	10	1.35	0.038	POR							
Adapter Tee, 3/4" FHT Swivel X Tape Ring-Loc X Tape Ring-Loc															
FTS98	3/4" FHT Swivel w/screen X 5/8" Tape Ring-Loc	Call Toro Ag Customer Service													
	X 5/8" Tape Ring-Loc														
FTS98-1	3/4" FHT Swivel w/washer X 5/8" Tape Ring-Loc														
	X 5/8" Tape Ring-Loc														
Hose End, 3/4" MHT X Tape Ring-Loc															
FJJ98	3/4" MHT X 5/8" Tape Ring-Loc with cap	Call Toro Ag Customer Service													
FJA98	3/4" MHT X 5/8" Tape Ring-Loc w/o cap														
FEP1380	3/4" FHT Cap w/ Washer														
Adapters Coupling, 1/2" MPT X Tape Ring-Loc															
FAM98	1/2" MPT x 5/8" Tape Ring-Loc w/out cap	Call Toro Ag Customer Service													
Adapter Coupling, 3/4" FHT Swivel X 5/8" Tape Ring-Loc															
FAS98	3/4" FHT Swivel w/screen X 5/8" Tape Ring-Loc														
Hose Connector, Barb X Tape Ring-Loc															
FCA0598	5mm or 6mm Barb X 5/8" Tape Ring-Loc	100	1,500	20.0	9	1.35	0.038	0.62							
FCA0798	7mm Barb X 5/8" Tape Ring-Loc	100	1,500	22.0	10	1.35	0.038	0.58							
Rubber Grommet, takeoff for PVC X 7mm Barb															
FGP10	Rubber Grommet for 7mm Barb (for use with FCA fittings), use drill bit size 9/16"	—	5,000	22.0	10	0.92	0.026	1.00							
Replacement Ring-Loc Rings															
FEP3198	Replacement Ring-Loc for 5/8" Tape fittings	—	6,000	26.0	11.79	1.35	0.038	0.11							

Shaded area indicates products being discontinued. Limited to available stocks on hand.

Drip Tape Fittings

Take-off Fittings, Tape Riser Assembly

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Box		Lbs.	Kilos	Ft.	M.	

Take-off Adaptors

XP-13x13	13 mm grommet inlet x 13mm takeoff	1600		18.0	8.16	—	—	0.59
XP-13x14	13 mm grommet inlet x 14mm takeoff	1600		22.0	9.98	—	—	0.61
XP-13x15	13 mm grommet inlet x 15 mm takeoff	1400		21.0	9.53	—	—	0.66
XP-16x16	16 mm grommet inlet x 16 mm takeoff	1000		18.0	8.16	—	—	0.90
XP-16x18	16 mm grommet inlet x 18 mm takeoff	1000		22.0	9.98	—	—	0.91
XP-19x21	19 mm grommet inlet x 21 mm takeoff	800		21.0	9.53	—	—	1.09
XP-19x25	19 mm grommet inlet x 25 mm takeoff	600		19.0	8.62	—	—	1.45

Drill Bit for Take-Off Adaptors

ANT-51848	Drill bit for Take-Off Adapter 13 mm							39.00
ANT-51858	Drill bit for Take-Off Adapter 16 mm							46.00
ANT-51868	Drill bit for Take-Off Adapter 19 mm							53.00

Rubber Grommets

CAP-13	Rubber grommet 13mm	5500		23.0	10.43	—	—	0.54
CAP-16	Rubber Grommet 16mm	2700		23.0	10.43	—	—	0.68
CAP-19	Rubber Grommet 19mm	1000		23.0	10.43	—	—	0.79

Wedge Plug

FTC10	10mm Wedge Plug, PVC drill size 15/32", poly drill size 29/64", min PVC size 3/4" 20mm	100	5,000	18.0	8,2	1.35	0.038	0.12
FTC13	13mm Wedge Plug, PVC drill size 19/32", poly drill size 37/64", min PVC size 1" 25mm	100	3,000	18.0	8,2	1.35	0.038	0.21
FTC16	16mm Wedge Plug, PVC drill size 23/32", poly drill size 45/64", min PVC size 1-1/4" 32mm	100	2,200	18.0	8,2	1.35	0.038	0.42

Flush Valves (Category VI)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	

Flush Valve

FCH-H-FIPT	3/4"FPT, .8 gpm, 2 psi Sealing Pressure, Flush Valve	1	—	—	—	—	—	2.99
FCH-H-FHT	3/4"FHT, .8 gpm, 2 psi Sealing Pressure, Flush Valve	50	1,200	25	11.3	1.81	0.051	2.99

Ordering Information:

◇ = MADE TO ORDER. Minimum order quantity will apply. Please consult Toro Ag Customer Service for availability.




To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)





Flat Emitter Dripline


Flat Emitter Dripline

Neptune (Category XIII)

Non-Pressure Compensating Flat Emitter Dripline

MADE TO ORDER. US\$ 7,500.00 minimum order value will apply. Toro Ag Customer Service will confirm by Fax that the order has been accepted and the estimated date of delivery.

Flow rate expressed in gpm per emitter at 8 PSI (lph per emitter at 0.55 bar)



Part Number	Available Flow Rates (gph)	Available Flow Rates (lph)	Wall Thickness mil	mm	Reel Length Ft.	M	Reel Weight Lbs.	Kilos	Spacing in	cm	Reel Dia. Height	List Price Per Reel
5/8" Diameter												
TW50608xx-740	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	7,400	2,256	-	-	8	20	-	303.00
TW50612xx-940	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	9,400	2,865	-	-	12	30	-	344.00
TW50614xx-940	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	9,400	2,865	-	-	14	35	-	343.00
TW50616xx-940	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	9,400	2,865	-	-	16	40	-	341.00
TW50618xx-940	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	9,400	2,865	-	-	18	45	-	340.00
TW50620xx-940	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	9,400	2,865	-	-	20	50	-	339.00
TW50624xx-1000	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	10,000	3,048	-	-	24	60	-	357.00
TW50628xx-1000	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	10,000	3,048	-	-	28	71	-	356.00
TW50630xx-1000	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	10,000	3,048	-	-	30	76	-	354.00
TW50636xx-1000	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	10,000	3,048	-	-	36	91	-	352.00
3/4" Diameter												
TW50808xx-640	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	6,400	1,950	-	-	8	20	-	319.00
TW50812xx-750	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	7,500	2,286	-	-	12	30	-	334.00
TW50814xx-750	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	7,500	2,286	-	-	14	35	-	332.00
TW50816xx-750	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	7,500	2,286	-	-	16	40	-	331.00
TW50818xx-750	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	7,500	2,286	-	-	18	45	-	329.00
TW50820xx-750	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	7,500	2,286	-	-	20	50	-	327.00
TW50824xx-750	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	7,500	2,286	-	-	24	60	-	326.00
TW50828xx-750	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	7,500	2,286	-	-	28	71	-	324.00
TW50830xx-750	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	7,500	2,286	-	-	30	76	-	322.00
TW50836xx-750	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	7,500	2,286	-	-	36	91	-	321.00
1" Diameter												
TW51008xx-560	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	5,600	1,707	-	-	8	20	-	349.00
TW51012xx-620	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	6,200	1,890	-	-	12	30	-	345.00
TW51014xx-620	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	6,200	1,890	-	-	14	35	-	343.00
TW51016xx-620	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	6,200	1,890	-	-	16	40	-	341.00
TW51018xx-620	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	6,200	1,890	-	-	18	45	-	340.00
TW51020xx-620	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	6,200	1,890	-	-	20	50	-	338.00
TW51024xx-620	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	6,200	1,890	-	-	24	60	-	336.00
TW51028xx-620	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	6,200	1,890	-	-	28	71	-	336.00
TW51030xx-620	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	6,200	1,890	-	-	30	76	-	336.00
TW51036xx-620	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	6,200	1,890	-	-	36	91	-	336.00
1.5" Diameter												
TW51308xx-430	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,300	1,311	-	-	8	20	-	POR
TW51312xx-470	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,700	1,433	-	-	12	30	-	317.00
TW51314xx-470	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,700	1,433	-	-	14	35	-	316.00
TW51316xx-470	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,700	1,433	-	-	16	40	-	314.00
TW51318xx-470	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,700	1,433	-	-	18	45	-	312.00
TW51320xx-470	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,700	1,433	-	-	20	50	-	311.00
TW51324xx-470	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,700	1,433	-	-	24	60	-	309.00
TW51328xx-470	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,700	1,433	-	-	28	71	-	307.00
TW51330xx-470	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,700	1,433	-	-	30	76	-	306.00
TW51336xx-470	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,700	1,433	-	-	36	91	-	306.00
2" Diameter												
TW51508xx-390	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	3,900	1,189	-	-	8	20	-	365.00
TW51512xx-420	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	4,200	1,280	-	-	12	30	-	351.00
TW51514xx-420	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	4,200	1,280	-	-	14	35	-	349.00
TW51516xx-420	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	4,200	1,280	-	-	16	40	-	347.00
TW51518xx-420	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	4,200	1,280	-	-	18	45	-	346.00
TW51520xx-420	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	4,200	1,280	-	-	20	50	-	344.00
TW51524xx-420	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	4,200	1,280	-	-	24	60	-	342.00
TW51528xx-420	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	4,200	1,280	-	-	28	71	-	341.00
TW51530xx-420	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	4,200	1,280	-	-	30	76	-	340.00
TW51536xx-420	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	4,200	1,280	-	-	36	91	-	340.00
3" Diameter												
TW51808xx-290	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	2,900	884	-	-	8	20	-	320.00
TW51812xx-310	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	3,100	945	-	-	12	30	-	306.00
TW51814xx-310	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	3,100	945	-	-	14	35	-	304.00
TW51816xx-310	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	3,100	945	-	-	16	40	-	302.00
TW51818xx-310	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	3,100	945	-	-	18	45	-	301.00
TW51820xx-310	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	3,100	945	-	-	20	50	-	300.00
TW51824xx-310	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	3,100	945	-	-	24	60	-	298.00
TW51828xx-310	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	3,100	945	-	-	28	71	-	296.00
TW51830xx-310	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	3,100	945	-	-	30	76	-	293.00
TW51836xx-310	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	3,100	945	-	-	36	91	-	293.00
4" Diameter												
TW52408xx-200	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	2,000	610	-	-	8	20	-	301.00
TW52412xx-200	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	2,000	610	-	-	12	30	-	268.00
TW52414xx-200	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	2,000	610	-	-	14	35	-	266.00
TW52416xx-200	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	2,000	610	-	-	16	40	-	266.00
TW52418xx-200	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	2,000	610	-	-	18	45	-	264.00
TW52420xx-200	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	2,000	610	-	-	20	50	-	263.00
TW52424xx-200	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	2,000	610	-	-	24	60	-	261.


Flat Emitter Dripline

Neptune (Category XIII)

Non-Pressure Compensating Flat Emitter Dripline

MADE TO ORDER. US\$ 7,500.00 minimum order value will apply. Toro Ag Customer Service will confirm by Fax that the order has been accepted and the estimated date of delivery.

Flow rate expressed in gpm per emitter at 8 PSI (lph per emitter at 0.55 bar)



Part Number	Available Flow Rates (gph)	Available Flow Rates (lph)	Wall Thickness mil	mm	Reel Length Ft.	M	Reel Weight Lbs.	Kilos	Spacing in	cm	Reel Dia. Height	List Price Per Reel
7/8" Diameter (22mm)												
TW70608xx-530	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	5,300	1,615	-	-	8	20	-	273.00
TW70612xx-660	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	6,600	2,012	-	-	12	30	-	303.00
TW70614xx-738	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	7,380	2,249	-	-	14	35	-	337.00
TW70616xx-738	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	7,380	2,249	-	-	16	40	-	336.00
TW70618xx-738	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	7,380	2,249	-	-	18	45	-	334.00
TW70620xx-738	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	7,380	2,249	-	-	20	50	-	332.00
TW70624xx-738	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	7,380	2,249	-	-	24	60	-	331.00
TW70628xx-738	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	7,380	2,249	-	-	28	71	-	329.00
TW70630xx-738	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	7,380	2,249	-	-	30	76	-	327.00
TW70636xx-738	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	6 mil	0.15	7,380	2,249	-	-	36	91	-	326.00
TW70808xx-440	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	4,400	1,341	-	-	8	20	-	291.00
TW70812xx-520	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	5,200	1,585	-	-	12	30	-	306.00
TW70814xx-520	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	5,200	1,585	-	-	14	35	-	306.00
TW70816xx-520	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	5,200	1,585	-	-	16	40	-	304.00
TW70818xx-520	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	5,200	1,585	-	-	18	45	-	302.00
TW70820xx-520	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	5,200	1,585	-	-	20	50	-	301.00
TW70824xx-520	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	5,200	1,585	-	-	24	60	-	299.00
TW70828xx-520	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	5,200	1,585	-	-	28	71	-	298.00
TW70830xx-520	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	5,200	1,585	-	-	30	76	-	296.00
TW70836xx-520	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	8 mil	0.20	5,200	1,585	-	-	36	91	-	295.00
TW71008xx-420	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	4,200	1,280	-	-	8	20	-	340.00
TW71012xx-490	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	4,900	1,494	-	-	12	30	-	354.00
TW71014xx-490	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	4,900	1,494	-	-	14	35	-	352.00
TW71016xx-490	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	4,900	1,494	-	-	16	40	-	351.00
TW71018xx-490	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	4,900	1,494	-	-	18	45	-	349.00
TW71020xx-490	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	4,900	1,494	-	-	20	50	-	347.00
TW71024xx-490	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	4,900	1,494	-	-	24	60	-	346.00
TW71028xx-490	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	4,900	1,494	-	-	28	71	-	344.00
TW71030xx-490	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	4,900	1,494	-	-	30	76	-	343.00
TW71036xx-490	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	10 mil	0.25	4,900	1,494	-	-	36	91	-	343.00
TW71308xx-350	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	3,500	1,067	-	-	8	20	-	341.00
TW71312xx-400	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,000	1,219	-	-	12	30	-	348.00
TW71314xx-400	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,000	1,219	-	-	14	35	-	346.00
TW71316xx-400	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,000	1,219	-	-	16	40	-	345.00
TW71318xx-400	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,000	1,219	-	-	18	45	-	343.00
TW71320xx-400	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,000	1,219	-	-	20	50	-	341.00
TW71324xx-400	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,000	1,219	-	-	24	60	-	340.00
TW71328xx-400	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,000	1,219	-	-	28	71	-	339.00
TW71330xx-400	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,000	1,219	-	-	30	76	-	338.00
TW71336xx-400	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	13 mil	0.33	4,000	1,219	-	-	36	91	-	338.00
TW71508xx-240	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	2,400	732	-	-	8	20	-	277.00
TW71512xx-270	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	2,700	823	-	-	12	30	-	278.00
TW71514xx-270	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	2,700	823	-	-	14	35	-	276.00
TW71516xx-270	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	2,700	823	-	-	16	40	-	276.00
TW71518xx-270	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	2,700	823	-	-	18	45	-	275.00
TW71520xx-270	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	2,700	823	-	-	20	50	-	274.00
TW71524xx-270	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	2,700	823	-	-	24	60	-	273.00
TW71528xx-270	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	2,700	823	-	-	28	71	-	270.00
TW71530xx-270	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	2,700	823	-	-	30	76	-	269.00
TW71536xx-270	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	15 mil	0.38	2,700	823	-	-	36	91	-	269.00
TW71808xx-190	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	1,900	579	-	-	8	20	-	259.00
TW71812xx-210	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	2,100	640	-	-	12	30	-	270.00
TW71814xx-210	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	2,100	640	-	-	14	35	-	268.00
TW71816xx-210	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	2,100	640	-	-	16	40	-	266.00
TW71818xx-210	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	2,100	640	-	-	18	45	-	266.00
TW71820xx-210	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	2,100	640	-	-	20	50	-	265.00
TW71824xx-210	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	2,100	640	-	-	24	60	-	263.00
TW71828xx-210	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	2,100	640	-	-	28	71	-	247.00
TW71830xx-210	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	2,100	640	-	-	30	76	-	246.00
TW71836xx-210	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	18 mil	0.46	2,100	640	-	-	36	91	-	246.00
TW72408xx-130	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	1,300	396	-	-	8	20	-	241.00
TW72412xx-140	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	1,400	427	-	-	12	30	-	231.00
TW72414xx-140	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	1,400	427	-	-	14	35	-	230.00
TW72416xx-140	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	1,400	427	-	-	16	40	-	229.00
TW72418xx-140	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	1,400	427	-	-	18	45	-	228.00
TW72420xx-140	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	1,400	427	-	-	20	50	-	226.00
TW72424xx-140	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	1,400	427	-	-	24	60	-	226.00
TW72428xx-140	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	1,400	427	-	-	28	71	-	225.00
TW72430xx-140	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	1,400	427	-	-	30	76	-	224.00
TW72436xx-140	0.16; 0.25; 0.30; 0.47; 0.75	0.60; 0.95; 1.14; 1.78; 2.83	24 mil	0.61	1,400	427	-	-	36	91	-	222.00

XX denotes the flow rate in gpm per emitter @ 8 psi.

Flat Emitter Dripline

Flow Rates

Available in 6, 8, 10, 13, 15, 18 and 24 mil wall thicknesses

Emitter Flow Part Number	Outlet		Individual Emitter Flow Rate					Q-100				
	Spacing		gph		lph			gpm / 100 ft		lph / 1 meter		
	in	cm	@ 8 PSI	@ 10 PSI	@ 0.55 bar	@ 0.7 bar	@ 1 bar	@ 8 PSI	@ 10 PSI	@ 0.55 bar	@ 0.7 bar	@ 1 bar
0.16 GPH @ 8 PSI												
TWXxx0816	8"	20	0.16	0.18	0.60	0.67	0.80	0.40	0.44	2.94	3.30	3.94
TWXxx1216	12"	30	0.16	0.18	0.60	0.67	0.80	0.26	0.29	1.96	2.20	2.62
TWXxx1416	14"	35	0.16	0.18	0.60	0.67	0.80	0.23	0.25	1.68	1.88	2.25
TWXxx1616	16"	40	0.16	0.18	0.60	0.67	0.80	0.20	0.22	1.47	1.65	1.97
TWXxx1816	18"	45	0.16	0.18	0.60	0.67	0.80	0.18	0.20	1.31	1.47	1.75
TWXxx2016	20"	50	0.16	0.18	0.60	0.67	0.80	0.16	0.18	1.18	1.32	1.57
TWXxx2416	24"	60	0.16	0.18	0.60	0.67	0.80	0.13	0.15	0.98	1.10	1.31
0.25 GPH @ 8 PSI												
TWXxx0825	8"	20	0.25	0.29	0.95	1.08	1.30	0.64	0.71	4.66	5.31	6.40
TWXxx1225	12"	30	0.25	0.29	0.95	1.08	1.30	0.42	0.47	3.10	3.54	4.27
TWXxx1425	14"	35	0.25	0.29	0.95	1.08	1.30	0.36	0.41	2.66	3.03	3.66
TWXxx1625	16"	40	0.25	0.29	0.95	1.08	1.30	0.32	0.36	2.33	2.65	3.20
TWXxx1825	18"	45	0.25	0.29	0.95	1.08	1.30	0.28	0.32	2.07	2.36	2.84
TWXxx2025	20"	50	0.25	0.29	0.95	1.08	1.30	0.25	0.28	1.86	2.12	2.56
TWXxx2425	24"	60	0.25	0.29	0.95	1.08	1.30	0.21	0.24	1.55	1.77	2.13
0.30 GPH @ 8 PSI												
TWXxx0830	8"	20	0.30	0.34	1.14	1.27	1.56	0.75	0.85	5.59	6.24	7.68
TWXxx1230	12"	30	0.30	0.34	1.14	1.27	1.56	0.50	0.57	3.73	4.16	5.12
TWXxx1430	14"	35	0.30	0.34	1.14	1.27	1.56	0.43	0.49	3.19	3.57	4.39
TWXxx1630	16"	40	0.30	0.34	1.14	1.27	1.56	0.38	0.43	2.79	3.12	3.84
TWXxx1830	18"	45	0.30	0.34	1.14	1.27	1.56	0.33	0.38	2.48	2.77	3.41
TWXxx2030	20"	50	0.30	0.34	1.14	1.27	1.56	0.30	0.34	2.24	2.50	3.07
TWXxx2430	24"	60	0.30	0.34	1.14	1.27	1.56	0.25	0.28	1.86	2.08	2.56
0.47 GPH @ 8 PSI												
TWXxx0847	8"	20	0.47	0.53	1.78	1.99	2.40	1.17	1.31	8.76	9.78	11.81
TWXxx1247	12"	30	0.47	0.53	1.78	1.99	2.40	0.78	0.87	5.84	6.52	7.87
TWXxx1447	14"	35	0.47	0.53	1.78	1.99	2.40	0.67	0.75	5.00	5.59	6.75
TWXxx1647	16"	40	0.47	0.53	1.78	1.99	2.40	0.59	0.66	4.38	4.89	5.91
TWXxx1847	18"	45	0.47	0.53	1.78	1.99	2.40	0.52	0.58	3.89	4.35	5.25
TWXxx2047	20"	50	0.47	0.53	1.78	1.99	2.40	0.47	0.52	3.50	3.91	4.72
TWXxx2447	24"	60	0.47	0.53	1.78	1.99	2.40	0.39	0.44	2.92	3.26	3.94
0.75 GPH @ 8 PSI												
TWXxx0875	8"	20	0.75	0.84	2.83	3.16	3.80	1.87	2.09	13.92	15.56	18.70
TWXxx1275	12"	30	0.75	0.84	2.83	3.16	3.80	1.24	1.39	9.28	10.37	12.47
TWXxx1475	14"	35	0.75	0.84	2.83	3.16	3.80	1.07	1.19	7.95	8.89	10.69
TWXxx1675	16"	40	0.75	0.84	2.83	3.16	3.80	0.93	1.04	6.96	7.78	9.35
TWXxx1875	18"	45	0.75	0.84	2.83	3.16	3.80	0.83	0.93	6.18	6.91	8.31
TWXxx2075	20"	50	0.75	0.84	2.83	3.16	3.80	0.75	0.83	5.57	6.22	7.48
TWXxx2475	24"	60	0.75	0.84	2.83	3.16	3.80	0.62	0.70	4.64	5.19	6.23

X - denotes 5 for 5/8" diameter, 7 for 7/8" diameter


xx - denotes mil thickness

Nominal flow per emitter at 8 PSI

To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)

A black and white photograph of a vast agricultural field, likely an orchard or vineyard. The field is filled with rows of low-lying plants, possibly grapevines, which are supported by a trellis system. In the background, numerous vertical posts or poles are visible, extending across the horizon. The sky is clear and bright. The overall scene depicts a well-maintained and extensive farming operation.

Dripline

Dripline

BLUELINE® PC
 PREMIUM PRESSURE COMPENSATING DRIPLINE


BlueLine® PC (Category II)

Pressure Compensating Dripline with the Blue Stripe® of Quality

- ◇ **MADE TO ORDER.** 60,000 Ft. minimum order quantity will apply. Toro Ag Customer Service will confirm by Email that the order has been accepted and the estimated date of delivery. Custom Emitter Spacing available. Truck load quantities are approximate.
 Flow rate expressed gph per individual emitter @ 30 psi (2 Bar)

Part Number	Available Flow Rates	Emitter Spacing	Coil Length		Shipping Weight		Qty per Pallet	Qty per Truck		List Price Per Coil
			Ft.	M.	Lbs.	Kilos.		Pallet	Loose	
0.550" (16mm OD) PC Dripline (0.550" ID x 0.640" OD x 0.045" Wall)										
◇ BP55xxx-12	0.26; 0.40; 0.53; 1.06 gph	12"	1,000	305	38.5	17.5	20	555	655	323.00
◇ BP55xxx-15	0.26; 0.40; 0.53; 1.06 gph	15"	1,000	305	38	17.2	20	555	655	287.00
◇ BP55xxx-18	0.26; 0.40; 0.53; 1.06 gph	18"	1,000	305	37	16.8	20	555	655	263.00
◇ BP55xxx-24	0.26; 0.40; 0.53; 1.06 gph	24"	1,000	305	36	16.3	20	555	655	234.00
◇ BP55xxx-30	0.26; 0.40; 0.53; 1.06 gph	30"	1,000	305	36	16.3	20	555	655	216.00
◇ BP55xxx-36	0.26; 0.40; 0.53; 1.06 gph	36"	1,000	305	35	15.9	20	555	655	204.00
◇ BP55xxx-42	0.26; 0.40; 0.53; 1.06 gph	42"	1,000	305	35	15.9	20	555	655	195.00
◇ BP55xxx-48	0.26; 0.40; 0.53; 1.06 gph	48"	1,000	305	35	15.9	20	555	655	190.00
◇ BP55xxx-54	0.26; 0.40; 0.53; 1.06 gph	54"	1,000	305	35	15.9	20	555	655	184.00
◇ BP55xxx-60	0.26; 0.40; 0.53; 1.06 gph	60"	1,000	305	35	15.9	20	555	655	234.00
◇ BP55xxx-66	0.26; 0.40; 0.53; 1.06 gph	66"	1,000	305	35	15.9	20	555	655	177.00
◇ BP55xxx-72	0.26; 0.40; 0.53; 1.06 gph	72"	1,000	305	35	15.9	20	555	655	175.00
0.620" (18mm OD) PC Dripline (0.620" ID x 0.710" OD x 0.045" Wall)										
◇ BP62xxx-08	0.26; 0.40; 0.53; 1.06 gph	8"	1,000	305	43	19.5	20	500	600	350.00
◇ BP62xxx-10	0.26; 0.40; 0.53; 1.06 gph	10"	1,000	305	43	19.5	20	500	600	345.00
◇ BP62xxx-12	0.26; 0.40; 0.53; 1.06 gph	12"	1,000	305	43	19.5	20	500	600	315.00
◇ BP62xxx-15	0.26; 0.40; 0.53; 1.06 gph	15"	1,000	305	42.5	19.3	20	500	600	299.00
◇ BP62xxx-18	0.26; 0.40; 0.53; 1.06 gph	18"	1,000	305	42	19.1	20	500	600	275.00
◇ BP62xxx-24	0.26; 0.40; 0.53; 1.06 gph	24"	1,000	305	41	18.6	20	500	600	245.00
◇ BP62xxx-30	0.26; 0.40; 0.53; 1.06 gph	30"	1,000	305	40	18.1	20	500	600	227.00
◇ BP62xxx-36	0.26; 0.40; 0.53; 1.06 gph	36"	1,000	305	40	18.1	20	500	600	216.00
◇ BP62xxx-42	0.26; 0.40; 0.53; 1.06 gph	42"	1,000	305	39	17.7	20	500	600	207.00
◇ BP62xxx-48	0.26; 0.40; 0.53; 1.06 gph	48"	1,000	305	39	17.7	20	500	600	201.00
◇ BP62xxx-54	0.26; 0.40; 0.53; 1.06 gph	54"	1,000	305	39	17.7	20	500	600	195.00
◇ BP62xxx-60	0.26; 0.40; 0.53; 1.06 gph	60"	1,000	305	39	17.7	20	500	600	192.00
◇ BP62xxx-66	0.26; 0.40; 0.53; 1.06 gph	66"	1,000	305	39	17.7	20	500	600	189.00
◇ BP62xxx-72	0.26; 0.40; 0.53; 1.06 gph	72"	1,000	305	39	17.7	20	500	600	186.00
0.710" (20mm OD) PC Dripline (0.710" ID x 0.805" OD x 0.048" Wall)										
◇ BP71xxx-12	0.26; 0.40; 0.53; 1.06 gph	12"	1,000	305	52	23.6	16	400	470	330.00
◇ BP71xxx-15	0.26; 0.40; 0.53; 1.06 gph	15"	1,000	305	52.5	23.8	16	400	470	320.00
◇ BP71xxx-18	0.26; 0.40; 0.53; 1.06 gph	18"	1,000	305	50	22.7	16	400	470	297.00
◇ BP71xxx-24	0.26; 0.40; 0.53; 1.06 gph	24"	1,000	305	49	22.2	16	400	470	267.00
◇ BP71xxx-30	0.26; 0.40; 0.53; 1.06 gph	30"	1,000	305	48	21.8	16	400	470	250.00
◇ BP71xxx-36	0.26; 0.40; 0.53; 1.06 gph	36"	1,000	305	48	21.8	16	400	470	237.00
◇ BP71xxx-42	0.26; 0.40; 0.53; 1.06 gph	42"	1,000	305	47	21.3	16	400	470	229.00
◇ BP71xxx-48	0.26; 0.40; 0.53; 1.06 gph	48"	1,000	305	47	21.3	16	400	470	223.00
◇ BP71xxx-54	0.26; 0.40; 0.53; 1.06 gph	54"	1,000	305	47	21.3	16	400	470	218.00
◇ BP71xxx-60	0.26; 0.40; 0.53; 1.06 gph	60"	1,000	305	47	21.3	16	400	470	214.00
◇ BP71xxx-66	0.26; 0.40; 0.53; 1.06 gph	66"	1,000	305	47	21.3	16	400	470	210.00
◇ BP71xxx-72	0.26; 0.40; 0.53; 1.06 gph	72"	1,000	305	47	21.3	16	400	470	208.00

xxx Denotes emitter flow rate in gph at 30psi. Substitute xxx, with the flow rate required.

 Part Number: **B P 62 053 - 24**

Ordering Information:

- BlueLine hose is manufactured I.D. controlled.
- BlueLine 0.620" ID (18mm OD) is compatible with 0.620" (16mm) ID Loc Eze Fittings. Please refer to Hose Fittings Section.
- BlueLine hose is equivalent to:

BlueLine 0.550" ID (16mm OD)	EHD1443	Blue Stripe® Round Hose
BlueLine 0.620" ID (18mm OD)	EHD1643	Blue Stripe® Round Hose
BlueLine 0.710" ID (20mm OD)	EHD1845	Blue Stripe® Round Hose

To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)

Dripline

BLUELINE® PC
 PREMIUM PRESSURE COMPENSATING DRIPLINE


BlueLine® PC (Metric) (Category II)

Pressure Compensating Dripline with the Blue Stripe® of Quality

- ◇ **MADE TO ORDER.** 18,288 Mtr. (60,000 Ft.) minimum order quantity will apply. Toro Ag Customer Service will confirm by Email that the order has been accepted and the estimated date of delivery. Custom Emitter Spacing available. Truck load quantities are approximate. Flow rate expressed gph per individual emitter @ 2 Bar (30 psi)

Part Number	Available Flow Rates	Emitter Spacing	Coil Length		Shipping Weight		Qty per Truck Palletized	Qty per Container		List Price Per Coil
			Ft.	M.	Lbs.	Kilos.		20 Ft.	40Ft.	
16mm OD PC Dripline (13.97mm ID x 16.26mm OD x 1.14mm Wall)										
◇ BP16xx-30CM-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	30cm	1,310	400	50.5	22.9	365	160	320	429.00
◇ BP16xx-40CM-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	40cm	1,310	400	49	22.2	365	160	320	368.00
◇ BP16xx-50CM-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	50cm	1,310	400	48	21.8	365	160	320	331.00
◇ BP16xx-60CM-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	60cm	1,310	400	47.5	21.5	365	160	320	309.00
◇ BP16xx-75CM-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	75cm	1,310	400	47	21.3	365	160	320	285.00
◇ BP16xx-80CM-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	80cm	1,310	400	47	21.3	365	160	320	278.00
◇ BP16xx-90CM-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	90cm	1,310	400	46.5	21.1	365	160	320	269.00
◇ BP16xx-100CM-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	100cm	1,310	400	46	20.9	365	160	320	261.00
◇ BP16xx-120CM-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	120cm	1,310	400	46	20.9	365	160	320	249.00
◇ BP16xx-150CM-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	150cm	1,310	400	46	20.9	365	160	320	237.00
◇ BP16xx-200CM-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	200cm	1,310	400	46	20.9	365	160	320	225.00
16mm OD PC Dripline (13.97mm ID x 16.26mm OD x 0.9mm Wall)										
◇ BP1609xx-30C-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	30cm	1,310	400	43.0	19.5	395	180	360	382.00
◇ BP1609xx-40C-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	40cm	1,310	400	41.5	18.8	395	180	360	327.00
◇ BP1609xx-50C-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	50cm	1,310	400	40.5	18.4	395	180	360	294.00
◇ BP1609xx-60C-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	60cm	1,310	400	40.0	18.1	395	180	360	273.00
◇ BP1609xx-75C-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	75cm	1,310	400	39.5	17.9	395	180	360	251.00
◇ BP1609xx-80C-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	80cm	1,310	400	39.5	17.9	395	180	360	245.00
◇ BP1609xx-90C-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	90cm	1,310	400	39.0	17.7	395	180	360	236.00
◇ BP1609xx-100C-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	100cm	1,310	400	38.5	17.5	395	180	360	229.00
◇ BP1609xx-120C-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	120cm	1,310	400	38.5	17.5	395	180	360	218.00
◇ BP1609xx-150C-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	150cm	1,310	400	38.5	17.5	395	180	360	207.00
◇ BP1609xx-200C-400	1,0 ; 1,5 ; 2,0 ; 4,0 lph	200cm	1,310	400	38.5	17.5	395	180	360	196.00
18mm OD PC Dripline (15.75mm ID x 18.03mm OD x 1.14mm Wall)										
◇ BP18xx-30CM-350	1,0 ; 1,5 ; 2,0 ; 4,0 lph	30cm	1,150	350	50	22.7	470	150	300	388.00
◇ BP18xx-40CM-350	1,0 ; 1,5 ; 2,0 ; 4,0 lph	40cm	1,150	350	48	21.8	470	150	300	335.00
◇ BP18xx-50CM-350	1,0 ; 1,5 ; 2,0 ; 4,0 lph	50cm	1,150	350	47	21.3	470	150	300	303.00
◇ BP18xx-60CM-350	1,0 ; 1,5 ; 2,0 ; 4,0 lph	60cm	1,150	350	47	21.3	470	150	300	284.00
◇ BP18xx-75CM-350	1,0 ; 1,5 ; 2,0 ; 4,0 lph	75cm	1,150	350	46	20.9	470	150	300	262.00
◇ BP18xx-80CM-350	1,0 ; 1,5 ; 2,0 ; 4,0 lph	80cm	1,150	350	46	20.9	470	150	300	257.00
◇ BP18xx-90CM-350	1,0 ; 1,5 ; 2,0 ; 4,0 lph	90cm	1,150	350	46	20.9	470	150	300	249.00
◇ BP18xx-100CM-350	1,0 ; 1,5 ; 2,0 ; 4,0 lph	100cm	1,150	350	45	20.4	470	150	300	242.00
◇ BP18xx-120CM-350	1,0 ; 1,5 ; 2,0 ; 4,0 lph	120cm	1,150	350	45	20.4	470	150	300	231.00
◇ BP18xx-150CM-350	1,0 ; 1,5 ; 2,0 ; 4,0 lph	150cm	1,150	350	45	20.4	470	150	300	220.00
◇ BP18xx-200CM-350	1,0 ; 1,5 ; 2,0 ; 4,0 lph	200cm	1,150	350	45	20.4	470	150	300	210.00
20mm OD PC Dripline (18.03mm ID x 20.46mm OD x 1.20mm Wall)										
◇ BP20xx-30CM-305	1,0 ; 1,5 ; 2,0 ; 4,0 lph	30cm	1,000	305	52	23.6	400	135	275	361.00
◇ BP20xx-40CM-305	1,0 ; 1,5 ; 2,0 ; 4,0 lph	40cm	1,000	305	50	22.7	400	135	275	314.00
◇ BP20xx-50CM-305	1,0 ; 1,5 ; 2,0 ; 4,0 lph	50cm	1,000	305	49	22.2	400	135	275	286.00
◇ BP20xx-60CM-305	1,0 ; 1,5 ; 2,0 ; 4,0 lph	60cm	1,000	305	48	21.8	400	135	275	269.00
◇ BP20xx-75CM-305	1,0 ; 1,5 ; 2,0 ; 4,0 lph	75cm	1,000	305	48	21.8	400	135	275	251.00
◇ BP20xx-80CM-305	1,0 ; 1,5 ; 2,0 ; 4,0 lph	80cm	1,000	305	47	21.3	400	135	275	246.00
◇ BP20xx-90CM-305	1,0 ; 1,5 ; 2,0 ; 4,0 lph	90cm	1,000	305	47	21.3	400	135	275	238.00
◇ BP20xx-100CM-305	1,0 ; 1,5 ; 2,0 ; 4,0 lph	100cm	1,000	305	47	21.3	400	135	275	233.00
◇ BP20xx-120CM-305	1,0 ; 1,5 ; 2,0 ; 4,0 lph	120cm	1,000	305	47	21.3	400	135	275	224.00
◇ BP20xx-150CM-305	1,0 ; 1,5 ; 2,0 ; 4,0 lph	150cm	1,000	305	47	21.3	400	135	275	215.00
◇ BP20xx-200CM-305	1,0 ; 1,5 ; 2,0 ; 4,0 lph	200cm	1,000	305	47	21.3	400	135	275	206.00

xx Denotes emitter flow rate in lph at 2 bar. Substitute xx, with the flow rate required.


Ordering Information:

- BlueLine hose is manufactured I.D. controlled.
- BlueLine 0.620" ID (18mm OD) is compatible with 0.620" (16mm) ID Loc Eze Fittings. Please refer to Hose Fittings Section.
- BlueLine hose is equivalent to:

BlueLine 0.550" ID (16mm OD)	EHD1443	Blue Stripe® Round Hose
BlueLine 0.620" ID (18mm OD)	EHD1643	Blue Stripe® Round Hose
BlueLine 0.710" ID (20mm OD)	EHD1845	Blue Stripe® Round Hose

Dripline

BLUELINE CLASSIC

PREMIUM DRIPLINE


BlueLine® Classic™ (Category II)

Non-Pressure Compensating Dripline with the Blue Stripe® of Quality

- ◇ **MADE TO ORDER.** 60,000 Ft. minimum order quantity will apply. Toro Ag Customer Service will confirm by Email that the order has been accepted and the estimated date of delivery. Custom Emitter Spacing available. Truck load quantities are approximate.
Flow rate expressed gph per individual emitter @ 15 psi (1 Bar)

Part Number	Available Flow Rates	Emitter Spacing	Coil Length		Shipping Weight		Qty per Pallet	Qty per Truck		List Price
			Ft.	M.	Lbs.	Kilos.		Pallet	Loose	Per Coil
0.550" (16mm OD) Classic Dripline			(0.550" ID x 0.640" OD x 0.045" Wall)							
BC55xxx-12	0.53 ; 1.06 gph	12"	1,000	305	43	19.5	20	555	655	183.00
BC55xxx-15	0.53 ; 1.06 gph	15"	1,000	305	43	19.0	20	555	655	177.00
BC55xxx-18	0.53 ; 1.06 gph	18"	1,000	305	40	18.1	20	555	655	168.00
BC55xxx-24	0.53 ; 1.06 gph	24"	1,000	305	39	17.7	20	555	655	163.00
BC55xxx-30	0.53 ; 1.06 gph	30"	1,000	305	38	17.2	20	555	655	159.00
BC55xxx-36	0.53 ; 1.06 gph	36"	1,000	305	37	16.8	20	555	655	158.00
BC55xxx-42	0.53 ; 1.06 gph	42"	1,000	305	36.5	16.6	20	555	655	153.00
BC55xxx-48	0.53 ; 1.06 gph	48"	1,000	305	36	16.3	20	555	655	152.00
BC55xxx-54	0.53 ; 1.06 gph	54"	1,000	305	36	16.3	20	555	655	152.00
BC55xxx-60	0.53 ; 1.06 gph	60"	1,000	305	36	16.3	20	555	655	151.00
BC55xxx-66	0.53 ; 1.06 gph	66"	1,000	305	36	16.3	20	555	655	150.00
BC55xxx-72	0.53 ; 1.06 gph	72"	1,000	305	36	16.3	20	555	655	149.00
0.620" (18mm OD) Classic Dripline			(0.620" ID x 0.710" OD x 0.045" Wall)							
BC62xxx-12	0.53 ; 1.06 gph	12"	1,000	305	50	22.7	20	500	600	194.00
BC62xxx-15	0.53 ; 1.06 gph	15"	1,000	305	49	22.2	20	500	600	186.00
BC62xxx-18	0.53 ; 1.06 gph	18"	1,000	305	46	20.9	20	500	600	181.00
BC62xxx-24	0.53 ; 1.06 gph	24"	1,000	305	44	20.0	20	500	600	174.00
BC62xxx-30	0.53 ; 1.06 gph	30"	1,000	305	43	19.5	20	500	600	168.00
BC62xxx-36	0.53 ; 1.06 gph	36"	1,000	305	42	19.1	20	500	600	166.00
BC62xxx-42	0.53 ; 1.06 gph	42"	1,000	305	41	18.6	20	500	600	164.00
BC62xxx-48	0.53 ; 1.06 gph	48"	1,000	305	41	18.6	20	500	600	163.00
BC62xxx-54	0.53 ; 1.06 gph	54"	1,000	305	40.5	18.4	20	500	600	162.00
BC62xxx-60	0.53 ; 1.06 gph	60"	1,000	305	40	18.1	20	500	600	161.00
BC62xxx-66	0.53 ; 1.06 gph	66"	1,000	305	40	18.1	20	500	600	160.00
BC62xxx-72	0.53 ; 1.06 gph	72"	1,000	305	40	18.1	20	500	600	159.00
0.710" (20mm OD) Classic Dripline			(0.710" ID x 0.805" OD x 0.048" Wall)							
BC71xxx-12	0.53 ; 1.06 gph	12"	1,000	305	56.5	25.6	16	400	470	217.00
BC71xxx-15	0.53 ; 1.06 gph	15"	1,000	305	56.5	25.0	16	400	470	209.00
BC71xxx-18	0.53 ; 1.06 gph	18"	1,000	305	53	24.0	16	400	470	203.00
BC71xxx-24	0.53 ; 1.06 gph	24"	1,000	305	51	23.1	16	400	470	197.00
BC71xxx-30	0.53 ; 1.06 gph	30"	1,000	305	50	22.7	16	400	470	192.00
BC71xxx-36	0.53 ; 1.06 gph	36"	1,000	305	49	22.2	16	400	470	190.00
BC71xxx-42	0.53 ; 1.06 gph	42"	1,000	305	49	22.2	16	400	470	187.00
BC71xxx-48	0.53 ; 1.06 gph	48"	1,000	305	48	21.8	16	400	470	186.00
BC71xxx-54	0.53 ; 1.06 gph	54"	1,000	305	48	21.8	16	400	470	185.00
BC71xxx-60	0.53 ; 1.06 gph	60"	1,000	305	48	21.8	16	400	470	185.00
BC71xxx-66	0.53 ; 1.06 gph	66"	1,000	305	48	21.8	16	400	470	184.00
BC71xxx-72	0.53 ; 1.06 gph	72"	1,000	305	48	21.8	16	400	470	183.00

xxx Denotes emitter flow rate in gph at 15psi. Substitute xxx, with the flow rate required.



Ordering Information:

- BlueLine hose is manufactured I.D. controlled.
- BlueLine 0.620" ID (18mm OD) is compatible with 0.620" (16mm) ID Loc Eze Fittings. Please refer to Hose Fittings Section.
- BlueLine hose is equivalent to:
 - BlueLine 0.550" ID (16mm OD) EHD1443 Blue Stripe® Round Hose
 - BlueLine 0.620" ID (18mm OD) EHD1643 Blue Stripe® Round Hose
 - BlueLine 0.710" ID (20mm OD) EHD1845 Blue Stripe® Round Hose

Dripline

BLUELINE CLASSIC

PREMIUM DRIPLINE

BlueLine® Classic™ (Metric) (Category II)

Non-Pressure Compensating Dripline with the Blue Stripe® of Quality

- ◇ **MADE TO ORDER.** 18,288 Mtr. (60,000 Ft.) minimum order quantity will apply. Toro Ag Customer Service will confirm by Email that the order has been accepted and the estimated date of delivery. Custom Emitter Spacing available. Container quantities are approximate. Flow rate expressed lph per individual emitter @ 1 Bar (15 psi)

Part Number	Available Flow Rates	Emitter Spacing	Coil Length		Shipping Weight		Qty per Truck Palletized	Qty per Container		List Price Per Coil
			Ft.	M.	Lbs.	Kilos.		20 Ft.	40Ft.	
16mm OD Classic Dripline (13.97mm ID x 16.26mm OD x 1.14mm Wall)										
◇ BC16xx-30CM-400	2,0 ; 4,0 lph	30cm	1,310	400	56	25.4	365	160	320	241.00
◇ BC16xx-40CM-400	2,0 ; 4,0 lph	40cm	1,310	400	54	24.5	365	160	320	226.00
◇ BC16xx-50CM-400	2,0 ; 4,0 lph	50cm	1,310	400	51.5	23.4	365	160	320	218.00
◇ BC16xx-60CM-400	2,0 ; 4,0 lph	60cm	1,310	400	50.5	22.9	365	160	320	212.00
◇ BC16xx-75CM-400	2,0 ; 4,0 lph	75cm	1,310	400	49	22.2	365	160	320	208.00
◇ BC16xx-80CM-400	2,0 ; 4,0 lph	80cm	1,310	400	49	22.2	365	160	320	206.00
◇ BC16xx-90CM-400	2,0 ; 4,0 lph	90cm	1,310	400	48.5	22.0	365	160	320	204.00
◇ BC16xx-100CM-400	2,0 ; 4,0 lph	100cm	1,310	400	48	21.8	365	160	320	202.00
◇ BC16xx-120CM-400	2,0 ; 4,0 lph	120cm	1,310	400	47.5	21.5	365	160	320	198.00
◇ BC16xx-150CM-400	2,0 ; 4,0 lph	150cm	1,310	400	47	21.3	365	160	320	195.00
◇ BC16xx-200CM-400	2,0 ; 4,0 lph	200cm	1,310	400	47	21.3	365	160	320	192.00


18mm OD Classic Dripline (15.75mm ID x 18.03mm OD x 1.14mm Wall)

◇ BC18xx-30CM-350	2,0 ; 4,0 lph	30cm	1,150	350	57	25.9	470	150	300	224.00
◇ BC18xx-40CM-350	2,0 ; 4,0 lph	40cm	1,150	350	54	24.5	470	150	300	211.00
◇ BC18xx-50CM-350	2,0 ; 4,0 lph	50cm	1,150	350	52	23.6	470	150	300	204.00
◇ BC18xx-60CM-350	2,0 ; 4,0 lph	60cm	1,150	350	50	22.7	470	150	300	198.00
◇ BC18xx-75CM-350	2,0 ; 4,0 lph	75cm	1,150	350	49	22.2	470	150	300	194.00
◇ BC18xx-80CM-350	2,0 ; 4,0 lph	80cm	1,150	350	49	22.2	470	150	300	192.00
◇ BC18xx-90CM-350	2,0 ; 4,0 lph	90cm	1,150	350	48	21.8	470	150	300	191.00
◇ BC18xx-100CM-350	2,0 ; 4,0 lph	100cm	1,150	350	48	21.8	470	150	300	189.00
◇ BC18xx-120CM-350	2,0 ; 4,0 lph	120cm	1,150	350	47	21.3	470	150	300	187.00
◇ BC18xx-150CM-350	2,0 ; 4,0 lph	150cm	1,150	350	46	20.9	470	150	300	184.00
◇ BC18xx-200CM-350	2,0 ; 4,0 lph	200cm	1,150	350	46	20.9	470	150	300	182.00

20mm OD Classic Dripline (18.03mm ID x 20.46mm OD x 1.20mm Wall)

◇ BC20xx-30CM-305	2,0 ; 4,0 lph	30cm	1,000	305	56.5	25.6	400	135	275	218.00
◇ BC20xx-40CM-305	2,0 ; 4,0 lph	40cm	1,000	305	54	24.5	400	135	275	208.00
◇ BC20xx-50CM-305	2,0 ; 4,0 lph	50cm	1,000	305	52	23.6	400	135	275	202.00
◇ BC20xx-60CM-305	2,0 ; 4,0 lph	60cm	1,000	305	51	23.1	400	135	275	197.00
◇ BC20xx-75CM-305	2,0 ; 4,0 lph	75cm	1,000	305	50	22.7	400	135	275	192.00
◇ BC20xx-80CM-305	2,0 ; 4,0 lph	80cm	1,000	305	50	22.7	400	135	275	191.00
◇ BC20xx-90CM-305	2,0 ; 4,0 lph	90cm	1,000	305	49	22.2	400	135	275	190.00
◇ BC20xx-100CM-305	2,0 ; 4,0 lph	100cm	1,000	305	49	22.2	400	135	275	189.00
◇ BC20xx-120CM-305	2,0 ; 4,0 lph	120cm	1,000	305	48	21.8	400	135	275	186.00
◇ BC20xx-150CM-305	2,0 ; 4,0 lph	150cm	1,000	305	48	21.8	400	135	275	184.00
◇ BC20xx-200CM-305	2,0 ; 4,0 lph	200cm	1,000	305	48	21.8	400	135	275	182.00

xx Denotes emitter flow rate in lph at 1 bar. Substitute xx, with the flow rate required.



Ordering Information:

- BlueLine hose is manufactured I.D. controlled.
- BlueLine 0.620" ID (18mm OD) is compatible with 0.620" (16mm) ID Loc Eze Fittings. Please refer to Hose Fittings Section.
- BlueLine hose is equivalent to:

BlueLine 0.550" ID (16mm OD)	EHD1443	Blue Stripe® Round Hose
BlueLine 0.620" ID (18mm OD)	EHD1643	Blue Stripe® Round Hose
BlueLine 0.710" ID (20mm OD)	EHD1845	Blue Stripe® Round Hose

Dripline

BlueLine™ Clipperline™

BlueLine® PC Clipperline™ (Category II)

Pressure Compensating Dripline with Clips

- ◇ **MADE TO ORDER.** 60,000 Ft. minimum order quantity will apply. Toro Ag Customer Service will confirm by email that the order has been accepted and the estimated date of delivery. Custom Emitter Spacing available. Truck load quantities are approximate. Flow rate expressed gph per individual emitter @ 30 psi (2 Bar)

Part Number	Available Flow Rates	Emitter Spacing	Coil Length		Shipping Weight		Coils per Pallet	Coils per Truck Pallet	Coils per Truck Loose	List Price Per Coil
			Ft.	M.	Lbs.	Kilos.				
0.620" (18mm OD) PC Clipperline™ (0.620" ID x 0.710" OD x 0.045" Wall)										
◇ BP62xxx-18C	0.26; 0.40; 0.53; 1.06 gph	18"	1,000	305	43	19.5	20	475	510	364.00
◇ BP62xxx-24C	0.26; 0.40; 0.53; 1.06 gph	24"	1,000	305	43	19.5	20	485	560	300.00
◇ BP62xxx-30C	0.26; 0.40; 0.53; 1.06 gph	30"	1,000	305	41	18.6	20	495	560	262.00
◇ BP62xxx-36C	0.26; 0.40; 0.53; 1.06 gph	36"	1,000	305	41	18.6	20	500	560	236.00
◇ BP62xxx-42C	0.26; 0.40; 0.53; 1.06 gph	42"	1,000	305	40	18.1	20	500	560	220.00
◇ BP62xxx-48C	0.26; 0.40; 0.53; 1.06 gph	48"	1,000	305	40	18.1	20	500	560	212.00
◇ BP62xxx-54C	0.26; 0.40; 0.53; 1.06 gph	54"	1,000	305	40	18.1	20	500	560	207.00
◇ BP62xxx-60C	0.26; 0.40; 0.53; 1.06 gph	60"	1,000	305	40	18.1	20	500	560	201.00

0.710" (20mm OD) PC Clipperline™ (0.710" ID x 0.805" OD x 0.048" Wall)

◇ BP71xxx-18C	0.26; 0.40; 0.53; 1.06 gph	18"	1,000	305	51	23.1	16	342	385	386.00
◇ BP71xxx-24C	0.26; 0.40; 0.53; 1.06 gph	24"	1,000	305	51	23.1	16	362	432	322.00
◇ BP71xxx-30C	0.26; 0.40; 0.53; 1.06 gph	30"	1,000	305	49	22.2	16	372	432	284.00
◇ BP71xxx-36C	0.26; 0.40; 0.53; 1.06 gph	36"	1,000	305	49	22.2	16	396	432	259.00
◇ BP71xxx-42C	0.26; 0.40; 0.53; 1.06 gph	42"	1,000	305	48	21.8	16	396	432	243.00
◇ BP71xxx-48C	0.26; 0.40; 0.53; 1.06 gph	48"	1,000	305	48	21.8	16	396	432	235.00
◇ BP71xxx-54C	0.26; 0.40; 0.53; 1.06 gph	54"	1,000	305	48	21.8	16	396	432	228.00
◇ BP71xxx-60C	0.26; 0.40; 0.53; 1.06 gph	60"	1,000	305	48	21.8	16	396	432	224.00

xx Denotes emitter flow rate in gph at 30psi. Substitute xx, with the flow rate required.

BlueLine® Classic Clipperline™ (Category II)

Non-Pressure Compensating Dripline with Clips

- ◇ **MADE TO ORDER.** 60,000 Ft. minimum order quantity will apply. Toro Ag Customer Service will confirm by email that the order has been accepted and the estimated date of delivery. Custom Emitter Spacing available. Truck load quantities are approximate. Flow rate expressed gph per individual emitter @ 15 psi (1 Bar)


Part Number	Available Flow Rates	Emitter Spacing	Coil Length		Shipping Weight		Coils per Pallet	Coils per Truck Pallet	Coils per Truck Loose	List Price Per Coil
			Ft.	M.	Lbs.	Kilos.				
0.620" (18mm OD) Classic Clipperline™ (0.620" ID x 0.710" OD x 0.045" Wall)										
◇ BC62xxx-18C	0.53 ; 1.06 gph	18"	1,000	305	46	20.9	20	475	510	267.00
◇ BC62xxx-24C	0.53 ; 1.06 gph	24"	1,000	305	46	20.9	20	485	560	228.00
◇ BC62xxx-30C	0.53 ; 1.06 gph	30"	1,000	305	44	20.0	20	495	560	204.00
◇ BC62xxx-36C	0.53 ; 1.06 gph	36"	1,000	305	43	19.5	20	500	560	190.00
◇ BC62xxx-42C	0.53 ; 1.06 gph	42"	1,000	305	42	19.1	20	500	560	180.00
◇ BC62xxx-48C	0.53 ; 1.06 gph	48"	1,000	305	42	19.1	20	500	560	176.00
◇ BC62xxx-54C	0.53 ; 1.06 gph	54"	1,000	305	41	18.6	20	500	560	174.00
◇ BC62xxx-60C	0.53 ; 1.06 gph	60"	1,000	305	41	18.6	20	500	560	173.00

0.710" (20mm OD) Classic Clipperline™ (0.710" ID x 0.805" OD x 0.048" Wall)

◇ BC71xxx-18C	0.53 ; 1.06 gph	18"	1,000	305	53	24.0	16	342	385	289.00
◇ BC71xxx-24C	0.53 ; 1.06 gph	24"	1,000	305	53	24.0	16	362	432	250.00
◇ BC71xxx-30C	0.53 ; 1.06 gph	30"	1,000	305	51	23.1	16	372	432	226.00
◇ BC71xxx-36C	0.53 ; 1.06 gph	36"	1,000	305	50	22.7	16	396	432	210.00
◇ BC71xxx-42C	0.53 ; 1.06 gph	42"	1,000	305	50	22.7	16	396	432	201.00
◇ BC71xxx-48C	0.53 ; 1.06 gph	48"	1,000	305	49	22.2	16	396	432	199.00
◇ BC71xxx-54C	0.53 ; 1.06 gph	54"	1,000	305	49	22.2	16	396	432	197.00
◇ BC71xxx-60C	0.53 ; 1.06 gph	60"	1,000	305	49	22.2	16	396	432	194.00

xx Denotes emitter flow rate in gph at 15psi. Substitute xx, with the flow rate required.

Part Number: B C 62 053 - 24



Ordering Information:


- Clips are pre-installed one per emitter, unless otherwise requested!
- BlueLine hose is manufactured I.D. controlled.
- BlueLine 0.620" ID (18mm OD) is compatible with 0.620" (16mm) ID Loc Eze Fittings. Please refer to Hose Fittings Section.
- BlueLine hose is equivalent to:

BlueLine 0.550" ID (16mm OD)	EHD1443	Blue Stripe® Round Hose
BlueLine 0.620" ID (18mm OD)	EHD1643	Blue Stripe® Round Hose
BlueLine 0.710" ID (20mm OD)	EHD1845	Blue Stripe® Round Hose

To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)




Hose

Hose

Micro-Distribution

Micro-Distribution Hose - Black, No Stripe (Category III)


STOCKED ITEMS. PRODUCT GENERALLY AVAILABLE IN STOCK FOR DELIVERY IN APPROXIMATELY 3 WORKING DAYS



Part Number	Material	Nominal Tubing Size				Coil Length		Coil Ship Weight		Coils per		List Price per Coil
		OD inch	ID inch	Wall inch	Metric Size	Ft.	M.	Lbs.	Kilos	Box	Pallet	
MP128X050-2500W	LLDPE	0.128	0.050	0.039	3.3 x 1.3	2,500	762	11	5.0	2	108	149.00
MP128X076-2500W	LLDPE	0.128	0.076	0.026	3.3 x 1.9	2,500	762	8.5	3.9	2	108	149.00
MP176X105-2500W	LLDPE	0.176	0.105	0.036	4.5 x 2.7	2,500	762	16.1	7.3	1	54	149.00
MP187X125-1000W	LLDPE	0.187	0.125	0.031	4.7 x 3.2	1,000	305	6.2	2.8	2	108	59.50
MP187X125-3000W	LLDPE	0.187	0.125	0.031	4.7 x 3.2	3,000	914	18.5	8.4	1	54	179.00
MP188X128-2500W	LLDPE	0.188	0.128	0.030	4.8 x 3.3	2,500	762	15.2	6.9	1	54	149.00
MP188X128-3000W	LLDPE	0.188	0.128	0.030	4.8 x 3.3	3,000	914	18.2	8.3	1	54	179.00
MP220X160-500W	LLDPE	0.220	0.160	0.030	5.6 x 4.1	500	152	3.7	1.7	2	108	32.90
MP220X160-1000W	LLDPE	0.220	0.160	0.030	5.6 x 4.1	1,000	305	7.4	3.4	2	108	65.70
MP220X160-2500W	LLDPE	0.220	0.160	0.030	5.6 x 4.1	2,500	762	18.2	8.3	1	54	157.00
MP225X155-2500W	LLDPE	0.225	0.155	0.035	5.7 x 3.9	2,500	762	21.3	9.7	1	54	157.00
MP250X160-1000W	LLDPE	0.250	0.160	0.045	6.4 x 4.1	1,000	305	11.8	5.4	2	108	88.50
MP250X170-100W	LLDPE	0.250	0.170	0.040	6.4 x 4.3	100	30	1.1	0.5	30	900	7.45
MP250X170-1000W	LLDPE	0.250	0.170	0.040	6.4 x 4.3	1,000	305	11	5.0	2	108	67.00
MP250X170-2500W	LLDPE	0.250	0.170	0.040	6.4 x 4.3	2,500	762	27.5	12.5	1	54	138.00
MP272X188-1500W	LLDPE	0.272	0.188	0.042	6.9 x 4.8	1,500	457	18.5	8.4	1	54	116.00
MP275X210-1500W	LLDPE	0.275	0.210	0.033	7.0 x 5.3	1,500	457	15.3	6.9	1	54	116.00
MP307X250-1000W	LLDPE	0.307	0.250	0.029	7.8 x 6.4	1,000	305	10.3	4.7	1	54	65.80
MP312X187-1500W	LLDPE	0.312	0.187	0.063	7.9 x 4.7	1,500	457	30	13.6	1	54	172.00
MP315X208-1500W	LLDPE	0.315	0.208	0.054	8 x 5.3	1,500	457	27	12.2	1	54	162.00
MP350X250-500W	LLDPE	0.350	0.250	0.050	8.9 x 6.4	500	152	9.5	4.3	2	108	67.20
MP350X250-1000W	LLDPE	0.350	0.250	0.050	8.9 x 6.4	1,000	305	19.2	8.7	1	54	132.00
MP375X250-750W	LLDPE	0.375	0.250	0.063	9.5 x 6.4	750	229	19.5	8.8	1	54	126.00
MP375X275-1000W	LLDPE	0.375	0.275	0.050	9.5 x 7.0	1,000	305	23	10.4	1	54	180.00
MP455X375-1000W	LLDPE	0.455	0.375	0.040	11.5 x 9.5	1,000	305	20	9.1	No Box	50	128.00
MV187X125-1000W	PVC	0.187	0.125	0.031	4.7 x 3.2	1,000	305	9.2	4.2	2	108	65.90
MP196X126-1000W	PEFLEX	0.196	0.126	0.035	5.0 x 3.2	1,000	305	7.2	3.3	2	108	57.60
MP196X126-2500W	PEFLEX	0.196	0.126	0.035	5.0 x 3.2	2,500	762	18	8.2	1	54	137.00
MV220X160-1000W	PVC	0.220	0.160	0.030	5.6 x 4.1	1,000	305	11	5.0	2	108	89.80
MV250X160-1000W	PVC	0.250	0.160	0.045	6.4 x 4.1	1,000	305	17.6	8.0	2	108	132.00
MV250X170-1000W	PVC	0.250	0.170	0.040	6.4 x 4.3	1,000	305	16	7.3	2	108	132.00

Micro-Distribution Hose - White, No Stripe (Category III)

STOCKED ITEMS. MINIMUM ORDER QUANTITY OF 1 (ONE) BOX.



Part Number	Material	Nominal Tubing Size				Coil Length		Coil Ship Weight		Coils per		List Price per Coil
		OD inch	ID inch	Wall inch	Metric Size	Ft.	M.	Lbs.	Kilos	Box	Pallet	
WMP250X160-1000Y	LLDPE	0.250	0.160	0.045	6.4 x 4.1	1,000	305	11.8	5.4	2	108	179.00

Ordering Information:

- Minimum order quantity of 1 (one) box.

Cross Reference Table	
Tube #	Nominal Size OD x ID
2	0.128" x 0.076"
2.5	0.176" x 0.105"
3	0.188" x 0.128"
4	0.225" x 0.155"
4.5	0.272" x 0.188"
5	0.275" x 0.210"
5.5	0.350" x 0.250"
6	0.375" x 0.275"

To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)

Hose

Oval

Blue Stripe® Micro-Distribution Hose (Category III)


STOCKED ITEMS. PRODUCT GENERALLY AVAILABLE IN STOCK FOR DELIVERY IN APPROXIMATELY 3 WORKING DAYS



Part Number	Material	Size		Nominal Hose Size			Coil Length		Coil Ship Weight		Coils per		List Price per Coil
		inch	mm	ID inch	OD inch	Wall inch	Ft.	M.	Lbs.	Kilos	Box	Pallet	
Blue Stripe® Micro-Distribution Hose - <i>Coil Stretch Wrapped Palletized</i>													
EHW0437-100	LLDPE	1/4"	4	0.170"	0.250"	0.040"	1,000	305	10.5	4.8	—	60	81.40
EHW0645-050	LLDPE	3/8"	6	0.250"	0.345"	0.047"	500	152	9.0	4.1	—	60	67.20
Blue Stripe® Micro-Distribution Hose - <i>Coil Banded Palletized</i>													
EHD0437-010	LLDPE	1/4"	4	0.170"	0.250"	0.040"	100	30	1.1	0.5	—	250	8.50
EHD0437-300	LLDPE	1/4"	4	0.170'	0.250'	0.040'	3,000	914	31.9	14.5	—	14	165.00

Blue Stripe® Oval Hose (Category III)


21 PSI WORKING PRESSURE.




Part Number	Size		Nominal Hose Size		Coil Length		Coil Ship Weight		Coils per	Coils per Truck		List Price per Coil
	inch	mm	ID inch	Wall inch	Ft.	M.	Lbs.	Kilos	Pallet	Pallet	Loose	
Coil Banded Palletized												
ELD2626-166	1"	26	1.043"	0.026"	1,660	506	58.7	26.6	12	312	—	260.00
ELD3550-050	1-1/4"	35	1.365"	0.050"	500	152	60.0	27.2	12	312	—	217.00
ELD4040-060	1-1/2"	40	1.595"	0.040"	600	183	49.9	22.6	12	312	—	237.00
ELD4040-030	1-1/2"	40	1.595"	0.040"	300	91	24.9	11.3	12	312	—	143.00
ELD4040-015	1-1/2"	40	1.595"	0.040"	150	46	17.0	7.7	27	702	—	79.20
ELD5251-015	2"	52	2.052"	0.051"	150	46	20.4	9.3	27	702	—	91.40
ELD5251-045	2"	52	2.052"	0.051"	450	137	72.0	32.7	12	312	—	253.00
ELD7776-020	3"	77	3.043"	0.076"	200	61	67.0	30.4	28	560	—	284.00
ELD101100-013	4"	101	3.996"	0.100"	130	40	71.0	32.2	20	400	—	286.00

Blue Stripe® Oval Hose (Category III)

42 PSI WORKING PRESSURE.



Part Number	Size		Nominal Hose Size		Coil Length		Coil Ship Weight		Coils per Pallet	Coils per Truck		List Price per Coil
	inch	mm	ID inch	Wall inch	Ft.	M.	Lbs.	Kilos		Pallet	Loose	
Reel Palletized												
ELD1634-164	5/8"	16	0.633"	0.034"	1,640	500	47.3	21.5	12	312	—	207.00
Coil Banded Palletized												
ELD2043-120	3/4"	20	0.813"	0.043"	1,200	366	56.1	25.5	12	312	—	240.00
ELD2654-066	1"	26	1.043"	0.054"	660	201	58.0	26.3	12	312	—	208.00
ELD3570-040	1-1/4"	35	1.365"	0.070"	400	122	61.0	27.7	12	312	—	212.00
ELD4084-035	1-1/2"	40	1.595"	0.084"	350	107	72.0	32.7	12	312	—	270.00
ELD52108-025	2"	52	2.052"	0.108"	250	76	76.0	34.5	12	312	—	306.00



Ordering Information:

- ◇ = MADE TO ORDER. 80,000 Ft. minimum order quantity will apply. Toro Ag Customer Service will confirm by email that the order has been accepted and the estimated date of delivery.
- Above hose is manufactured I.D. Controlled, unless otherwise stated.
- Above hose is available Made to Order without a Blue Stripe (i.e. Part No EHDxxxx-xxxNS). Made to Order quantities apply.

Hose

Layflat

Layflat Hose (Category III)

STOCKED ITEMS. PRODUCT GENERALLY AVAILABLE IN STOCK FOR DELIVERY IN APPROXIMATELY 3 WORKING DAYS



Part Number	Size		Nominal Hose Size		Working Pressure	Coil Length		Coil Ship Weight		Coils per Pallet	Coils per Truck	List Price per Coil
	inch	mm	ID inch	Wall inch		Ft.	M.	Lbs.	Kilos			
SF-10 - Blue Layflat Hose												
SF-10x1.5	1.5"	38	1.61"	0.059"	80	300	91	60.0	27.2	32	672	235.00
SF-10x2.0	2"	51	2.09"	0.059"	80	300	91	73.0	33.1	24	528	265.00
SF-10x3.0	3"	76	3.07"	0.063"	80	300	91	112.0	50.8	20	360	500.00
SF-10x4.0	4"	102	4.13"	0.067"	70	300	91	165.0	74.8	14	245	671.00
SF-10x6.0	6"	152	6.16"	0.075"	60	300	91	285.0	129.3	5	130	1,200.00
SF-10x8.0	8"	203	8.15"	0.087"	35	300	91	400.0	181.4	4	100	2,480.00

Layflat High-Pressure Hose (Category III)


NOT STOCKED. MINIMUM QUANTITIES MAY APPLY



Part Number	Size		Nominal Hose Size		Working Pressure PSI	Coil Length		Coil Ship Weight Lbs.	Coil Ship Weight Kilos	Coils per Pallet	Coils per Truck	List Price per Coil
	inch	mm	ID inch	Wall inch		Ft.	M.					
SF-55 - Gray Layflat Hose												
SF-55x1.5	1.5"	38	1.61"	0.063	150	300	91	72.0	32.7	16	590	518.00
SF-55x2.0	2"	51	2.080"	0.087	150	300	91	86.0	39.0	13	494	648.00
SF-55x3.0	3"	76	3.07"	0.100	150	300	91	205.0	93.0	10	207	1,320.00
SF-55x4.0	4"	102	4.13"	0.114	100	300	91	327.0	148.3	7	130	1,780.00
SF-55x6.0	6"	152	6.100"	0.146	100	300	91	462.0	209.6	4	92	3,710.00

IPS Tubing - Flexible PVC

COMMON ITEMS STOCKED.



Part Number	Description	Coil Length		Coil/Bundle Weight		Cut length Quantity	Coils per Pallet	List Price Each
		Ft./In.	M.	Lbs.	Kilos			
1/2" IPS Tubing								
IPS50-100	1/2" IPS Tubing. 100' Coil	100'	30.5	20.0	9.1	-	30	85.10
IPS50-200	1/2" IPS Tubing. 200' Coil	200'	61.0	40.0	18.1	-	16	171.00
IPS50-CL12	1/2" IPS Tubing. 12" Cut Length	12"	0.30	5.0	2.3	25	4,500	0.87
IPS50-CL18	1/2" IPS Tubing. 18" Cut Length	18"	0.46	7.5	3.4	25	3,000	1.30
IPS50-CL24	1/2" IPS Tubing. 24" Cut Length	24"	0.61	10.0	4.5	25	2,000	1.71
IPS50-CL30	1/2" IPS Tubing. 30" Cut Length	30"	0.76	12.5	5.7	25	1,500	2.13
IPS50-CL36	1/2" IPS Tubing. 36" Cut Length	36"	0.91	15.0	6.8	25	1,500	2.56
IPS50-CL42	1/2" IPS Tubing. 42" Cut Length	42"	1.07	17.5	7.9	25	1,500	2.98
IPS50-CL48	1/2" IPS Tubing. 48" Cut Length	48"	1.22	20.0	9.1	25	1,500	3.41
IPS50-CL60	1/2" IPS Tubing. 60" Cut Length	60"	1.52	25.0	11.3	25	1,500	4.26
3/4" IPS Tubing								
IPS75-100	3/4" IPS Tubing. 100' Coil	100'	30.5	30.0	13.6	-	20	118.00
IPS75-200	3/4" IPS Tubing. 200' Coil	200'	61.0	60.0	27.2	-	10	236.00
IPS75-CL12	3/4" IPS Tubing. 12" Cut Length	12"	0.30	8.0	3.6	25	3,000	1.24
IPS75-CL18	3/4" IPS Tubing. 18" Cut Length	18"	0.46	12.0	5.4	25	2,000	1.86
IPS75-CL24	3/4" IPS Tubing. 24" Cut Length	24"	0.61	16.0	7.3	25	1,500	2.47
IPS75-CL30	3/4" IPS Tubing. 30" Cut Length	30"	0.76	20.0	9.1	25	1,000	3.06
IPS75-CL36	3/4" IPS Tubing. 36" Cut Length	36"	0.91	24.0	10.9	25	1,000	3.67
IPS75-CL42	3/4" IPS Tubing. 42" Cut Length	42"	1.07	28.0	12.7	25	900	4.28
IPS75-CL48	3/4" IPS Tubing. 48" Cut Length	48"	1.22	32.0	14.5	25	900	4.89
IPS75-CL60	3/4" IPS Tubing. 60" Cut Length	60"	1.52	40.0	18.1	25	900	6.11
1" IPS Tubing								
IPS100-100	1" IPS Tubing. 100' Coil	100'	30.5	41.0	18.6	-	14	170.00
IPS100-200	1" IPS Tubing. 200' Coil	200'	61.0	82.0	37.2	-	10	339.00
IPS100-CL12	1" IPS Tubing. 12" Cut Length	12"	0.30	10.5	4.8	25	1,800	1.72
IPS100-CL18	1" IPS Tubing. 18" Cut Length	18"	0.46	15.8	7.2	25	1,200	2.58
IPS100-CL24	1" IPS Tubing. 24" Cut Length	24"	0.61	21.0	9.5	25	800	3.41
IPS100-CL30	1" IPS Tubing. 30" Cut Length	30"	0.76	26.3	11.9	25	700	4.30
IPS100-CL36	1" IPS Tubing. 36" Cut Length	36"	0.91	31.5	14.3	25	700	5.16
IPS100-CL42	1" IPS Tubing. 42" Cut Length	42"	1.07	36.8	16.7	25	700	6.02
IPS100-CL48	1" IPS Tubing. 48" Cut Length	48"	1.22	42.0	19.1	25	700	6.88
IPS100-CL60	1" IPS Tubing. 60" Cut Length	60"	1.52	52.5	23.8	25	700	8.60

Ordering Information:

◇ = MADE TO ORDER.

Hose


Round

Blue Stripe® Round Hose (Category III)

STOCKED ITEMS. PRODUCT GENERALLY AVAILABLE IN STOCK FOR DELIVERY IN APPROXIMATELY 3 WORKING DAYS TRUCKLOAD QUANTITIES ARE APPROXIMATE.



Part Number	Size		Nominal Hose Size		Coil Length Ft.	Coil Length M.	Coil Ship Weight		Coils per Pallet	Coils per Truck		List Price per Coil
	inch	mm	ID inch	Wall inch			Lbs.	Kilos		Pallet	Loose	
Inside Diameter (ID) Controlled - Coil Stretch Wrapped Palletized												
EHW1554-010	-	15	0.570"	0.054"	100	30	4.5	2.1	72	2,448	—	24.10
EHW1645-010	5/8"	16	0.615"	0.045"	100	30	4.0	1.8	72	2,448	—	22.00
EHW1645-050	5/8"	16	0.615"	0.045"	500	152	19.8	9.0	20	520	—	94.50
Inside Diameter (ID) Controlled - Coil Banded Loose												
EHD1035-100	-	10	0.390"	0.035"	1,000	305	18.9	8.6	20	840	950	82.30
EHD1335-100	1/2"	13	0.510"	0.035"	1,000	305	24.2	11.0	20	720	820	95.20
EHD1350-050	1/2"	13	0.520"	0.050"	500	152	18.1	8.2	20	820	920	64.50
EHD1350-100	1/2"	13	0.520"	0.050"	1,000	305	36.2	16.4	20	720	820	126.00
EHD1554-050	-	15	0.570"	0.054"	500	152	21.4	9.7	20	670	875	74.60
EHD1554-100	-	15	0.570"	0.054"	1,000	305	42.8	19.4	20	590	730	147.00
EHD1635-100	5/8"	16	0.615"	0.035"	1,000	305	28.9	13.1	20	610	640	108.00
EHD1642-100	5/8"	16	0.625"	0.042"	1,000	305	35.6	16.2	20	570	600	125.00
EHD1643-050	5/8"	16	0.620"	0.043"	500	152	18.5	8.4	20	630	800	66.50
EHD1643-100	5/8"	16	0.620"	0.043"	1,000	305	37.0	16.8	20	560	590	127.00
EHD1845-100	-	18	0.710"	0.045"	1,000	305	43.1	19.6	16	465	540	150.00
EHD1847-100	-	18	0.730"	0.047"	1,000	305	46.4	21.1	16	460	530	158.00
EHD1850-100	-	18	0.720"	0.050"	1,000	305	48.9	22.2	16	455	520	166.00
EHD2052-050	3/4"	20	0.805"	0.052"	500	152	28.3	12.9	20	520	595	95.00
EHD2052-100	3/4"	20	0.805"	0.052"	1,000	305	56.6	25.7	16	380	384	192.00
EHD2657-066	1"	26	1.060"	0.057"	660	201	53.4	24.2	7	224	280	185.00
EHD2662-066	1"	26	1.060"	0.062"	660	201	58.4	26.5	7	224	280	198.00
EHD3580-030	1-1/4"	35	1.365"	0.080"	300	91	44.1	20.0	5	182	315	207.00
Inside Diameter (ID) Controlled - Heavy Wall Hose												
EHD1645-050	5/8"	16	0.615"	0.045"	500	152	18.9	8.6	20	630	800	68.30
EHD1645-100	5/8"	16	0.615"	0.045"	1,000	305	37.8	17.1	20	560	590	131.00
EHD2057-050	3/4"	20	0.805"	0.057"	500	152	31.2	14.2	20	560	585	113.00
EHD2057-100	3/4"	20	0.805"	0.057"	1,000	305	62.5	28.3	16	370	380	210.00
EHD2667-066	1"	26	1.060"	0.067"	660	201	63.3	28.7	7	224	280	212.00



Part Number: EHD 16 45 - 100

Reel Length: multiply by 10 to obtain in feet.

Nominal wall thickness in 1/1000".

Inside diameter (I.D.) in mm.

Ordering Information:

◇ = MADE TO ORDER.

• Above hose is available Made to Order without a Blue Stripe (i.e. Part No EHDxxxx-xxxNS). Made to Order quantities apply.

* Blue Stripe® Round Hose is equivalent to:

EHD1443	BlueLine & Drip In 0.550" ID (16mm OD)
EHD1643	BlueLine & Drip In 0.620" ID (18mm OD)
EHD1845	BlueLine & Drip In 0.710" ID (20mm OD)

Hose

Colored Stripe

Blue Stripe® Round Hose (Category III)

- ◇ MADE TO ORDER. 80,000 Ft. minimum order quantity will apply. Toro Ag Customer Service will confirm that the order has been accepted and the estimated date of delivery. Truckload quantities are approximate.


has been accepted and the estimated date of delivery. Truckload quantities are approximate.												
Part Number	Size		Nominal Hose Size		Coil Length		Coil Ship Weight		Coils per Pallet	Coils per Truck		List Price per Coil
	inch	mm	ID inch	Wall inch	Ft.	M.	Lbs.	Kilos		Pallet	Loose	
Inside Diameter (ID) Controlled - Coil Stretch Wrapped Palletized												
EHW1554-050	-	15	0.570"	0.054"	500	152	22.7	10.3	20	520	—	98.30
EHW1645-025	5/8"	16	0.620"	0.045"	250	76	9.4	4.3	40	1,040	—	44.40
Inside Diameter (ID) Controlled - Coil Banded Loose												
EHD1038-100	-	10	0.375"	0.038"	1,000	305	20.0	9.1	15	390	840	84.40
EHD1348-100	1/2"	13	0.510"	0.048"	1,000	305	34.0	15.4	20	520	925	122.00
EHD1443-050	-	14	0.550"	0.043"	500	152	16.2	7.4	12	312	680	59.80
EHD1443-100	-	14	0.550"	0.043"	1,000	305	32.4	14.7	12	312	675	117.00
EHD1642-050	5/8"	16	0.625"	0.042"	500	152	17.8	8.1	20	600	800	65.80
EHD1850-050	-	18	0.720"	0.050"	500	152	24.5	11.1	20	540	650	81.80
EHD2662-025	1"	26	1.060"	0.062"	250	76	22.1	10.0	—	—	—	72.70
EHD2667-050	1"	26	1.060"	0.067"	500	152	48.0	21.8	9	270	320	161.00



Colored Striped Round Hose (Category III)

- ◇ MADE TO ORDER. 80,000 Ft. minimum order quantity will apply. Toro Ag Customer Service will confirm that the order has been accepted and the estimated date of delivery. Truckload quantities are approximate.

has been accepted and the estimated date of delivery. Backload quantities are approximate.												
Part Number	Size		Nominal Hose Size		Coil Length		Coil Ship Weight		Coils per Pallet	Coils per Truck		List Price per Coil
	inch	mm	ID inch	Wall inch	Ft.	M.	Lbs.	Kilos		Pallet	Loose	
Purple Stripe Round Hose												
Inside Diameter (ID) Controlled - <i>Coil Banded Loose</i>												
EHP1645-050	5/8"	16	0.615"	0.045"	500	152	18.9	8.6	20	520	800	69.30
EHP2057-050	3/4"	20	0.805"	0.057"	500	152	31.2	14.2	20	520	620	114.00
White Stripe™ Round Hose												
Inside Diameter (ID) Controlled - <i>Coil Banded Loose</i>												
EHX1645-050	5/8"	16	0.615"	0.045"	500	152	18.9	8.6	20	520	800	69.30
EHX2057-050	3/4"	20	0.805"	0.057"	500	152	31.2	14.2	20	520	620	114.00



Ordering Information:

- Above hose is available Made to Order without a Blue Stripe (i.e. Part No EHDxxxx-xxxNS). Made to Order quantities apply.

* Blue Stripe® Round Hose is equivalent to:

EHD1443	Blue line & Drip In 0.550" ID (16mm OD)
EHD1643	Blue line & Drip In 0.620" ID (18mm OD)
EHD1845	Blue line & Drip In 0.710" ID (20mm OD)


Hose

Colored Hose

Colored Round Hose (Category III)

- ◇ MADE TO ORDER. 80,000 Ft. minimum order quantity will apply. Toro Ag Customer Service will confirm that the order has been accepted and the estimated date of delivery. Truckload quantities are approximate.

has been accepted and the estimated date of delivery. Truckload quantities are approximate.												
Part Number	Size		Nominal Hose Size		Coil Length		Coil Ship Weight		Coils per Pallet	Coils per Truck		List Price per Coil
	inch	mm	ID inch	Wall inch	Ft.	M.	Lbs.	Kilos		Pallet	Loose	
Purple Round Hose recommended for use with non-potable water applications												
Inside Diameter (ID) Controlled - Coil Banded Loose												
PHD1645-050	5/8"	16	0.615"	0.045"	500	152	19.0	8.6	20	520	760	83.20
PHD1645-100	5/8"	16	0.615"	0.045"	1,000	305	38.0	17.2	12	312	630	161.00
White Round Hose recommended for use in greenhouses, nurseries and hot climates.												
Inside Diameter (ID) Controlled - Coil Banded Loose												
WHD1645-050	5/8"	16	0.615"	0.045"	500	152	18.9	8.6	20	520	760	79.10
WHD1645-100	5/8"	16	0.615"	0.045"	1,000	305	37.8	17.2	12	312	630	159.00
WHD2057-050	3/4"	20	0.805"	0.057"	500	152	31.3	14.2	12	312	620	130.00
WHD2667-066	1"	26	1.060"	0.067"	660	201	63.3	28.7	7	182	260	196.00



Ordering Information:

- Round Hose (Part No EHDxxxx-xxx) is manufactured I.D. controlled, unless otherwise stated.
- Above hose is available Made to Order without a Blue Stripe (i.e. Part No EHDxxxx-xxxNS). Made to Order quantities apply.

* Blue Stripe® Round Hose is equivalent to:

EHD1443	Blueline & Drip In 0.550" ID (16mm OD)
EHD1643	Blueline & Drip In 0.620" ID (18mm OD)
EHD1845	Blueline & Drip In 0.710" ID (20mm OD)

** Suitable for use with 25mm ISO compression fittings.

Hose

Outside Diameter (OD) Controlled

Blue Stripe® Round Hose (Category III)

- ◇ MADE TO ORDER. 80,000 Ft. minimum order quantity will apply. Toro Ag Customer Service will confirm that the order has been accepted and the estimated date of delivery. Truckload quantities are approximate.




As shown and accepted and the estimated date of delivery. Rackload quantities are approximate.												
Part Number	Size		Nominal Hose Size		Coil Length		Coil Ship Weight		Coils per Pallet	Coils per Truck		List Price per Coil
	inch	mm	OD inch	Wall inch	Ft.	M.	Lbs.	Kilos		Pallet	Pallet	
Outside Diameter (OD) Controlled - Coil Stretch Wrapped Palletized												
EHW1650-010	5/8"	16	0.700"	0.050"	100	30	4.1	1.9	72	2,448	—	21.70
EHW1650-050	5/8"	16	0.700"	0.050"	500	152	20.7	9.4	20	520	520	97.40
Outside Diameter (OD) Controlled - Coil Banded Loose												
EHO1650-050	5/8"	16	0.700"	0.050"	500	152	20.5	9.3	20	640	840	72.70
EHO1650-100	5/8"	16	0.700"	0.050"	1,000	305	41.0	18.6	20	550	580	141.00
EHO2050-050	3/4"	20	0.930"	0.050"	500	152	27.9	12.7	20	570	675	94.50
EHO2050-100	3/4"	20	0.930"	0.050"	1,000	305	55.9	25.4	16	365	375	190.00
EHO2055-050	3/4"	20	0.940"	0.055"	500	152	31.0	14.1	20	495	590	104.00
EHO2055-100	3/4"	20	0.940"	0.055"	1,000	305	62.0	28.1	16	360	370	209.00

Colored Round Hose (Category III)

- ◇ MADE TO ORDER. 80,000 Ft. minimum order quantity will apply. Toro Ag Customer Service will confirm that the order has been accepted and the estimated date of delivery. Truckload quantities are approximate.



Nominal Hose Size												List Price per Coil
Part Number	Size		OD inch	Wall inch	Coil Length		Coil Ship Weight		Coils per Pallet	Coils per Truck		
	inch	mm			Ft.	M.	Lbs.	Kilos		Pallet	Loose	
Outside Diameter (OD) Controlled - Coil Banded Loose												
WHO1650-050	5/8"	16	0.700"	0.050"	500	152	20.5	9.3	20	520	840	83.20
WHO1650-100	5/8"	16'	0.700"	0.050"	1,000	305	41.0	18.6	12	312	580	167.00



Ordering Information:

- ◇ = MADE TO ORDER. 80,000 Ft. minimum order quantity will apply. Toro Ag Customer Service will confirm by email that the order has been accepted and the estimated date of delivery.

- Above hose is manufactured I.D. Controlled, unless otherwise stated.
- Above hose is available Made to Order without a Blue Stripe (i.e. Part No EHDxxxx-xxxNS). Made to Order quantities apply.

* Blue Stripe® Round Hose is equivalent to:

EHD1443	BlueLine & Drip In 0.550" ID (16mm OD)
EHD1643	BlueLine & Drip In 0.620" ID (18mm OD)
EHD1845	BlueLine & Drip In 0.710" ID (20mm OD)

To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)

Hose

Clipperhose

Blue Stripe® Clipperhose™ (Category III)
Hose with Clips for 14 Gauge Wire

◇ **MADE TO ORDER.** 80,000 Ft. minimum order quantity will apply. Toro Ag Customer Service will confirm that the order has been accepted and the estimated date of delivery. Truckload quantities are approximate.



has been accepted and the estimated date of delivery. Trackload quantities are approximate.														
Part Number	Clip		Size		Nominal Hose Size		Coil Length		Coil Ship Weight		Coils per Pallet	Coils per Truck		List Price per Coil
	Spacing		inch	mm	ID	Wall	Ft.	M.	Lbs.	Kilos		Pallet	Loose	
◇ EHD1643-100-C24	24"	5/8"	16	0.620"	0.043"	1,000	305	44.0	20.0	20	525	560	174.00	
◇ EHD1643-100-C30	30"	5/8"	16	0.620"	0.043"	1,000	305	43.7	19.9	20	525	560	160.00	
◇ EHD1643-100-C36	36"	5/8"	16	0.620"	0.043"	1,000	305	43.4	19.7	20	525	560	152.00	
◇ EHD1645-100-C24	24"	5/8"	16	0.615"	0.045"	1,000	305	45.0	20.5	20	525	560	178.00	
◇ EHD1645-100-C30	30"	5/8"	16	0.615"	0.045"	1,000	305	44.7	20.3	20	525	560	165.00	
◇ EHD1645-100-C36	36"	5/8"	16	0.615"	0.045"	1,000	305	44.4	20.2	20	525	560	156.00	
◇ EHD1845-100-C24	24"	-	18	0.710"	0.045"	1,000	305	49.2	22.4	16	480	520	194.00	
◇ EHD1845-100-C30	30"	-	18	0.710"	0.045"	1,000	305	48.9	22.2	16	480	520	181.00	
◇ EHD1845-100-C36	36"	-	18	0.710"	0.045"	1,000	305	48.6	22.1	16	480	520	173.00	
◇ EHD1847-100-C24	24"	-	18	0.730"	0.047"	1,000	305	50.2	22.8	16	480	520	203.00	
◇ EHD1847-100-C30	30"	-	18	0.730"	0.047"	1,000	305	50.2	22.8	16	480	520	191.00	
◇ EHD1847-100-C36	36"	-	18	0.730"	0.047"	1,000	305	50.2	22.8	16	480	520	182.00	

Hose

Pre-Punched

Blue Stripe® Pre-Punched Hose (Category III)
Round Hose from 1/2" (13mm) to 1" (26mm) available pre-punched!


◇ **MADE TO ORDER.** 80,000 Ft. minimum order quantity will apply. Toro Ag Customer Service will confirm that the order has been accepted and the estimated date of delivery.
 (To order pre-punched hose, add -P plus the hole spacing in inches to the hose part no. example: EHD1645-100-P24; 5/8" (16mm) hose, pre-punched at 24" spacing.)

**Description****List Price**
Each**Pre-Punch Price (To be added to the list price of Round Hose)**

Pre-Punch Price for Hole Spacing less than 24" (per 1,000 Ft.)

Pre-Punch Price for Hole Spacing 24" and above (per 1,000 Ft.)

Call Toro Ag Sales

**Ordering Information:**

- Round Hose (Part No EHDxxxx-xxx) is manufactured I.D. controlled, unless otherwise stated.
- Above hose is available Made to Order without a Blue Stripe (i.e. Part No EHDxxxx-xxxNS). Made to Order quantities apply.

* Blue Stripe® Round Hose is equivalent to:

EHD1445	Blueline & Drip In 0.550" ID (16mm OD)
EHD1643	Blueline & Drip In 0.620" ID (18mm OD)
EHD1845	Blueline & Drip In 0.710" ID (20mm OD)

Hose & Compatible Fittings

Product	I.D. (inches)	I.D. (inches)	O.D. (inches)	Wall (inches)	COMPATIBLE FITTINGS			
								
					Pro-Loc Fittings Series	Barbed Fittings Series*	Loc-Eze Fittings Series*	Fig 8 Hose Ends
Blue Stripe Hose - EHD1035 - 10mm		0.390	0.460	0.035				
Blue Stripe Hose - EHD1038 - 10mm	3/8"	0.375	0.451	0.038				
Blue Stripe Hose - EHD1335 - 13mm	1/2"	0.510	0.580	0.035	500	Fxx500		
Blue Stripe Hose - EHD1348 - 13mm	1/2"	0.510	0.606	0.048	500	Fxx500		
Blue Stripe Hose - EHD1350 - 13mm	1/2"	0.520	0.620	0.050	500	Fxx500		
Blue Stripe Hose - EHD1443 - 14mm		0.550	0.636	0.043	500	Fxx1400-1		FJQ16
Blue Stripe Hose - EHD1554 - 15mm		0.570	0.678	0.054	500	Fxx1500-1		FJQ16
Blue Stripe Hose - EHW1554 - 15mm		0.570	0.678	0.054	500	Fxx1500-1		FJQ16
Blue Stripe Hose - EHD1635 - 16mm	5/8"	0.615	0.685	0.035	600	Fxx1600-1	Fxx16	FJQ16
Blue Stripe Hose - EHD1642 - 16mm	5/8"	0.625	0.709	0.042	600	Fxx1600-1	Fxx16	FJQ16
Blue Stripe Hose - EHD1643 - 16mm	5/8"	0.620	0.706	0.043	600	Fxx1600-1	Fxx16	FJQ16
Blue Stripe Hose - EHD1645 - 16mm	5/8"	0.615	0.705	0.045	600	Fxx1600-1	Fxx16	FJQ16
Blue Stripe Hose - EHW1645 - 16mm	5/8"	0.620	0.710	0.045	600	Fxx1600-1	Fxx16	FJQ16
Blue Stripe Hose - EHD1845 - 18mm		0.710	0.800	0.045	700	Fxx1800-1		FJQ20
Blue Stripe Hose - EHD1847 - 18mm		0.730	0.824	0.047	700			FJQ20
Blue Stripe Hose - EHD1850 - 18mm		0.720	0.820	0.050	700			FJQ20
Blue Stripe Hose - EHD2052 - 20mm	3/4"	0.805	0.909	0.052	800			FJQ20
Blue Stripe Hose - EHD2057 - 20mm	3/4"	0.805	0.919	0.057	800			FJQ20
Blue Stripe Hose - EHD2657 - 26mm	1"	1.060	1.174	0.057				FJQ26
Blue Stripe Hose - EHD2662 - 26mm	1"	1.060	1.184	0.062				FJQ26
Blue Stripe Hose - EHD2667 - 26mm	1"	1.060	1.194	0.067				FJQ26
Blue Stripe Hose - EHD3580 - 30mm	1 1/4"	1.365	1.525	0.080				
Blue Stripe Oval Hose ELD2626 - 26mm	1"	1.043	1.095	0.026				FJQ26
Blue Stripe Oval Hose ELD3550 - 35mm	1 1/4"	1.365	1.465	0.050				
Blue Stripe Oval Hose ELD4040 - 40mm	1 1/2"	1.595	1.675	0.040				
Blue Stripe Oval Hose ELD5251 - 52mm	2"	2.052	2.154	0.051		POUX 2"		
Blue Stripe Oval Hose ELD7776 - 77mm	3"	3.043	3.195	0.076		POUX 3"		
Blue Stripe Oval Hose ELD101100 - 101mm	4"	3.996	4.196	0.100		POUX 4"		
BlueLine PC & Classic- 16mm	1/2"	0.550	0.640	0.045	500	Fxx1400-1		FJQ16
BlueLine PC & Classic- 18mm	5/8"	0.620	0.710	0.045	600	Fxx1600-1	Fxx16	FJQ16
BlueLine PC & Classic- 20mm	3/4"	0.710	0.805	0.048	700	Fxx1800-1		FJQ20
Soakerline Classic - 4mm	1/4"	0.170	0.250	0.040		Fxx0400		
IPS50 - Flexible PVC	1/2"	0.546	0.840	0.147				
IPS75 - Flexible PVC	3/4"	0.742	1.050	0.154				
IPS100 - Flexible PVC	1"	0.957	1.315	0.179				

* Example: Fxx16 = FCC16., FEE16., FTT16., etc.

FP 3/20/18

Hose & Dripline Fittings

Pro-Loc™ Hose and Dripline Fittings (Category VIII)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price Each
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Couplings								
FHC500	500 Series Pro-Loc Coupling	50	500	—	—	1.28	0.036	0.65
FHC600	600 Series Pro-Loc Coupling	50	450	—	—	1.28	0.036	0.72
FHC700	700 Series Pro-Loc Coupling	50	350	—	—	1.28	0.036	0.87
FHC800	800 Series Pro-Loc Coupling	50	250	—	—	1.28	0.036	1.16
Threaded Adapters								
FHA5-50MPT	500 Series Pro-Loc x 1/2" Male Pipe Thread Adapter	50	600	—	—	1.28	0.036	0.64
FHA6-50MPT	600 Series Pro-Loc x 1/2" Male Pipe Thread Adapter	50	600	—	—	1.28	0.036	0.73
FHA7-50MPT	700 Series Pro-Loc x 1/2" Male Pipe Thread Adapter	50	500	—	—	1.28	0.036	0.90
FHA5-75MPT	500 Series Pro-Loc x 3/4" Male Pipe Thread Adapter	50	600	—	—	1.28	0.036	0.64
FHA6-75MPT	600 Series Pro-Loc x 3/4" Male Pipe Thread Adapter	50	600	—	—	1.28	0.036	0.73
FHA7-75MPT	700 Series Pro-Loc x 3/4" Male Pipe Thread Adapter	50	450	—	—	1.28	0.036	0.90
FHA8-75MPT	800 Series Pro-Loc x 3/4" Male Pipe Thread Adapter	50	400	—	—	1.28	0.036	1.01
Threaded Adapters x 3/4" Female Hose Swivel*								
FHA5-75FHS	500 Ser Pro-Loc x 3/4" Female Hose Swivel	50	400	—	—	1.28	0.036	1.14
FHA6-75FHS	600 Ser Pro-Loc x 3/4" Female Hose Swivel	50	400	—	—	1.28	0.036	1.16
FHA7-75FHS	700 Ser Pro-Loc x 3/4" Female Hose Swivel	50	350	—	—	1.28	0.036	1.28
FHA8-75FHS	800 Ser Pro-Loc x 3/4" Female Hose Swivel	50	350	—	—	1.28	0.036	2.32
Threaded Adapters x 3/4" Female Hose Swivel with Screen*								
FHA5-75FHSS	500 Ser Pro-Loc x 3/4" Female Hose Swivel with Screen	50	400	—	—	1.28	0.036	1.40
FHA6-75FHSS	600 Ser Pro-Loc x 3/4" Female Hose Swivel with Screen	50	400	—	—	1.28	0.036	1.45
FHA7-75FHSS	700 Ser Pro-Loc x 3/4" Female Hose Swivel with Screen	50	350	—	—	1.28	0.036	1.52
FHA8-75FHSS	800 Ser Pro-Loc x 3/4" Female Hose Swivel with Screen	50	350	—	—	1.28	0.036	2.50
Barbed Adapters with Rubber Grommet								
FHA5-425RG	500 Series Pro-Loc x 425 Series Barb with Rubber Grommet	100	800	—	—	1.28	0.036	0.73
FHA6-425RG	600 Series Pro-Loc x 425 Series Barb with Rubber Grommet	100	600	—	—	1.28	0.036	0.84
FHA7-425RG	700 Series Pro-Loc x 425 Series Barb with Rubber Grommet	100	400	—	—	1.28	0.036	0.94
FHA8-425RG	800 Series Pro-Loc x 425 Series Barb with Rubber Grommet	100	400	—	—	1.28	0.036	1.19
FHB5-425RG	500 Series Barb x 425 Barb with Grommet	100	1000	—	—	1.28	0.036	0.36
FHB7-425RG	700 Series Barb x 425 Barb with Grommet	100	800	—	—	1.28	0.036	0.38
Layflat Takeoffs								
FHA5-LF	500 Series Pro-Loc x Layflat Takeoff Single Grip	—	400	—	—	1.28	0.036	1.33
FHA6-LF	600 Series Pro-Loc x Layflat Takeoff Single Grip	—	400	—	—	1.28	0.036	1.41
FHA7-LF	700 Series Pro-Loc x Layflat Takeoff Single Grip	—	400	—	—	1.28	0.036	1.61
FHA5-LF2	500 Series Pro-Loc x Layflat Takeoff Double Grip	50	400	—	—	1.28	0.036	1.87
Elbows								
FHE500	500 Series Pro-Loc Elbow	50	450	—	—	1.28	0.036	1.50
FHE600	600 Series Pro-Loc Elbow	50	300	—	—	1.28	0.036	1.79
FHE700	700 Series Pro-Loc Elbow	50	300	—	—	1.28	0.036	2.07
FHE800	800 Series Pro-Loc Elbow	—	400	—	—	1.28	0.036	2.25
Tees								
FHT500	500 Series Pro-Loc Tee	50	300	—	—	1.28	0.036	1.59
FHT600	600 Series Pro-Loc Tee	50	250	—	—	1.28	0.036	1.88
FHT700	700 Series Pro-Loc Tee	50	200	—	—	1.28	0.036	2.27
FHT800	800 Series Pro-Loc Tee	50	150	—	—	1.28	0.036	2.90
Tee x 3/4" Male Pipe Thread								
FHT5-75MPT	500 Series Pro-Loc Tee x 3/4" Male Pipe Thread	50	250	—	—	1.28	0.036	1.72
FHT6-75MPT	600 Series Pro-Loc Tee x 3/4" Male Pipe Thread	50	250	—	—	1.28	0.036	1.91
FHT7-75MPT	700 Series Pro-Loc Tee x 3/4" Male Pipe Thread	50	200	—	—	1.28	0.036	2.07

Note: *All Swivels are assembled with a washer. Screen option is also available.

Hose & Dripline Fittings

Pro-Loc™ Hose and Dripline Fittings (Category VIII)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price Each
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Tees x 3/4" Female Hose Swivel*								
FHT5-75FHS	500 Ser Pro-Loc Tee x 3/4" Female Hose Swivel	50	250	—	—	1.28	0.036	1.86
FHT6-75FHS	600 Ser Pro-Loc Tee x 3/4" Female Hose Swivel	50	250	—	—	1.28	0.036	1.92
FHT7-75FHS	700 Ser Pro-Loc Tee x 3/4" Female Hose Swivel	50	200	—	—	1.28	0.036	2.04
FHT8-75FHS	800 Ser Pro-Loc Tee x 3/4" Female Hose Swivel	40	160	—	—	1.28	0.036	3.20
Tees x 3/4" Female Hose Swivel with Screen*								
FHT5-75FHSS	500 Ser Pro-Loc Tee x 3/4" Female Hose Swivel with Screen	50	250	—	—	1.28	0.036	2.03
FHT6-75FHSS	600 Ser Pro-Loc Tee x 3/4" Female Hose Swivel with Screen	50	250	—	—	1.28	0.036	2.10
FHT7-75FHSS	700 Ser Pro-Loc Tee x 3/4" Female Hose Swivel with Screen	50	200	—	—	1.28	0.036	2.32
FHT8-75FHSS	800 Ser Pro-Loc Tee x 3/4" Female Hose Swivel with Screen	40	160	—	—	1.28	0.036	3.47
Shutoff Valves								
FHV500	500 Series Pro-Loc Shutoff Valve	50	300	—	—	1.28	0.036	1.51
FHV600	600 Series Pro-Loc Shutoff Valve	50	250	—	—	1.28	0.036	1.51
FHV700	700 Series Pro-Loc Shutoff Valve	50	200	—	—	1.28	0.036	1.59
FHV800	800 Series Pro-Loc Shutoff Valve	50	200	—	—	1.28	0.036	1.76
Shutoff Valves x 250 Series Barb Adapter								
FHV6-250B	600 Series Pro-Loc x 250 Series Barb Shutoff Valve	50	—	—	—	1.28	0.036	1.86
Shutoff Valves with Rubber Grommet								
FHV6-425G	600 Series Pro-Loc x 425 Series Barb Shutoff Valve with Grommet	50	350	—	—	1.28	0.036	1.63
Male Thread Shutoff Valves								
FHV5-50MPT	500 Series Pro-Loc x 1/2" Male Pipe Thread Shutoff Valve	50	400	—	—	1.28	0.036	1.57
FHV6-50MPT	600 Series Pro-Loc x 1/2" Male Pipe Thread Shutoff Valve	—	400	—	—	1.28	0.036	1.57
FHV5-75MPT	500 Series Pro-Loc x 3/4" Male Pipe Thread Shutoff Valve	50	300	—	—	1.28	0.036	1.57
FHV6-75MPT	600 Series Pro-Loc x 3/4" Male Pipe Thread Shutoff Valve	—	400	—	—	1.28	0.036	1.57
Male Hose Thread x Female Hose Thread Shutoff Valves								
FHV75MHT-75FHS	3/4" Male Hose Thread x 3/4" Female Hose Swivel with Shutoff Valve	50	250	—	—	1.28	0.036	2.32
Layflat Installation Tools								
LF-INST	T-Handle Hex Tool for Layflat Installation	25	250	—	—	1.28	0.036	5.73
LF-CUT14	Layflat Cutter - 14mm BLUE	1	50	23.33	10.60	1.28	0.036	97.40
LF-CUT16	Layflat Cutter - 16mm RED	1	50	23.33	10.60	1.28	0.036	97.40
LF-CUT19	Layflat Cutter - 19mm GREEN	1	50	23.33	10.60	1.28	0.036	113.00
400 Series Barb Tools								
INS-400XS	400B Cutting and Inserting Tool - Extra Short	10	80	25.43	11.56	1.28	0.036	31.50
INS-400S	400B Cutting and Inserting Tool - Short	10	80	25.43	11.56	1.28	0.036	31.50
INS-400AS	400B Cutting and Inserting Tool with Adjustable Tip - Short	10	80	25.43	11.56	1.28	0.036	45.00
INS-400AL	400B Cutting and Inserting Tool with Adjustable Tip - Long	10	80	25.43	11.56	1.28	0.036	45.00
TIP-400XS	400B Replacement Tip - Extra Short	27	216	25.43	11.56	1.28	0.036	24.70
TIP-400S	400B Replacement Tip - Short	27	216	25.43	11.56	1.28	0.036	24.70
TIP-400AS	400B Replacement Adjustable Tip - Short	27	216	25.43	11.56	1.28	0.036	37.50
TIP-400AL	400B Replacement Adjustable Tip - Long	24	192	25.43	11.56	1.28	0.036	37.50

Note: *All Swivels are assembled with a washer. Screen option is also available.

Pro-Loc™ Fittings Selection Chart

Nominal Size ID	Series Number	Inside Diameter Tolerance		Wall Thickness Tolerance	
		Inches	Millimeters	Inches	Millimeters
16mm & 17mm	500	0.519 - 0.590	13.2 - 15.0	0.020 - 0.055	0.50 - 1.40
18mm	600	0.598 - 0.649	15.2 - 16.5	0.030 - 0.055	0.75 - 1.40
20mm	700	0.677 - 0.728	17.2 - 18.5	0.032 - 0.055	0.80 - 1.40
22mm	800	0.787 - 0.846	20.0 - 21.5	0.040 - 0.059	1.00 - 1.50

To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)

Hose & Dripline Fittings

Barbed Hose Fittings (Category VIII)













Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price Each
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Barbed Couplings								
FBC400B	400 Series Barb Coupling	500	1500	—	—	1.28	0.036	0.32
FBC500	500 Series Barb Coupling	500	1500	—	—	1.28	0.036	0.14
FBC700	700 Series Barb Coupling	200	1000	—	—	1.28	0.036	0.19
FBC1000	1000 Series Barb Coupling	100	500	—	—	1.28	0.036	0.33
Barbed Tees								
FBT500	500 Series Barb Tee	250	1000	—	—	1.28	0.036	0.19
FBT700	700 Series Barb Tee	50	400	—	—	1.28	0.036	0.45
FBT1000	1000 Series Barb Tee	40	200	—	—	1.28	0.036	0.77
Male Thread Adapters								
FBA5-50MPT	500 Series Barb x 1/2" Male Pipe Thread Adapter	100	1200	—	—	1.28	0.036	0.31
FBA7-50MPT	700 Series Barb x 1/2" Male Pipe Thread Adapter	100	1000	—	—	1.28	0.036	0.33
FBA10-50MPT	1000 Series Barb x 1/2" Male Pipe Thread Adapter	100	700	—	—	1.28	0.036	0.43
FBA5-75MPT	500 Series Barb x 3/4" Male Pipe Thread Adapter	100	700	—	—	1.28	0.036	0.31
FBA7-75MPT	700 Series Barb x 3/4" Male Pipe Thread Adapter	100	700	—	—	1.28	0.036	0.33
FBA10-75MPT	1000 Series Barb x 3/4" Male Pipe Thread Adapter	100	500	—	—	1.28	0.036	0.43

Barbed Fittings Selection Chart

Nominal Size OD	Series Number	Inside Diameter	
		Inches	Millimeters
16 & 17mm	500	0.519	13.2
20mm	700	0.661	16.8
25mm	1000	0.850	21.6
32mm	1200	1.110	28.2
40mm	1400	1.385	35.2

Hose & Dripline Fittings

Barbed Hose Fittings & Accessories (Category VIII)

	Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price Each
			Bag	Carton	Lbs.	Kilos	Ft.	M.	
	Coupling, (ID) Barb X (ID) Barb								
	FCC0400	0.170" (4mm) ID Barbed Coupling	500	10,000	24.0	11	1	0.038	0.06
	FCC0400-100	0.170" (4mm) ID Barbed Coupling	100	10,000	24.0	11	1	0.038	0.06
	Elbow, (ID) Barb X (ID) Barb								
	FEE0400	0.170" (4mm) ID Barbed Elbow	500	10,000	16.0	7	1	0.038	0.07
	FEE0400-100	0.170" (4mm) ID Barbed Elbow	100	10,000	16.0	7	1	0.038	0.07
	FEE1500	0.570" (15mm) ID Barbed Elbow	100	900	16.0	7	1	0.038	0.42
	Tee, (ID) Barb X (ID) Barb X (ID) Barb								
	FTT0400	0.170" (4mm) ID Barbed Tee	500	10,000	23.0	10	1	0.038	0.07
	FTT0400-100	0.170" (4mm) ID Barbed Tee	100	10,000	23.0	10	1	0.038	0.07
	Goof Plugs								
	FPG01	Single side hose plug/12 clip	1,200	18,000	12.0	5	1	0.038	0.02
	FPG02	Dual side hose plug/12 clip	100	10,000	12.0	5	1	0.038	0.10
	FPG06	Goof Plug - 6mm	1,000	35,000	—	—	1.28	0.036	0.04
	FPG08	Goof Plug - 8mm	1,000	25,000	—	—	1.28	0.036	0.06
	FPG10	Goof Plug - 10mm	1,000	16,000	—	—	1.28	0.036	0.06
	FPG12	Goof Plug - 12mm	1,000	8,000	—	—	1.28	0.036	0.08
	Figure 8 End Clamp								
	FJQ13	13mm figure 8 end clamp	100	2,000	12.0	5	1	0.038	0.17
	FJQ16	16mm figure 8 end clamp	100	1,600	12.0	5	1	0.038	0.20
	FJQ20	20mm figure 8 end clamp	—	1,000	14.0	6	1	0.028	0.39
	FJQ26	26mm figure 8 end clamp	—	1,000	18.0	8	2	0.042	0.39
	Oetiker 1-Ear Clamps								
	WFL0040	(198R) Nominal Size 3/4", Closed .618", Open .779"	100	4,000	29.0	13	1	0.021	0.45
	WFL0042	(210R) Nominal Size 13/16", Closed .716", Open .827"	100	4,000	20.0	9	1	0.021	0.25
	WFL0043	(256R) Nominal Size 1", Closed .898, Open .1.008"	100	4,500	30.0	14	1	0.031	0.27
	WFL0044	(316R) Nominal Size 1 1/4", Closed 1.122", Open 1.244"	100	2,500	24.0	11	1	0.031	0.30
	WFL0045	(1098) Straight Jaw Pliers	1	10	—	—	—	—	41.70
	Bug Cap for 1/4" (4mm) Tubing								
	BC-025	Bug Cap for 1/4" (4mm) Tubing	25	—	—	—	—	—	0.25
	Micro Flow Valve, (ID) Barb x (ID) Barb								
	FCV-BB	0.170" (4mm) ID Barbed Valve	5	—	—	—	1.35	0.038	1.00
	Coupling, (ID) Barb X (ID) Barb								
	FCC0600	0.250" (6mm) ID Barbed Coupling	500	5,000	—	—	1.35	0.038	0.37
	FCC1500	0.570" (15mm) ID Barbed Coupling	100	1,500	16.0	7.3	1.35	0.038	0.24
	Coupling, (ID) Barb X (ID) Barb (with Safety Loc Ring)								
	FCC1400-1	0.550" (14mm) ID Barbed Coupling (Dark Green Ring)	100	4,200	25.0	11.3	1.35	0.038	0.23
	FCC1600-1	0.620" (16mm) ID Barbed Coupling (Blue Ring)	100	3,000	25.0	11.3	1.35	0.038	0.59
	FCC1800-1	0.710" (18mm) ID Barbed Coupling (Light Green Ring)	100	2,500	25.0	11.3	1.35	0.038	0.54
	Male Adapter, (ID) Barb x 1/2" MPT								
	FAM1500	0.570" (15mm) ID Barb x 1/2" MPT Adapter w/out cap	100	1,000	15.0	6.8	1.35	0.038	0.23
	Female Adapter, (ID) Barb x 3/4" FHT Swivel								
	FAS1500	0.570" (15mm) ID Barb x 3/4" FHT Swivel Adapter w/screen	100	700	23.0	10.4	1.35	0.038	0.93
	FAS1500-1	0.570" (15mm) ID Barb x 3/4" FHT Swivel Adapter w/washer	100	700	23.0	10.4	1.35	0.038	0.65
	Adapter Tee, (ID) Barb x (ID) Barb x 3/4" FHT Swivel								
	FTS1500	0.570" (15mm) ID Barb x 3/4" FHT Swivel Tee w/screen	100	400	24.0	10.9	1.35	0.038	1.44
	Hose End, (ID) Barb x 3/4" MHT								
	FJA1500	0.570" (15mm) ID Barb x 3/4" MHT w/out cap	100	800	22.0	10.0	1.35	0.038	0.25
	FJJ1500	0.570" (15mm) ID Barb x 3/4" MHT with cap	100	800	25.0	11.3	1.35	0.038	0.66

Hose & Dripline Fittings

Oval Hose and Layflat Fittings (Category VIII)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price Each
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Insert Couplings (Standard)								
C02	2" Insert Couplings Molded	-	50	11.0	5.0	0.694	0.020	3.08
C02F	2" Insert Couplings Fabricated	-	-	-	-	-	-	4.63
C03	3" Insert Couplings	-	60	30.0	13.6	2.083	0.059	7.62
C04	4" Insert Couplings	-	30	22.0	10.0	2.083	0.059	11.00
C06	6" Insert Couplings	-	13	27.0	12.3	2.558	0.072	36.72
C08	8" Insert Couplings	-	12	48.0	21.8	6.019	0.170	82.06
Insert Tee (Standard)								
T02	2" Insert Tee Molded	-	40	15.0	6.8	7.283	2.220	7.83
T03	3" Insert Tee	-	15	29.0	13.2	9.022	2.750	27.96
T04	4" Insert Tee	-	8	25.0	11.4	7.972	2.430	64.04
T06	6" Insert Tee	-	3	32.0	14.5	19.718	6.010	200.68
T08	8" Insert Tee	-	1	21.0	9.5	13.189	4.020	358.05
Insert Elbow (Standard)								
L02	2" Insert Elbow Molded	-	50	18.0	8.2	7.972	2.430	4.00
L03	3" Insert Elbow	-	20	27.0	12.3	9.022	2.750	21.39
L04	4" Insert Elbow	-	12	25.0	11.4	7.972	2.430	41.07
L06	6" Insert Elbow	-	4	28.0	12.7	9.022	2.750	132.05
L08	8" Insert Elbow	-	2	31.0	14.1	13.189	4.020	250.30
Insert Spigot Adapters (Standard)								
ISP02	2" Insert Spigot Adapters Molded	-	100	25.0	11.4	2.083	0.0590	5.00
ISP02F	2" Insert Spigot Adapters Fabricated	-	-	-	-	-	-	6.50
ISP03	3" Insert Spigot Adapters	-	50	30.0	13.6	2.083	0.0590	10.37
ISP04	4" Insert Spigot Adapters	-	30	26.0	11.8	2.083	0.0590	13.23
ISP06	6" Insert Spigot Adapters	-	12	28.0	12.7	2.558	0.0724	50.84
ISP08	8" Insert Spigot Adapters	-	12	51.0	23.2	6.019	0.1704	103.81
Insert Slip Adapters (Standard)								
IXS02	2" Insert Slip Adapters Molded	-	120	30.0	13.6	2.083	0.0590	7.00
IXS03	3" Insert Slip Adapters	-	45	31.0	14.1	2.083	0.0590	13.81
IXS04	4" Insert Slip Adapters	-	30	28.0	12.7	2.083	0.0590	14.83
IXS06	6" Insert Slip Adapters	-	14	38.0	17.3	4.181	0.1184	65.91
IXS08	8" Insert Slip Adapters	-	8	33.0	15.0	4.181	0.1184	121.28
Insert Reducers (Standard)								
R32	3"x 2" Insert Reducers	-	60	32.0	14.5	2.083	0.0590	25.36
R43	4"x 3" Insert Reducers	-	60	41.0	18.6	2.558	0.0724	41.54
R64	6"x 4" Insert Reducers	-	6	25.0	11.4	2.164	0.0613	81.65
Insert Male Adapter (Standard)								
MA02	2" Insert Male Adapter Molded	-	-	0.0	0.0	-	-	3.50
MA03	3" Insert Male Adapter	-	50	30.0	13.6	-	-	10.92
MA04	4" Insert Male Adapter	-	30	26.0	11.8	-	-	15.12
MA06	6" Insert Male Adapter	-	12	28.0	12.7	-	-	82.58
MA08	8" Insert Male Adapter	-	6/12	26/52	-	-	-	131.43
Insert Plug (Standard)								
PL02	2" Insert Plug	-	-	0.0	0.0	-	-	5.00
PL03	3" Insert Plug	-	50	30.0	13.6	-	-	16.51
PL04	4" Insert Plug	-	30	27.0	12.3	-	-	18.75
PL06	6" Insert Plug	-	12	30.0	13.6	-	-	83.69
PL08	8" Insert Plug	-	6/12	28/54	-	-	-	166.44
Insert Victaulic Groove (Standard)								
VG02PE	2" Victaulic Groove x Plain End Fitting	-	50	13.0	5.9	-	-	6.24
VG03PE	3" Victaulic Groove x Plain End Fitting	-	48	31.0	14.1	-	-	10.65
VG04PE	4" Victaulic Groove x Plain End Fitting	-	28	25.0	11.4	-	-	16.61
VG06PE	6" Victaulic Groove x Plain End Fitting	-	12	27.0	12.3	-	-	35.57
VG08PE	8" Victaulic Groove x Plain End Fitting	-	6	23.0	10.5	-	-	63.10
VG02IN	2" Victaulic Groove x Insert Barb	-	50	15.0	6.8	-	-	9.50
VG03IN	3" Victaulic Groove x Insert Barb	-	50	31.0	14.1	-	-	19.30
VG04IN	4" Victaulic Groove x Insert Barb	-	30	26.0	11.8	-	-	22.91
VG06IN	6" Victaulic Groove x Insert Barb	-	12	28.0	12.7	-	-	69.33
VG08IN	8" Victaulic Groove x Insert Barb	-	6	26.0	11.8	-	-	141.81
VG02PE-80	2" Victaulic Groove x Plain End Fitting SCH 80	-	50	32.0	14.5	-	-	7.63
VG03PE-80	3" Victaulic Groove x Plain End Fitting SCH 80	-	25	24.0	10.9	-	-	12.50
VG04PE-80	4" Victaulic Groove x Plain End Fitting SCH 80	-	30	45.0	20.4	-	-	13.76
VG06PE-80	6" Victaulic Groove x Plain End Fitting SCH 80	-	12	33.0	15.0	-	-	41.68
VG08PE-80	8" Victaulic Groove x Plain End Fitting SCH 80	-	6	26.0	11.8	-	-	73.92
VG02IN-80	2" Victaulic Groove x Insert Barb SCH 80	-	50	36.0	16.3	-	-	9.19
VG03IN-80	3" Victaulic Groove x Insert Barb SCH 80	-	25	31.0	14.1	-	-	18.90
VG04IN-80	4" Victaulic Groove x Insert Barb SCH 80	-	30	48.0	21.8	-	-	26.88
VG06IN-80	6" Victaulic Groove x Insert Barb SCH 80	-	12	46.0	20.9	-	-	71.61
VG08IN-80	8" Victaulic Groove x Insert Barb SCH 80	-	6	41.0	18.6	-	-	134.40

Hose & Dripline Fittings

Oval Hose and Layflat Clamps (Category VIII)



Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Worm Gear Clamps, Stainless Steel								
Clamp1.5	1.5" Worm Gear Clamp, Stainless Steel	-	400	23.4	10.6	1.03	0.314	0.91
Clamp2	2.0" Worm Gear Clamp, Stainless Steel	-	400	23.4	10.6	1.03	0.314	0.99
Clamp3	3.0" Worm Gear Clamp, Stainless Steel	-	300	21.2	9.6	1.41	0.431	1.20
Clamp4	4.0" Worm Gear Clamp, Stainless Steel	-	200	16.0	7.3	1.36	0.414	1.31
Clamp6	6.0" Worm Gear Clamp, Stainless Steel	-	100	11.5	5.2	1.64	0.499	1.59
Clamp8	8.0" Worm Gear Clamp, Stainless Steel	-	100	13.4	6.1	0.65	0.197	2.59

Take-off Fittings for PVC (Category VIII)



Part Number	Description	Quantity	Carton Weight		Carton Cube		List Price
		Box	Lbs.	Kilos	Ft.	M.	Each
Take-off Adaptors							
XP-13x13	13 mm grommet inlet x 13mm takeoff	1,600	18.0	8.16	—	—	0.59
XP-13x14	13 mm grommet inlet x 14mm takeoff	1,600	22.0	9.98	—	—	0.61
XP-13x15	13 mm grommet inlet x 15 mm takeoff	1,400	21.0	9.53	—	—	0.66
XP-16x16	16 mm grommet inlet x 16 mm takeoff	1,000	18.0	8.16	—	—	0.90
XP-16x18	16 mm grommet inlet x 18 mm takeoff	1,000	22.0	9.98	—	—	0.91
XP-19x21	19 mm grommet inlet x 21 mm takeoff	—	—	—	—	—	1.09

Drill Bit for Take-Off Adaptors


ANT-51848	Drill bit for Take-Off Adaptors 13 mm	39.00
ANT-51858	Drill bit for Take-Off Adaptors 16 mm	46.00
ANT-51868	Drill bit for Take-Off Adaptors 19 mm	53.00

Rubber Grommets




CAP-13	Rubber Grommet 13mm	5,500	23.0	10.43	—	—	0.54
CAP-16	Rubber Grommet 16mm	2,700	23.0	10.43	—	—	0.68
CAP-19	Rubber Grommet 19mm	1,000	23.0	10.43	—	—	0.79

Wedge Plug



FTC13	13mm Wedge Plug, PVC drill size 19/32", poly drill size 37/64", min PVC size 1" 25mm	100	3,000	18.0	8.2	1.35	0.038	0.21
FTC16	16mm Wedge Plug, PVC drill size 23/32", poly drill size 45/64", min PVC size 1-1/4" 32mm	100	2,200	18.0	8.2	1.35	0.038	0.42


Hose Fittings, Loc-Eze® (Category VIII)



Coupling, (ID) Loc-Eze X (ID) Loc-Eze								
Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price Each
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
FCC16	0.620" (16mm) ID Loc-Eze Coupling	100	1,000	25.0	11.3	1.35	0.038	0.45



Elbow, (ID) Loc-Eze X (ID) Loc-Eze								
FEE16	0.620" (16mm) ID Loc-Eze Elbow	100	700	21.0	9.5	1.35	0.038	0.75



Tee, (ID) Loc-Eze X (ID) Loc-Eze X (ID) Loc-Eze								
FTT16	0.620" (16mm) ID Loc-Eze Tee	100	500	23.0	10.4	1.35	0.038	0.80



Male Adapter, (ID) Loc-Eze X 1/2" MPT								
FAM16	0.620" (16mm) ID Loc-Eze x 1/2" MPT Adapter w/out cap	100	900	22.0	10.0	1.35	0.038	0.30



Hose End, (ID) Loc-Eze X 3/4" MHT								
FJA16	0.620" (16mm) ID Loc-Eze x 3/4" MHT Hose End w/out cap	100	800	24.0	10.9	1.35	0.038	0.63
FJJ16	0.620" (16mm) ID Loc-Eze x 3/4" MHT Hose End with cap	100	600	30.0	13.6	1.35	0.038	0.88



Female Adapter, (ID) Loc-Eze X 3/4" FHT Swivel								
FAS16	0.620" (16mm) ID Loc-Eze x 3/4" FHT Swivel Adapter w/screen	100	700	26.0	11.8	1.35	0.038	1.25
FAS16-1	0.620" (16mm) ID Loc-Eze x 3/4" FHT Swivel Adapter w/washer	100	700	26.0	11.8	1.35	0.038	1.47



Ordering Information:

◇ = MADE TO ORDER. Minimum order quantity will apply. Please consult Toro Ag Customer Service for availability.

Shaded area indicates products being discontinued. Limited to available stocks on hand.

Hose & Dripline Fittings

Hose Fittings, Loc-Eze® & Accessories (Category VIII)

	Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
			Bag	Carton	Lbs.	Kilos	Ft.	M.	Each
	Oval Hose Connector, 7mm Barb X Hose (ID) Loc-Eze								
	FCA0716	7mm barb x 16mm Loc-Eze	100	1,500	25.0	11.3	1.35	0.038	0.44
	FEP3559	7mm barb x 16mm w/out ring	—	2,000	27.0	12.2	1.35	0.038	0.24
	Rubber Grommet, takeoff for PVC X 7mm Barb								
	FGP10	Rubber Grommet for 7mm Barb (for use with FCA fittings), use drill bit size 9/16"	—	5,000	22.0	10.0	0.92	0.026	1.00

Clip Rings for Clipperhose™ (Category VIII)

	Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
			Bag	Carton	Lbs.	Kilos	Ft.	M.	Each
	Clip Rings for Clipperhose™ (suitable for 14 Gauge Wire)								
	CLPAG18	0.710" ~ 0.720" OD (18mm OD) Clip Ring	—	5,000	30.0	13.7	1.57	0.044	0.09
	CLPAG20	0.805" ~ 0.830" OD (20mm OD) Clip Ring	—	5,000	24.0	10.9	1.57	0.044	0.10

H-Curls (Category VIII)

	Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Nominal size hose	Carton	Gaylord	Lbs.	Kilos	Ft.	M.	per 1,000
	H-Curls (Carton Quantities)								
	HC13-3.0-1000	13mm X 3" long for hose 0.640" to 0.720" OD.	1,000	—	12.0	6	1	0.038	48.40
	HC13-4.0-1000	13mm X 4" long for hose 0.680" to 0.760" OD.	1,000	—	13.0	6	1	0.038	64.40
	HC16-3.0-1000	16mm X 3" long for hose 0.780" to 0.860" OD.	1,000	—	12.0	6	1	0.038	47.80
	HC16-4.0-1000	16mm X 4" long for hose 0.880" to 0.960" OD.	1,000	—	12.0	6	1	0.038	62.20
	H-Curls (Gaylord Quantities)								
	HC13-3.0	13mm X 3" long for hose 0.640" to 0.720" OD.	—	30,000	280.0	127	37	1.059	46.50
	HC13-4.0	13mm X 4" long for hose 0.680" to 0.760" OD.	—	30,000	280.0	127	37	1.059	62.00
HC16-3.0	16mm X 3" long for hose 0.780" to 0.860" OD.	—	32,000	325.0	148	37	1.059	45.60	
HC16-4.0	16mm X 4" long for hose 0.880" to 0.960" OD.	—	24,000	220.0	100	37	1.059	59.90	

Shaded area indicates products being discontinued. Limited to available stocks on hand.

Hose & Dripline Fittings

Hose Fittings Accessories (Category VIII)


Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Rubber Grommet Adapters, for PVC.								
FGR15	Rubber Grommet with 1/2" FPT , drill size 1.0" 25.5mm, min PVC size: 1-1/2" 40mm (for use with FAM fittings)	—	1,500	25.0	11.3	1.35	0.038	1.16
FGR20	Rubber Grommet with 3/4" FPT , drill size 1.2" 30mm, min PVC size: 1-1/2" 40mm (for use with FAM fittings)	—	1,000	25.0	11.3	1.35	0.038	1.44
FGR25	Rubber Grommet with 1" FPT , drill size 1.5" 38mm, min PVC size: 2" 50mm	—	700	25.0	11.3	1.35	0.038	1.74
Threaded Cap & Washers								
FEP1380	3/4" FHT Cap w/ Washer	100	1,200	12.0	5.4	1.35	0.038	POR
FEP1376	3/4" Washer w/ Screen	—	5,000	25.0	11.3	1.50	0.042	0.49
FEP1377	3/4" Washer	—	7,000	22.0	10.0	1.00	0.028	0.30
Wire Ties & Handles								
FMH08-1	Wire tie handle	—	1	—	—	—	—	14.40
FWA01-5000	Stainless steel wire tie, 18 gauge, 6" long, 5000 quantity	—	5,000	22.0	10.0	0.91	0.026	600.00
FWA02-5000	Galvanized steel wire tie, 18 gauge, 6" long, 5000 quantity	—	5,000	24.0	10.9	0.63	0.018	250.00
FWA03-5000	Stainless steel wire tie, 18 gauge, 7" long, 5000 quantity	—	5,000	—	—	—	—	500.00
FWA04-5000	Stainless steel wire tie, 18 gauge, 8" long, 5000 quantity	—	5,000	—	—	—	—	700.00
FWA05-5000	Galvanized steel wire tie, 16 gauge, 10" long, 5000 quantity	—	5,000	—	—	—	—	650.00
Locating Stakes								
SS6-50	6" Galv. Steel Soil Staple for 10mm to 20mm Hose	50	1,000	38.0	17.2	0.44	0.013	0.14

Check & Flush Valves (Category VI)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Check Valve								
JVO500-S2	Inline Valve for 5/8" OD Tubing	25	500	—	—	—	—	13.60
Flush Valve								
FCH-H-FIPT	3/4"FPT, .8 gpm, 2 psi Sealing Pressure, Flush Valve	1	—	—	—	—	—	2.99
FCH-H-FHT	3/4"FHT, .8 gpm, 2 psi Sealing Pressure, Flush Valve	50	1,200	25	11.3	1.81	0.051	2.99

Ordering Information:

◇ = MADE TO ORDER. Minimum order quantity will apply. Please consult Toro Ag Customer Service for availability.



Emission Devices & Accessories

Emission Devices

N.G.E® AL Next Generation Pressure-Compensating Emitter (Category IV)

Flow rate expressed gph @ 30 psi (2 Bar)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	



3mm outlet

N.G.E® AL (Anti-Drain) Pressure Compensating Turbulent Flow Emitter, 3mm barb Outlet

DPCT02-3-AL-BLUE	0.53 gph (2 lph) N.G.E® AL, 3MM Barbed Outlet (Light Blue Base)	100	5,000	27	12.25	1.35	0.038	0.26
DPCT03-3-GRN	0.8 gph (3 lph) NGE AL, 3MM Barbed Outlet (Light Green Base)	100	5,000	27	12.25	1.35	0.038	0.26
DPCT04-3-AL-BLK	1.06 gph (4 lph) N.G.E® AL, 3MM Barbed Outlet (Grey Base)	100	5,000	27	12.25	1.35	0.038	0.26
DPCT08-3-AL-RED	2.11 gph (8 lph) NGE AL, 3MM Barbed Outlet (Light Red Base)	100	5,000	27	12.25	1.35	0.038	0.26



MA outlet

N.G.E® AL (Anti-Drain) Pressure Compensating Turbulent Flow Emitter, Male Adapter Outlet

DPCT02-MA-AL-BLUE	0.53 gph (2 lph) N.G.E® AL w/Male Adapter (Light Blue Base)	100	5,000	27	12.25	1.35	0.038	0.26
DPC03-MA-AL-GRN	0.75 gph (3 lph) N.G.E® AL w/ Male Adaptor (Light Green Base)	100	5,000	27	12.25	1.35	0.038	0.26
DPCT04-MA-AL-BLK	1.06 gph (4 lph) N.G.E® AL w/ Male Adaptor (Grey Base)	100	5,000	27	12.25	1.35	0.038	0.26
DPCT08-MA-AL-RED	2.11 gph (8 lph) N.G.E® AL w/ Male Adaptor (Light Red Base)	100	5,000	27	12.25	1.35	0.038	0.26

-MA (Male Adapter) suitable for use with Spider Assemblies (Part No. DBWSxxx-xx)

N.G.E® SF Next Generation Pressure-Compensating Emitter (Category IV)

Flow rate expressed gph @ 30 psi (2 Bar)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	



3mm outlet

N.G.E® SF (Self Flushing) Pressure Compensating Turbulent Flow Emitter, 3mm barb Outlet

DPCT02-3-BLUE	0.53 gph (2 lph) N.G.E® SF, 3MM Barbed Outlet (Blue Base)	100	5,000	27	12.25	1.35	0.038	0.26
DPCT04-3-BLK	1.06 gph (4 lph) N.G.E® SF, 3MM Barbed Outlet (Black Base)	100	5,000	27	12.25	1.35	0.038	0.26
DPCT08-3-RED	2.11 gph (8 lph) NGE SF, 3MM Barbed Outlet (Red Base)	100	5,000	27	12.25	1.35	0.038	0.26

N.G.E® SF (Self Flushing) Pressure Compensating Turbulent Flow Emitter, Male Adapter Outlet

DPC03-MA-GREEN	0.75 gph (3 lph) N.G.E® SF w/ Male Adaptor (Green Base)	100	5,000	27	12.25	1.35	0.038	0.26
DPC08-MA-RED	2.11 gph (8 lph) N.G.E® SF w/ Male Adaptor (Red Base)	100	5,000	27	12.25	1.35	0.038	0.26


SF emitters are not recommended to use with Spider assemblies; please select the AL versions

Turbo-SC® Plus Emitter (Category IV)

with Male Adapter Outlet

Flow rate expressed gph @ 30 psi (2 Bar)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	



Turbo-SC® Plus Pressure Compensating Turbulent Flow Emitter with Male Adapter

DPJ02-A-BLUE	0.53 gph (2 lph) Turbo-SC® Plus (Black Blue Base)	100	2,600	27.00	12.25	1.35	0.038	0.46
DPJ04-A	1.06 gph (4 lph) Turbo-SC® Plus (Black Base)	100	2,600	27.00	12.25	1.35	0.038	0.46
DPJ08-A-RED	2.11 gph (8 lph) Turbo-SC® Plus (Black Red Base)*	100	2,600	27.00	12.25	1.35	0.038	0.46

Turbo-Plus™ II Emitter (Category IV)

with Self Piercing Barb Inlet & Male Adapter Outlet

Flow rate expressed gph @ 30 psi (2 Bar)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	



Turbo-Plus II Pressure Compensating Turbulent Flow Emitter with Self Piercing Barb Inlet & Male Adapter Outlet

DPJ02-3	0.53 gph (2 lph) Turbo-Plus™ II (Black Base) (#1014052)	200	2,000	27.00	12.25	1.35	0.038	0.46
DPJ04-3	1.06 gph (4 lph) Turbo-Plus™ II (Black Base) (#1014054)	200	2,000	27.0	12.25	1.35	0.038	0.46
DPJ08-3	2.11 gph (8 lph) Turbo-Plus™ II (Black Base) (#1014058)	200	2,000	27.00	12.25	1.35	0.038	0.46

Shaded area indicates products being discontinued. Limited to available stocks on hand.

To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)

Emission Devices

Turbo-Key® II Emitter (Category IV) with Self Piercing Barb Inlet


Flow rate expressed gph @ 15 psi (1 Bar)



Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Turbo-Key® II Turbulent Flow Emitter with Self Piercing Barb Inlet								
DNK02-3	0.53 gph (2 lph) Turbo-Key® (Black Base/White Pill) (#1014002)	200	2,000	28.00	15.42	2.20	0.038	0.43
DNK04-3	1.06 gph (4 lph) Turbo-Key® (Black Base/Blue-Black Pill) (#1014004)	200	2,000	28.00	15.42	2.20	0.038	0.43
DNK08-3	2.11 gph (8 lph) Turbo-Key® (Black Base/Green Pill) (#1014008)	200	2,000	28.00	15.42	2.20	0.038	0.43

E-2® Emitter (Category IV)

Flow rate expressed gph @ 15 psi (1 Bar)



Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
E-2® Laminar Flow Emitter with Self Piercing Barb Inlet & Barb Outlet (Bags of 100)								
DBK04-100	1.06 gph (4 lph) E-2® (Black Insert)	100	5,000	33.00	14.97	1.35	0.038	0.22
DBK08-100	2.11 gph (8 lph) E-2® (Black Insert)	100	5,000	33.00	14.97	1.35	0.038	0.22
DBK16-100	4.23 gph (16 lph) E-2® (Black Insert)	100	5,000	33.00	14.97	1.35	0.038	0.22
E-2® Laminar Flow Emitter with Self Piercing Barb Inlet & Barb Outlet (Bags of 1,000)								
DBK04	1.06 gph (4 lph) E-2® (Black Insert)	1,000	10,000	33.00	14.97	1.35	0.038	0.20
DBK08	2.11 gph (8 lph) E-2® (Black Insert)	1,000	10,000	33.00	14.97	1.35	0.038	0.20
DBK16	4.23 gph (16 lph) E-2® (Black Insert)	1,000	10,000	33.00	14.97	1.35	0.038	0.20

· Barb Outlet is suitable for use with Micro-Distribution Hose (Part No. EVR0433-xxx)

Emitter Accessories

White Spider Single Barbed Elbow Stake Assembly (Category IV)

Single Outlet Device for use with NGE Emitters with Male Adaptor (Part No. DPCxx-MA)
Tubing made from PEFLEX material

Part Number	Description	Quantity	Cube	Weight	Quantity	Carton	Weight	Carton	Cube	List Price
		Gaylord	Gaylord (ft3/M3)	Gaylord (Lbs/K)	Bag	Carton	Lbs.	Kilos	Ft.	M.
Dripper Stake Assembly										
DWST1-24-02AL	Dripper Stake Assembly 0.5 gph (2 LPH) 24" Tube, Angle Barbed Stake	—	800	16.0	7.3	1.26	0.036	0.81		
DWST1-30-02AL	Dripper Stake Assembly 0.5 gph (2 LPH) 30" Tube, Angle Barbed Stake	—	800	22.0	10.0	1.56	0.044	0.84		
DWST1-24-03AL	Dripper Stake Assembly 0.7 gph (3 LPH) 24" Tube, Angle Barbed Stake	—	800	16.0	7.3	1.26	0.036	0.81		
DWST1-30-03AL	Dripper Stake Assembly 0.7 gph (3 LPH) 30" Tube, Angle Barbed Stake	—	800	22.0	10.0	1.56	0.044	0.84		
White Spider - No Stake , Elbow fitting, Leader Tube (this assembly is used with the Clip Stake (IPS0301OSW))										
DWST1N-18	Singe Spider Assembly, no stake, 18" Leader Tube									0.47
DWST1N-24	Singe Spider Assembly, no stake, 24" Leader Tube									0.49
DWST1N-30	Singe Spider Assembly, no stake, 30" Leader Tube									0.51
White Spider Single Stake Assembly, Elbow fitting, Leader Tube & Angle Barbed Stake										
DWST1-24	24" (60cm) Leader Tube	—	800	16.0	7.3	1.26	0.036	0.56		
DWST1-30	30" (76cm) Leader Tube	—	800	22.0	10.0	1.56	0.044	0.58		
DWST1-36	36" (91cm) Leader Tube	—	800	23.0	10.4	1.70	0.048	0.60		

White Spider Assembly (Category IV)

Multi-Outlet Device for use with NGE AL Emitters with Male Adaptor (Part No. DPCTxx-MA-AL-xxxx)
Tubing made from PEFLEX material, white exterior over black core

Part Number	Description	Quantity		Carton	Weight	Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	Each
White Spider Assembly 2-Way, Tee fitting, Leader Tubes & Angle Turbo Stakes								
DWST2Q-18	18" (45cm) Leader Tubes	—	360	14.0	6.4	1.04	0.029	0.86
DWST2Q-24	24" (60cm) Leader Tubes	—	360	17.0	7.7	1.26	0.036	0.90
DWST2Q-30	30" (76cm) Leader Tubes	—	360	21.0	9.5	1.56	0.044	0.90
DWST2Q-36	36" (91cm) Leader Tubes	—	360	22.0	10.0	1.70	0.048	0.94
White Spider Assembly 2-Way, Tee fitting with male adaptor, Leader Tubes & Angle Turbo Stakes								
DWST2QMA-18	18" (45cm) White Spider with MA 2 Stake Assy	—	360	14.0	6.4	1.04	0.029	0.90
DWST2QMA-24	24" (60cm) White Spider with MA 2 Stake Assy	—	360	17.0	7.7	1.26	0.036	0.94
DWST2QMA-30	30" (76cm) White Spider with MA 2 Stake Assy	—	360	21.0	9.5	1.56	0.044	0.94
DWST2QMA-36	36" (91cm) White Spider with MA 2 Stake Assy	—	360	22.0	10.0	1.70	0.048	0.98
White Spider Assembly 4-Way, 4-way cross fitting, Leader Tubes & Angle Turbo Stakes								
DWST4Q-18	18" (45cm) Leader Tubes	—	180	9.0	4.1	1.04	0.029	1.50
DWST4Q-24	24" (60cm) Leader Tubes	—	180	18.0	8.2	1.26	0.036	1.58
DWST4Q-30	30" (76cm) Leader Tubes	—	180	20.0	9.1	1.56	0.044	1.66
DWST4Q-36	36" (91cm) Leader Tubes	—	180	21.0	9.5	1.70	0.048	1.74
DWST4Q-1830	(2) 18" (45cm) & (2) 30" (76cm) Leader Tubes							1.58
DWST4Q-2436	(2) 24" (60cm) & (2) 36" (91cm) Leader Tubes							1.66

Emitter Accessories

Spider & Single Stake Components (Category VIII)

Part Number	Description	Quantity		Carton Lbs.	Weight Kilos	Carton Cube		List Price Each
		Bag	Carton			Ft.	M.	
Single Stake Fittings & Stakes								
FBS1E	Spider Fitting - 1 Outlet Barbed Elbow x Female Adapter	1,000	20,000	32.0	14.5	1.35	0.038	0.09
FBS1S	Spider Fitting - 1 Outlet Barbed Straight x Female Adapter	1,000	20,000	32.0	14.5	1.35	0.038	0.09
IPST0301BQ	Spider Stake - Barbed Elbow	—	3,500	24.0	10.9	1.40	0.040	0.14
IPS0301OSW	Spider Snap-in Stake	—	500					0.13
Black Spider Fittings & Stakes								
FBS2	Spider Fitting - 2 Outlet Barbed Tee x Female Adapter	1,000	20,000	36.0	16.3	1.35	0.038	0.08
FBS2-MA	Spider Fitting - 2 Outlet Barbed Manifold x Female / Male Adaptor	1,000	15,000	30.0	13.6	1.35	0.038	0.12
FBST4-X	Dripper Fitting - 4-way Cross							0.21
IPS0301	Spider Stake - Turbulent Flow Straight	—	800	5.0	2.3	0.46	0.013	0.16
IPS0301Q	Spider Stake - Turbulent Flow Elbowed	—	2,500	8.0	3.6	0.46	0.013	0.16

Spider Leader Tube (Category III)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bundle	Carton	Lbs.	Kilos	Ft.	M.	
Spider Leader Tube - Pre-Cut Lengths (White Exterior with Black Core (0.126" ID x 0.196" OD x 0.035" Wall))								
SFHWT0335-12	12" (30cm) Length	100	4,000					0.10
SFHWT0335-18	18" (45cm) Length	100	3,000					0.15
SFHWT0335-24	24" (60cm) Length	100	2,000					0.20
SFHWT0335-30	30" (76cm) Length	100	2,000					0.25
SFHWT0335-36	36" (91cm) Length	100	1,500					0.30

Spider Leader Tube - Reels (Category III)

Part Number	Material	Size		Nominal Hose Size			Coil Length		Coil Ship Weight		Coils Per		List Price per Coil
		inch	mm	ID inch	OD inch	Wall inch	Ft.	M.	Lbs.	Kilos	Box	Pallet	
1/8" PEVA Micro-Distribution Hose, White													
WHDT0335-100	PE FLEX	1/8"	3	0.126"	0.196"	0.035"	1,000	305	7.2	3.3	2	100	80.00
1/8" PEFLEX Micro-Distribution Hose, Black													
MP196X126-1000W	PE FLEX	1/8"	3	0.126"	0.196"	0.035"	1,000	305	7.2	3.3	2	108	57.60
MP196X126-2500W	PE FLEX	1/8"	3	0.126"	0.196"	0.035"	2,500	762	18	8.2	1	54	137.00

Punches & Tools (Category VIII)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
IT-DNK00	DNK/DPJ Turbo-Key/Plus Disassembly Wrench	10	—	—	—	—	—	1.72
FMP16	Hose punch to insert 4mm barb fitting, stainless steel	1	250	38.0	17.2	1.63	0.046	15.40
FMP08	Hose punch to insert 4mm barb fitting, plastic/steel	1	2,100	—	—	—	—	2.70
FHP16	Oval hose punch, steel	1	—	—	—	—	—	84.10



To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495


List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)



Micro-Sprinklers

Micro-Sprinkler VI Classic (Category V)

Flow rate expressed in gph @ 20 psi (1,4 Bar)



Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Micro-Sprinkler VI Classic 3/8" MPT Inlet								
SAM610	9.1 gph (34,4 lph) w/ Black Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	0.92
SAM613	13.7 gph (51,0 lph) w/ White Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	0.92
SAM614	19.0 gph (71,9 lph) w/ Maroon Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	0.92
SAM616	24.8 gph (93,0 lph) w/ Green Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	0.92
SAM620	33.7 gph (127,6 lph) w/ Blue Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	0.92
SAM622	39.0 gph (147,6 lph) w/ Gray Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	0.92
SAM624	48.0 gph (182,1 lph) w/ Yellow Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	0.92
SAM628	65.1 gph (246,4 lph) w/ Red Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	0.92

- ◇ 101WB6-LTD-KIT Low Trajectory Spinner & Bearing Kit — 500 — — — — 0.33
- For Micro-Sprinkler VI Classic with break-off deflector tab spinner add -D to the part number. Example: SAM616-D.
- Note: SAM622, 624 & 628 not available with break-off deflector tab spinner

Micro-Sprinkler VI Classic Stake Assemblies (Category V)


(To order stake assembly: replace xxx with the last 3 digits of the Micro-Sprinkler® VI part number. Example: SAM613 would be SAM61330)



VI Order Stake Assembly. Replace xxx with at least 3 digits of the Micro-Sprinkler VI part number. Example: SAM01350 would be SAM01350.								
Part Number	Description	Quantity		Gaylord Weight		Gaylord Cube		List Price
		Bundle	Gaylord	Lbs.	Kilos	Ft.	M.	
Micro-Sprinkler VI Classic Stake Assembly								
SAMxxx24	Micro-Sprinkler VI Stake Assembly w/ 24" Leader Tube	25	—	—	—	—	—	2.26
SAMxxx30	Micro-Sprinkler VI Stake Assembly w/ 30" Leader Tube	25	—	—	—	—	—	2.28
SAMxxx36	Micro-Sprinkler VI Stake Assembly w/ 36" Leader Tube	25	—	—	—	—	—	2.30
SAMxxx48	Micro-Sprinkler VI Stake Assembly w/ 48" Leader Tube	25	—	—	—	—	—	2.34
SAMxxx60	Micro-Sprinkler VI Stake Assembly w/ 60" Leader Tube	25	—	—	—	—	—	2.39

- Assemblies will include Micro-Sprinkler, CPS1004 Stake, 24", 30", 36", or 48" Leader Tube, and 4mm Coupling
- For Micro-Sprinkler VI Classic with break-off deflector tab spinner add -D to the part number. Example: SAM616-D30.
- Note: SAM622, 624 & 628 not available with break-off deflector tab spinner

Part Number: SAM 6xx - D xx




Ordering Information:

◇ = MADE TO ORDER. Minimum order quantity will apply. Please consult Toro Ag Customer Service for availability.

Micro-Sprinklers

Micro Sprinkler PC (Pressure Compensating) (Category V)

Flow rate expressed in gph @ 40 psi (2,75 Bar)



Part Rate Expressed in gph @ 10 psi (2/3 Bar)								
Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Micro-Sprinkler PC 3/8" MPT Inlet								
MS7PC9	9.2 gph (35 lph) w/ Black Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	1.33
MS7PC12	12.2 gph (46 lph) w/ Light Blue Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	1.33
MS7PC15	14.8 gph (56 lph) w/ White Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	1.33
MS7PC20	19.3 gph (73 lph) w/ Maroon Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	1.33
MS7PC26	24.8 gph (94 lph) w/ Green Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	1.33
MS7PC31	29.3 gph (111 lph) w/ Purple Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	1.33
MS7PC35	33.8 gph (128 lph) w/ Blue Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	1.33
MS7PC40	38.0 gph (144 lph) w/ Gray Nozzle, 3/8" MPT Inlet	50	1,500	25.0	11.34	1.35	0.038	1.33

· For Micro Sprinkler PC with break-off deflector tab spinner add "D" to the part number. Example: MS7PC9D.

Micro Sprinkler PC - Stake Assemblies (Category V)

(To order stake assembly: replace xx with the last 1 or 2 digits of the Micro Sprinkler part number. For example, MS7PC9 with a 24" leader tube would be MS7PC924.)



*To order stake assembly, replace xx with thrust 1 or 2, and 1 or 2 digits of the micro sprinkler part number. For example, MS7PCxx24 with a 24" leader tube would be MS7PC2424.								
Part Number	Description	Quantity		Gaylord Weight		Gaylord Cube		List Price
		Bundle	Gaylord	Lbs.	Kilos	Ft.	M.	
Micro Sprinkler PC Stake Assembly								
MS7PCxx24	Micro Sprinkler PC Stake Assembly w/ 24" Leader Tube	25	—	—	—	—	—	2.41
MS7PCxx30	Micro Sprinkler PC Stake Assembly w/ 30" Leader Tube	25	—	—	—	—	—	2.47
MS7PCxx36	Micro Sprinkler PC Stake Assembly w/ 36" Leader Tube	25	—	—	—	—	—	2.54
MS7PCxx48	Micro Sprinkler PC Stake Assembly w/ 48" Leader Tube	25	—	—	—	—	—	2.61
MS7PCxx60	Micro Sprinkler PC Stake Assembly w/ 60" Leader Tube	25	—	—	—	—	—	2.66

· Assemblies will include Micro-Sprinkler, CPS1004 Stake, 24", 30", 36", or 48" Leader Tube, and 4mm Coupling.

· For Micro Sprinkler PC with break off deflector tab spinner add "D" to the part number. Example MS7PC9-D30.

Part Number: **MS7PC 9 - D 24**

Model
Nozzle Number
Add "-D" for break-off deflector tab
Assembly lead length

Ordering Information:

◇ = MADE TO ORDER. Minimum order quantity will apply. Please consult Toro Ag Customer Service for availability.


To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)

Snap-Jet & Micro-Sprinkler Accessories

Adapters, Bases & Stakes (Category VIII)





Adapters, Bases & Stakes (Category VIII)								
Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	Each
Accessories for Micro-Sprinkler								
WBD180R	Micro-Sprinkler® 180 Deg. Red Deflector	50	1,500	—	—	—	—	0.44
Stakes for Micro-Sprinkler								
CPS1004	3/8"FPT x 4mm Barbed Stake - Black	—	150	—	—	—	—	0.72
◇ CPS1004-1	3/8"FPT x 4mm Barbed Stake - Red	—	150	—	—	—	—	0.72
Stake Assemblies for Micro-Sprinkler								
◇ CPS100424	4mm Barbed Stake Assembly w/ 24" Leader Tube & 4mm Take-off	25	—	—	—	—	—	1.15
CPS100430	4mm Barbed Stake Assembly w/ 30" Leader Tube & 4mm Take-off	25	—	—	—	—	—	1.19
◇ CPS100436	4mm Barbed Stake Assembly w/ 36" Leader Tube & 4mm Take-off	25	—	—	—	—	—	1.23
◇ CPS100448	4mm Barbed Stake Assembly w/ 48" Leader Tube & 4mm Take-off	25	—	—	—	—	—	1.31
◇ CPS100460	4mm Barbed Stake Assembly w/ 60" Leader Tube & 4mm Take-off	25	—	—	—	—	—	1.40
Adapters								
IPG10091	3/8"FPT x 4mm Barb Adapter with 5mm Stake Insert	1,000	4,000	—	—	1.35	0.038	0.29

Ordering Information:

◇ = MADE TO ORDER. 1,000 minimum order quantity will apply. Please consult Toro Ag Customer Service for availability.

Fogger & Micro-Sprinkler Accessories

Leader Tube with Take-Off (Category VIII)

Part Number	Description	Quantity		Gaylord Weight		Gaylord Cube		List Price
		Bundle	Gaylord	Lbs.	Kilos	Ft.	M.	
Leader Tube with Take-Off								
HWF324	4mm Leader Tube 24" w/ 4mm Barb Take-Off for 4mm Barb Stake	100	15,000	650.00	294.80	53.9	1.525	0.34
HWF330	4mm Leader Tube 30" w/ 4mm Barb Take-Off for 4mm Barb Stake	100	15,000	800.00	362.90	53.9	1.525	0.40
HWF336	4mm Leader Tube 36" w/ 4mm Barb Take-Off for 4mm Barb Stake	100	15,000	950.00	430.90	53.9	1.525	0.45
HWF348	4mm Leader Tube 48" w/ 4mm Barb Take-Off for 4mm Barb Stake	100	10,000	800.00	362.90	53.9	1.525	0.54
HWF624	6mm Leader Tube 24" w/ 6mm Barb Take-Off for 6mm Barb Stake	100	—	—	—	53.9	1.525	0.38
HWF630	6mm Leader Tube 30" w/ 6mm Barb Take-Off for 6mm Barb Stake	100	—	—	—	53.9	1.525	0.45
HWF636	6mm Leader Tube 36" w/ 6mm Barb Take-Off for 6mm Barb Stake	100	—	—	—	53.9	1.525	0.48
HWF648	6mm Leader Tube 48" w/ 6mm Barb Take-Off for 6mm Barb Stake	100	—	—	—	53.9	1.525	0.57

Leader Tube (Category III)

Part Number	Description	Quantity		Gaylord Weight		Gaylord Cube		List Price
		Bundle	Gaylord	Lbs.	Kilos	Ft.	M.	
LLDPE Leader Tube (0.153" ID x 0.279" OD x 0.063" Wall)								
SFH0324	4mm Leader Tube 24" for 4mm Barb Stake	Call Toro Ag Customer Service						
SFH0330	4mm Leader Tube 30" for 4mm Barb Stake							
SFH0336	4mm Leader Tube 36" for 4mm Barb Stake							
SFH0348	4mm Leader Tube 48" for 4mm Barb Stake							
LLDPE Leader Tube (0.250" ID x 0.346" OD x 0.048" Wall)								
SFH0624	6mm Leader Tube 24" for 6mm Barb Stake	100	20,000	500.00	226.80	54.90	1.554	0.24
SFH0630	6mm Leader Tube 30" for 6mm Barb Stake	100	15,000	750.00	340.20	54.90	1.554	0.29
SFH0636	6mm Leader Tube 36" for 6mm Barb Stake	100	15,000	850.00	385.60	54.90	1.554	0.35
SFH0648	6mm Leader Tube 48" for 6mm Barb Stake	100	10,000	600.00	272.20	54.90	1.554	0.47

Ordering Information:

◇ = MADE TO ORDER. 1,000 minimum order quantity will apply. Please consult Toro Ag Customer Service for availability.


Accessories

Miscellaneous Accessories (Category VIII)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Gauges								
GPP04	Air chuck adapter	—	10	—	—	—	—	24.60
GPM0100	0-100 psi Pressure Gauge, 1/4" MPT	—	96	—	—	—	—	47.10
Schrader Valves								
GPV01	1/4" MNPT Schrader Valve	—	10	—	—	—	—	7.36
GPV02-01	1/8" MNPT Schrader Valve*	—	10	—	—	—	—	5.77
*use a 21/64" or "R" size drill bit and a 1/8" NPT tap								
Accessories								
A-995-01	Flow Gauge	1	—	—	—	—	—	167.00
A-5-309	Gauge (Flow Gauge)	1	—	—	—	—	—	37.10
A-53693	Poly Hose Cutter	Call Toro Ag Customer Service						
Groove Connectors								
ZCP9531-03	3" Grooved Connector	—	1	3.20	1.50	0.02	0.001	36.00
ZCP9531-04	4" Grooved Connector	—	1	3.70	1.70	0.02	0.001	43.00
IKA01100	Adapter 4" Grooved x Spigot	—	1	1.00	0.45	0.09	0.003	43.00

Ordering Information:

◇ = MADE TO ORDER. Minimum order quantity will apply. Please consult Toro Ag Customer Service for availability.



Chemical Injection

Chemical Injection

Mazzei® Injectors® NPT Thread (Category VIII)

for Fertigation / Chemigation with no Moving Parts

Water Suction Capacity with inlet pressure at 50 psi & outlet pressure at 0 psi

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Box	Carton	Lbs.	Kilos	Ft.	M.	
Mazzei Injectors PVDF with NPT Thread								
AIV283	1/2" MNPT PVDF, 6.0 gph (22.7 lph) Suction	1	—	0.100	0.045	0.01	0.001	60.80
AIV287	1/2" MNPT PVDF, 8.3 gph (31.4 lph) Suction	1	—	0.100	0.045	0.01	0.001	60.80
AIV384	1/2" MNPT PVDF, 14.1 gph (53.4 lph) Suction	1	—	0.172	0.078	1.69	0.048	68.40
AIV384X	1/2" MNPT PVDF 33.9 gph (128.4 lph) Suction	1	—	0.13	0.061	1.69	0.048	62.20
AIV484	1/2" MNPT PVDF, 17.4 gph (65.9 lph) Suction	1	—	0.174	0.079	1.69	0.048	68.40
AIV584C	1/2" MNPT PVDF, 25.6 gph (96.9 lph) Suction	1	—	0.176	0.080	1.69	0.048	68.40
AIV484A	3/4" MNPT PVDF, 17.4 gph (65.9 lph) Suction	1	—	0.206	0.093	1.69	0.048	68.40
AIV484X	3/4" MNPT PVDF, 41.7 gph (157.8 lph) Suction	1	—	0.206	0.093	1.69	0.048	68.40
AIV584	3/4" MNPT PVDF, 25.6 gph (96.9 lph) Suction	1	—	0.200	0.091	1.69	0.048	68.40
AIV684	3/4" MNPT PVDF, 25.0 gph (94.6 lph) Suction	1	—	0.204	0.093	1.69	0.048	68.40
AIV784	3/4" MNPT PVDF, 31.2 gph (118.1 lph) Suction	1	—	0.204	0.093	1.69	0.048	68.40
AIV878	1" MNPT PVDF, 74.8 gph (283.1 lph) Suction	1	—	0.530	0.240	3.09	0.088	134.00
AIV885X	1" MNPT PVDF, 139.6 gph (528.4 lph) Suction	1	—	0.530	0.240	3.09	0.088	122.00
AIV1078-02	1" MNPT PVDF, 92.4 gph (349.7 lph) Suction	1	—	0.526	0.239	3.09	0.088	134.00
AIV1583A	1-1/2" MNPT PVDF, 227.4 gph (860.7 lph) Suction	1	—	0.950	0.431	8.48	0.240	192.00
AIV1585X	1-1/2" MNPT PVDF, 323.0 gph (1,222.6 lph) Suction	1	—	0.990	0.449	8.48	0.240	192.00
AIV1587	1-1/2" MNPT PVDF, 260.5 gph (986.0 lph) Suction	1	—	0.990	0.449	8.48	0.240	192.00
AIV2081A	2" MNPT PVDF, 631.0 gph (2,388.3 lph) Suction	1	—	1.340	0.608	9.64	0.273	350.00
AIV2083X	2" MNPT PVDF, 1,175.0 gph (4,447.3 lph) Suction	1	—	1.472	0.668	9.64	0.273	416.00
AIV3090	3" MNPT PVDF, 1,236.0 gph (4,678.3 lph) Suction	1	—	4.120	1.869	44.11	1.249	1,410.00
AIV4091	4" MNPT PVDF, 2,820.0 gph (10,673.7 lph) Suction	1	—	10.120	4.590	179.31	5.078	2,750.00

Mazzei Injectors Polypropylene with NPT Thread

AIV283-P	1/2" MNPT Poly, 6.0 gph (22.7 lph) Suction	1	—	0.07	0.031	0.01	0.001	37.70
AIV287-P	1/2" MNPT Poly, 8.3 gph (31.4 lph) Suction	1	—	0.07	0.031	0.01	0.001	37.70
AIV384-P	1/2" MNPT Poly, 14.1 gph (53.4 lph) Suction	1	—	0.13	0.057	1.69	0.048	53.70
AIV384X-P	1/2" MNPT Poly, 33.9 gph (128.4 lph) Suction	1	—	0.13	0.061	1.69	0.048	53.70
AIV484-P	1/2" MNPT Poly, 17.4 gph (65.9 lph) Suction	1	—	0.13	0.061	1.69	0.048	53.70
AIV584C-P	1/2" MNPT Poly, 25.6 gph (96.9 lph) Suction	1	—	0.14	0.062	1.69	0.048	51.10
AIV484A-P	3/4" MNPT Poly, 17.4 gph (65.9 lph) Suction	1	—	0.15	0.070	1.69	0.048	53.70
AIV584-P	3/4" MNPT Poly, 25.6 gph (96.9 lph) Suction	1	—	0.15	0.070	1.69	0.048	51.40
AIV878-P	1" MNPT Poly, 74.8 gph (283.1 lph) Suction	1	—	0.34	0.156	3.09	0.088	87.80
AIV885X-P	1" MNPT Poly, 139.6 gph (528.4 lph) Suction	1	—	0.34	0.154	3.09	0.088	87.80
AIV1078-P	1" MNPT Poly, 92.4 gph (349.7 lph) Suction	1	—	0.34	0.155	3.09	0.088	87.80
AIV1583A-P	1-1/2" MNPT Poly, 227.4 gph (860.7 lph) Suction	1	—	0.65	0.297	8.48	0.240	109.00
AIV1585X-P	1-1/2" MNPT Poly, 323.0 gph (1,222.6 lph) Suction	1	—	0.71	0.321	8.48	0.240	128.00
AIV1587-P	1-1/2" MNPT Poly, 260.5 gph (986.0 lph) Suction	1	—	0.71	0.321	8.48	0.240	128.00
AIV2081A-P	2" MNPT Poly, 631.0 gph (2,388.3 lph) Suction	1	—	0.88	0.397	9.64	0.273	152.00
AIV2083X-P	2" MNPT Poly, 1,175.0 gph (4,447.3 lph) Suction	1	—	0.88	0.397	9.64	0.273	233.00

Mazzei® Injectors® BSP Thread (Category VIII)

for Fertigation / Chemigation with no Moving Parts

Water Suction Capacity with inlet pressure at 50 psi & outlet pressure at 0 psi

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Box	Carton	Lbs.	Kilos	Ft.	M.	
Mazzei Injectors PVDF with BSP Thread								
AIC484A	3/4" MBSP PVDF, 17.4 gph (65.9 lph) Suction	1	—	0.210	0.095	1.69	0.048	62.20
AIC484X	3/4" MBSP PVDF, 41.7 gph (157.8 lph) Suction	1	—	0.206	0.093	1.69	0.048	62.20
AIC584	3/4" MBSP PVDF, 25.6 gph (96.9 lph) Suction	1	—	0.208	0.094	1.69	0.048	68.40
AIC684	3/4" MBSP PVDF, 25.0 gph (94.6 lph) Suction	1	—	0.208	0.094	1.69	0.048	62.00
AIC1078	1" MBSP PVDF, 92.4 gph (349.7 lph) Suction	1	—	0.526	0.239	3.09	0.088	123.00
AIC1583A	1-1/2" MBSP PVDF, 227.4 gph (860.7 lph) Suction	1	—	0.950	0.431	8.48	0.240	176.00
AIC1585X	1-1/2" MBSP PVDF, 323.0 gph (1,222.6 lph) Suction	1	—	0.902	0.409	8.48	0.240	176.00
AIC1587	1-1/2" MBSP PVDF, 260.5 gph (986.0 lph) Suction	1	—	0.990	0.449	8.48	0.240	192.00
AIC2081A	2" MBSP PVDF, 631.0 gph (2,388.3 lph) Suction	1	—	1.340	0.608	9.64	0.273	350.00
AIC2083X	2" MBSP PVDF, 1,175.0 gph (4,447.3 lph) Suction	1	—	1.340	0.608	9.64	0.273	416.00
AIC3090	3" MBSP PVDF, 1,236.0 gph (4,678.3 lph) Suction	1	—	4.140	1.878	44.11	1.249	1,570.00
AIC4091	4" MBSP PVDF, 2,820.0 gph (10,673.7 lph) Suction	1	—	10.380	4.708	179.31	5.078	2,750.00
Mazzei Injectors Polypropylene with BSP Thread								
AIC885X-PPG	1" MBSP Poly, 139.6 gph (528.4 lph) Suction	1	—	0.34	0.154	3.09	0.088	85.70
AIC1078-PPG	1" MBSP Poly, 92.4 gph (349.7 lph) Suction	1	—	0.34	0.155	3.09	0.088	87.80
AIC1583A-PPG	1-1/2" MBSP Poly, 227.4 gph (860.7 lph) Suction	1	—	0.65	0.297	8.48	0.240	109.00
AIC2081-PPG	2" MBSP Poly, 631.0 gph (2,388.3 lph) Suction	1	—	—	—	9.64	0.273	152.00

Note: 1/2" NPT threads are compatible with 1/2" BSP thread

Chemical Injection Accessories


Mazzei® Injector® Accessories (Category VIII)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price Each
		Box	Carton	Lbs.	Kilos	Ft.	M.	
Suction Line Kits								
AAK184	Suction line kit For 1/2: and 3/4" injectors	1	—	0.48	0.22	0.07	0.002	80.70
AAK183	Suction line kit For 1" & 1-1/2" injectors	1	—	1.66	0.75	0.17	0.005	159.00
AAK282	Suction line kit For 2" injectors	1	—	5.46	2.48	—	—	279.00
AAKFM-30	Economy Suction Line Kit for 0.50" & 0.75" Injectors with F-30 L Liquid Flowmeter	1	—	—	—	—	—	139.80
Bypass & Suction Line Kits								
AAK184-A	Bypass and suction line kit For 1/2" injectors	1	—	1.66	0.75	0.17	0.005	151.00
AAK184-B	Bypass and suction line kit For 3/4" injectors	1	—	1.96	0.89	0.17	0.005	158.00
AAK181-A02	Bypass and suction line kit For 1" injectors	1	—	3.92	1.78	0.28	0.008	277.00
AAK183-A	Bypass and suction line kit For 1.5" injectors	1	—	6.02	2.73	0.74	0.021	277.00
AAK282-A	Bypass and suction line kit For 2" injectors	1	—	9.82	4.46	1.28	0.036	488.00
Caps								
ACAP-PP	Suction port cap for Models 283 & 287	1	—	—	—	—	—	1.95
ACAP-PP375	Injector replacement caps for models 384-584	1	—	—	—	—	—	4.08
ACAP075	Suction port cap for new-style (-02) 1.0" & 1.5" injectors	1	—	—	—	—	—	8.37
ACAP-PVDF025	Suction port cap for PVDF 0.50" & 0.75" injectors (excluding 283 & 287)	1	—	—	—	—	—	3.44
Check Valves								
ACP83	1/2" PVDF check valve for old style 1" PVDF injector (not -02* style)	1	—	0.06	0.03	—	—	38.80
ACP83-P	1/2" Poly check valve for old style 1" Poly injector (not -02* style)	1	—	0.04	0.02	—	—	41.80
ACP86	PVC check valve used with 2" injector	1	—	0.78	0.35	—	—	45.80
ACP75-CVA	PVC check valve used with 2" injector with hose barb	1	—	0.48	0.22	—	—	40.60
Check valves repair kits								
ACR-1	Check valve repair kit for injectors 283 and 287	1	—	—	—	—	—	12.00
ACR-2	Check valve repair kit for injectors 1/2" and 3/4" injectors (excluding 283 and 287)	1	—	—	—	—	—	12.50
ACR-3	Check valve repair kit for ACP83, ACP83-P and old style 1" injectors (not -02* style)	1	—	—	—	—	—	13.50
ACR-4	Check valve repair kit for new style (-02*) 1" & 1-1/2" injector	1	—	—	—	—	—	19.30
Metering valves								
AVHV-5	0.50" Metering valve for 1.0" & 1.5" injectors - Polypropylene	1	—	—	—	—	—	124.00
AVHV-5-PVDF	0.50" Metering valve for 1.0" & 1.5" injectors - PVDF	1	—	—	—	—	—	202.00
AVHV-25	Metering valves for suction lines for 1/2" and 3/4" injectors	1	—	0.04	0.02	—	—	63.30
AFM-30	5.0 - 40.0 GPH Liquid Flowmeter, 0.25" barbed connections	1	—	0.25	0.11	—	—	70.00
Strainers								
AS-25HB	1/4" Hose Barb Integral Strainer	1	—	—	—	—	—	14.00
AS-50HB	1/2" Hose Barb Integral Strainer	1	—	—	—	—	—	14.00
AS-84	Strainer for suction lines, less tubing adapter	1	—	—	—	—	—	25.80
AS-84FV	Strainer with foot valve, 3/8" Barb & 1/2" MNPT for suction lines for 1" injectors	1	—	0.06	0.03	—	—	49.30
AS-87	PVC strainer for 1" suction lines used on 2" injectors	1	—	0.02	0.01	—	—	23.70

Note: Other Injector options and configurations also available. For inquiries, please contact Toro Ag Customer Service.

Ordering Information:

Shaded area indicates products being discontinued. Limited to available stocks on hand.





To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)



An aerial, black and white photograph of a terraced vineyard. The terraces are arranged in a series of wavy, parallel lines that follow the contours of a hillside. Each terrace is densely planted with grapevines, and the rows of vines create a strong rhythmic pattern across the landscape. In the foreground, a single wooden post stands vertically. The word "Valves" is superimposed in a large, white, sans-serif font over the middle of the image.

Valves

Valves

Standard Electric Valves (Category VI)

Part Number	Description	Solenoid	Size	Fitting	Flow Rate (GPM)	Pressure (PSI)	Quantity Carton	Carton Weight Lbs.	Carton Weight Kilos	Carton Cube Ft.	Carton Cube M.	List Price Each
PVC Valves												
A-2400TF	1" Globe valve, threaded bonnet, 24VAC	24VAC	1"	FPT	0.25 - 30	10 - 150	15	17.00	7.7	1.2	0.034	26.00
A-2400S	1" Globe valve, threaded bonnet, 24VAC	24VAC	1"	SLIP	0.25 - 30	10 - 150	15	17.00	7.7	1.2	0.034	24.00
A-2500TF	1" Globe valve, flow control, internal bleed, 24VAC	24VAC	1"	FPT	0.25 - 30	10 - 150	20	19.00	8.6	1.2	0.034	35.00
A-20ST	1" Globe valve, 24VAC	24VAC	1"	FPT	0.25 - 30	10 - 150	20	18.00	8.1	1.2	0.034	32.00
A-20STF	1" Globe Valve, Flow Control, 24VAC	24VAC	1"	FPT	0.25 - 30	10 - 150	20	19.00	8.6	1.2	0.034	35.30
A-216B	1 1/2" Globe / angle valve, flow control, 24VAC	24VAC	1 1/2"	FPT	20 - 80	20-150	10	19.00	8.6	1.2	0.034	101.00
A-217B	2" Globe / angle valve, flow control, 24VAC	24VAC	2"	FPT	20 - 180	20-150	10	26.98	12.2	2.9	0.082	144.00
A-EZF-20-94	1" Globe valve, threaded bonnet, 12VDCL	12VDCL	1"	SLIP	0.25 - 30	10 - 150	20	19.00	8.6	1.2	0.035	48.00
A-EZF-26-94	1" Globe valve, threaded bonnet, 12VDCL	12VDCL	1"	FPT	0.25 - 30	10 - 150	10	9.50	4.3	0.6	0.018	49.00
A-TPVF100DC	1" Globe valve, flow control, 12v DC	12VDCL	1"	FPT	0.10 - 40	10 - 150	20	19.16	8.7	24.4	0.692	51.00
100 Series												
A-100P1	Globe/angle electric 24VAC internally ported, normally closed valves with manual bleed assembly and adjustable flow control. (*)	24VAC	1"	FPT	5 - 50	20 - 220	24	23	10	2.3	0.065	116.00
A-100P1.5		24VAC	1 1/2"	FPT	30 - 110	20 - 220	12	27	12	1.2	0.034	163.00
A-100P2		24VAC	2"	FPT	80 - 175	20 - 220	4	11	5	2.9	0.082	229.00
A-100P3		24VAC	3"	FPT	150 - 300	20 - 220	4	21	10	1.6	0.045	406.00
A-P220-26-94	Globe/angle electric 12vDCL internally ported, normally closed valves with manual bleed assembly and adjustable flow control.	12VDCL	1"	FPT	5 - 50	20 - 220	24	23	10	2.3	0.065	144.00
A-P220-26-96		12VDCL	1 1/2"	FPT	30 - 110	20 - 220	12	27	12	1.2	0.034	186.00
A-P220-26-98		12VDCL	2"	FPT	80 - 175	20 - 220	4	11	5	2.9	0.082	262.00
A-P220-26-90		12VDCL	3"	FPT	150 - 300	20 - 220	4	21	10	1.6	0.045	506.00
100 Series SCRUBBER VALVES												
A-P220S-26-04	Dirty Water Valve with Active Cleansing Technology (ACT™) Globe/angle electric 24vAC internally ported, normally closed valves with manual bleed assembly and adjustable flow control.	24VAC	1"	FPT	5 - 40	10 - 220	24	23	10	2.3	0.065	197.00
A-P220S-26-06		24VAC	1 1/2"	FPT	30 - 100	10 - 220	12	27	12	1.2	0.034	245.00
A-P220S-26-08		24VAC	2"	FPT	80 - 180	20 - 220	4	11	5	2.9	0.082	326.00
A-P220S-26-00		24VAC	3"	FPT	150 - 300	20 - 220	4	21	10	1.6	0.045	576.00
A-P220S-26-94	Dirty Water Valve with Active Cleansing Technology (ACT™) Globe/angle electric 12vDC internally ported, normally closed valves with manual bleed assembly and adjustable flow control.	12VDCL	1"	FPT	5 - 40	10 - 220	24	23	10	2.3	0.065	212.00
A-P220S-26-96		12VDCL	1 1/2"	FPT	30 - 100	10 - 220	12	27	12	1.2	0.034	262.00
A-P220S-26-98		12VDCL	2"	FPT	80 - 180	20 - 220	4	11	5	2.9	0.082	343.00
A-P220S-26-90		12VDCL	3"	FPT	150 - 300	20 - 220	4	21	10	1.6	0.045	587.00
A-P220S-KIT-04	Converts a 100 or 220 Series Standard Valve to a Scrubber Valve		1"	-	-	-	1	0.3	0.1	-	-	57.00
A-P220S-KIT-06			1 1/2"	-	-	-	1	0.3	0.1	-	-	76.00
A-P220S-KIT-08			2"	-	-	-	1	1.1	0.5	0.05	0.001	101.00
A-P220S-KIT-00			3"	-	-	-	1	1.1	0.5	0.05	0.001	111.00
700 Series												
A-700B-.75	Globe electric 24VAC internally ported, normally closed valves with manual bleed assembly and adjustable flow control. (*)	24VAC	3/4"	FPT	0.1 - 30	10 - 150	24	15	7	1.2	0.034	47.40
A-700-1		24VAC	1"	FPT	0.1 - 50	10 - 150	24	20	9	1.2	0.034	121.00
A-700-1.5		24VAC	1 1/2"	FPT	15 - 40	10 - 150	12	20	9	1.6	0.045	169.00
A-700-2		24VAC	2"	FPT	18 - 30	25 - 150	8	25	11	1.8	0.050	227.00

Ordering Information:

(*) Available with BSP thread & 50hz solenoid. Please add -BSP to the part number (example: A-100P1.5-BSP)

Shaded area indicates products being discontinued. Limited to available stocks on hand.

Valves

Plastic Y Pattern Valves - Electric / Manual, Pressure Reducing and Pressure Sustaining (Category XII)

Part Number	Description	Size	Connection	Operating Range	Flow Rate gpm From To	Quantity Carton	Carton Weight Lbs. Kilos	Carton Cube Ft. M.	List Price Each		
105 Series - Manual											
B105-Z-02-Y-NP	Manually controlled Y pattern valves, actuated hydraulically, with 3-way on off selector.	2"	Thread	5-145 psi	35 140	5	17.5 8.00	1.3 0.04	165.00		
B105-Z-03-Y-NP		3"	Thread	5-145 psi	35 300	4	16 7.60	1.8 0.05	208.00		
B105-Z-03L-Y-NP		3L"	Thread	5-145 psi	75 580	2	15.2 7.00	1.4 0.04	444.00		
B105-Z-03L-Y-T3		3L"	Glue End	5-145 psi	75 580	2	15.2 7.00	1.4 0.04	POR		
B105-Z-03L-Y-VI		3L"	Grooved	5-145 psi	75 580	2	15.2 7.00	1.4 0.04	POR		
B105-Z-03L-Y-FF		3L"	Flange	5-145 psi	75 580	2	15.2 7.00	1.4 0.04	POR		
B105-Z-04-Y-T4		4"	Glue End	5-145 psi	75 580	1	20 9.00	1.4 0.04	POR		
B105-Z-04-Y-VI		4"	Grooved	5-145 psi	75 580	1	20 9.00	1.4 0.04	POR		
B105-Z-04-Y-FF		4"	Flange	5-145 psi	75 580	1	20 9.00	1.4 0.04	556.00		
B105-Z-06-Y-VI		6"	Grooved	5-145 psi	140 1000	1	32 15.50	5.2 0.15	POR		
B105-Z-06-Y-FF	6"	Flange	5-145 psi	140 1000	1	32 15.50	5.2 0.15	1603.00			
110 Series - Electric											
B110-3W-02-Y-NP	Solenoid controlled Y pattern valves, actuated hydraulically, in response to a 24 VAC electric signal or manually operate using override on Solenoid.	2"	Thread	5-145 psi	35 140	5	17.7 8.00	1.3 0.04	214.00		
B110-3W-03-Y-NP		3"	Thread	5-145 psi	35 300	4	16 7.60	1.8 0.05	316.00		
B110-3W-03L-Y-NP		3L"	Thread	5-145 psi	75 580	2	15.2 7.00	1.4 0.04	523.00		
B110-3W-03L-Y-T3		3L"	Glue End	5-145 psi	75 580	2	15.2 7.00	1.4 0.04	POR		
B110-3W-03L-Y-VI		3L"	Grooved	5-145 psi	75 580	2	15.2 7.00	1.4 0.04	POR		
B110-3W-03L-Y-FF		3L"	Flange	5-145 psi	75 580	2	15.2 7.00	1.4 0.04	560.00		
B110-3W-04-Y-T4		4"	Glue End	5-145 psi	75 580	1	20 9.00	1.4 0.04	POR		
B110-3W-04-Y-VI		4"	Grooved	5-145 psi	75 580	1	20 9.00	1.4 0.04	POR		
B110-3W-04-Y-FF		4"	Flange	5-145 psi	75 580	1	20 9.00	1.4 0.04	633.00		
B110-3W-06-Y-VI		6"	Grooved	5-145 psi	140 1000	1	32 15.50	5.2 0.15	POR		
B110-3W-06-Y-FF	6"	Flange	5-145 psi	140 1000	1	32 15.50	5.2 0.15	1621.00			
120 Series - Pressure Reducing, Manual											
B120-XZ-02-Y-NP-K	Pressure Regulating Manually controlled Y pattern valves. Reduces high upstream pressure to lower constant down stream pressure. Manual on off with 3 way selector. (*)	2"	Thread	5-145 psi	35 140	5	17.5 8.00	1.3 0.04	341.00		
B120-XZ-03-Y-NP-K		3"	Thread	5-145 psi	35 300	4	16 7.60	1.8 0.05	405.00		
B120-XZ-03L-Y-T3-K		3L"	Glue End	5-145 psi	75 480	2	15.2 7.00	1.4 0.04	645.00		
B120-XZ-03L-Y-VI-K		3L"	Grooved	5-145 psi	75 480	2	15.2 7.00	1.4 0.04	POR		
B120-XZ-03L-Y-FF-K		3L"	Flange	5-145 psi	75 480	2	15.2 7.00	1.4 0.04	POR		
B120-XZ-04-Y-T4-K		4"	Glue End	5-145 psi	75 500	1	20 9.00	1.4 0.04	POR		
B120-XZ-04-Y-VI-K		4"	Grooved	5-145 psi	75 500	1	20 9.00	1.4 0.04	988.00		
B120-XZ-04-Y-FF-K		4"	Flange	5-145 psi	75 500	1	20 9.00	1.4 0.04	715.00		
B120-XZ-06-Y-VI-K		6"	Grooved	5-145 psi	140 1000	1	32 15.50	5.2 0.15	POR		
B120-XZ-06-Y-FF-K		6"	Flange	5-145 psi	140 1000	1	32 15.50	5.2 0.15	1636.00		
12055 Series - Pressure Reducing, Electric											
B12055-X-02-Y-NP-K	Pressure Regulating, Electrically controlled Y pattern valves. Reduces high upstream pressure to lower constant down stream pressure. Opens and closes in response to 24 VAC electric or manually operated using override on solenoid. (*)	2"	Thread	5-145 psi	35 140	5	17.5 8.00	1.3 0.04	427.00		
B12055-X-03-Y-NP-K		3"	Thread	5-145 psi	35 300	4	16 7.60	1.8 0.05	446.00		
B12055-X-03L-Y-NP-K		3L"	Thread	5-145 psi	75 500	2	15.2 7.00	1.4 0.04	POR		
B12055-X-03L-Y-T3-K		3L"	Glue End	5-145 psi	75 480	2	15.2 7.00	1.4 0.04	POR		
B12055-X-03L-Y-VI-K		3L"	Grooved	5-145 psi	75 480	2	15.2 7.00	1.4 0.04	POR		
B12055-X-03L-Y-FF-K		3L"	Flange	5-145 psi	75 480	2	15.2 7.00	1.4 0.04	POR		
B12055-X-04-Y-T4-K		4"	Glue End	5-145 psi	75 500	1	20 9.00	1.4 0.04	POR		
B12055-X-04-Y-VI-K		4"	Grooved	5-145 psi	75 500	1	20 9.00	1.4 0.04	832.00		
B12055-X-04-Y-FF-K		4"	Flange	5-145 psi	75 500	1	20 9.00	1.4 0.04	780.00		
B12055-X-06-Y-VI-K		6"	Grooved	5-145 psi	140 1000	1	32 15.50	5.2 0.15	1620.00		
B12055-X-06-Y-FF-K		6"	Flange	5-145 psi	140 1000	1	32 15.50	5.2 0.15	POR		
130 Series - Pressure Sustaining, Manual											
B130-XZ-02-Y-NP	Pressure Sustaining, Manually controlled globe valve. Maintains preset minimum upstream pressure in fluctuating flows or varying downstream pressure conditions.	2"	Thread	5-145 psi	35 140	5	17.5 8.00	1.3 0.04	341.00		
B130-XZ-03-Y-NP		3"	Thread	5-145 psi	35 300	4	16 7.60	1.8 0.05	405.00		
B130-XZ-03L-Y-NP		3L"	Thread	5-145 psi	75 500	2	15.2 7.00	1.4 0.04	606.00		
B130-XZ-04-Y-FF		4"	Flange	5-145 psi	75 500	1	20 9.00	1.4 0.04	988.00		
B130-XZ-06-Y-FF		6"	Flange	5-145 psi	140 1000	1	32 15.50	5.2 0.15	1636.00		

Valves

Plastic Angle Pattern Valves - Electric / Manual, Pressure Regulating (Category XII)

Part Number	Description	Size	Connection	Operating Range	Flow Rate gpm From	To	Quantity Carton	Carton Weight Lbs. Kilos	Carton Cube Ft. M.	List Price Each	
105 Series - Manual											
B105-Z-03-A-NP	Manually controlled angle valves, actuated hydraulically, with 3-way on off selector.	3"	Thread	5-145 psi	35	300	4	16.00 7.6	1.8 0.05	208.00	
B105-Z-03L-A-T3		3L"	Glue End	5-145 psi	75	580	2	15.20 7	1.4 0.04	POR	
B105-Z-03L-A-VI		3L"	Grooved	5-145 psi	75	580	2	15.20 7	1.4 0.04	POR	
B105-Z-03L-A-FF		3L"	Flange	5-145 psi	75	580	2	15.20 7	1.4 0.04	POR	
B105-Z-04-A-T4		4"	Glue End	5-145 psi	75	580	1	20.00 9	1.4 0.04	POR	
B105-Z-04-A-VI		4"	Grooved	5-145 psi	75	580	1	20.00 9	1.4 0.04	556.00	
B105-Z-04-A-FF		4"	Flange	5-145 psi	75	580	1	20.00 9	1.4 0.04	POR	
110 Series - Electric											
B110-3W-03-A-NP	Solenoid controlled angle valves, actuated hydraulically, in response to a 24 VAC electric signal or manually operate using override on Solenoid.	3"	Thread	5-145 psi	35	300	4	16.00 7.6	1.8 0.05	POR	
B110-3W-03L-A-T3		3L"	Glue End	5-145 psi	75	580	2	15.20 7	1.4 0.04	POR	
B110-3W-03L-A-VI		3L"	Grooved	5-145 psi	75	580	2	15.20 7	1.4 0.04	POR	
B110-3W-03L-A-FF		3L"	Flange	5-145 psi	75	580	2	15.20 7	1.4 0.04	POR	
B110-3W-04-A-T4		4"	Glue End	5-145 psi	75	580	1	20.00 9	1.4 0.04	POR	
B110-3W-04-A-VI		4"	Grooved	5-145 psi	75	580	1	20.00 9	1.4 0.04	633.00	
B110-3W-04-A-FF		4"	Flange	5-145 psi	75	580	1	20.00 9	1.4 0.04	POR	
120 Series - Pressure Regulating, Manual											
B120-XZ-03-A-NP-K	Pressure Regulating Manually controlled angle valves. Reduces high upstream pressure to lower constant down stream pressure. Manual on off with 3 way selector. (*)	3"	Thread	5-145 psi	35	300	4	16.00 7.6	1.8 0.05	POR	
B120-XZ-03L-A-T3-K		3L"	Glue End	5-145 psi	75	480	2	15.20 7	1.4 0.04	POR	
B120-XZ-03L-A-VI-K		3L"	Grooved	5-145 psi	75	480	2	15.20 7	1.4 0.04	POR	
B120-XZ-03L-A-FF-K		3L"	Flange	5-145 psi	75	480	2	15.20 7	1.4 0.04	POR	
B120-XZ-04-A-T4-K		4"	Glue End	5-145 psi	75	500	1	20.00 9	1.4 0.04	POR	
B120-XZ-04-A-VI-K		4"	Grooved	5-145 psi	75	500	1	20.00 9	1.4 0.04	POR	
B120-XZ-04-A-FF-K		4"	Flange	5-145 psi	75	500	1	20.00 9	1.4 0.04	715.00	
12055 Series - Pressure Regulating, Electric											
B12055-X-03-A-NP-K	Pressure Regulating, Electrically controlled angle valve. Reduces high upstream pressure to lower constant down stream pressure. Opens and closes in response to 24 VAC electric or manually operated using override on solenoid. (*)	3"	Thread	5-145 psi	35	300	4	16.00 7.6	1.8 0.05	446.00	
B12055-X-03L-A-T3-K		3L"	Glue End	5-145 psi	75	480	2	15.20 7	1.4 0.04	POR	
B12055-X-03L-A-VI-K		3L"	Grooved	5-145 psi	75	480	2	15.20 7	1.4 0.04	POR	
B12055-X-03L-A-FF-K		3L"	Flange	5-145 psi	75	480	2	15.20 7	1.4 0.04	POR	
B12055-X-04-A-T4-K		4"	Glue End	5-145 psi	75	500	1	20.00 9	1.4 0.04	POR	
B12055-X-04-A-VI-K		4"	Grooved	5-145 psi	75	500	1	20.00 9	1.4 0.04	780.00	
B12055-X-04-A-FF-K		4"	Flange	5-145 psi	75	500	1	20.00 9	1.4 0.04	POR	

Upgrade Options for Plastic Valves (Category XII)

TO UPGRADE A PLASTIC VALVE, PLEASE CONTACT OUR CUSTOMER SERVICE FOR THE CORRECT PART NUMBER

Option Code	Description	Quantity	List Price Each
-CB	Brass fittings and copper tubing upgrade	1	339.00
-R	Brass pilot upgrade for 1 1/2"-4" Valves	1	201.00
-SP	Steel Shielded Plastic Tubing & Plastic Fittings	1	127.00
-PB	Push-Connect Fittings and Nylon Tubing	1	286.00

Standard Configuration:

- Main Valve, Pilot Valve & Fittings: Plastic
- Pressure rating: 145 psi
- Plastic Flange = ANSI Thread end = NPT
- Remote control electric and hydraulic valves are normally closed
- 2" and 3" with flow control stem

Pilot Spring Options: Optional Pilot springs may be required for peak valve performance. Optional springs are chosen when valves must operate outside the **standard pressure reducing range**.

(*) For valves with model PC-X-P plastic mini pilots

Optional pilot springs are available for 2", 3", 3"L, 4" and 6", 120 and 12055 Series plastic valves. Contact Customer Service to obtain the correct part number for a non-standard spring..

Spring Code	Mini Pilot Operating Range
K	7-40 psi Standard
N	11-95 psi
V	15-145 psi

Other valve options and configurations are available. For inquiries, please consult Toro Ag Customer Service.

Valve Patterns and End Connection Options

Valve Size	Y - Y Pattern	A - Angle Pattern	NP - Thread	FF - Flanged	VI - Grooved	T3 - 3" Glued End	T4 - 4" Glued End
2"	Y		NP		VI		
2"L	Y		NP		VI		
3"	Y	A	NP				
3"L	Y	A	NP	FF	VI	T3	
4"	Y	A		FF	VI		T4
6"	Y			FF	VI		
* Not all available valve configuration and functions can be shown.							
* For other valve configurations and application information please call.							

When making specification inquiries, please have the following valve information on hand:

- What function do you want the valve to perform?
 - Pressure Reducing or Sustaining, Solenoid Control
- What end fittings do you want on the valve?
 - Threaded, Flanged, or Grooved
- What flow pattern do you want?
 - Globe or Angle
- What flow ranges will the valve operate in?
- What is the inlet pressure range the valve will operate in?
- What is the desired outlet pressure?
- What other options or configurations are required for the valve?
 - Upgrade to Copper Tube and Brass Fittings -CB

Valves

Metal Valves - Electric / Manual, Pressure Reducing and Pressure Relief (Category XII)

Part Number	Description	Size	Connection	Operating Range	Flow Rate gpm From To	Quantity Carton	Carton Weight Lbs. Kilos	Carton Cube Ft. M.	List Price Each
405 Series - Manual									
B405-Z-03-G-NP	Manually controlled globe valves, actuated hydraulically, with 3-way on off selector.	3"	Thread	7-232 psi	60 400	1	16 7.30	0.69 0.16	446.00
B405-Z-04-G-A1		4"	Flange	7-232 psi	90 700	1	71 33.00	1.23 0.04	812.00
B405-Z-06-G-A1		6"	Flange	7-232 psi	180 1400	1	175 80.00	- -	1,544.00
B405-Z-08-G-A1		8"	Flange	7-232 psi	310 2200	1	320 146.00	- -	3,221.00
B405-Z-10-G-A1		10"	Flange	7-232 psi	340 2400	1	355 162.00	- -	3,221.00
410 Series - Electric									
B410-X-03-G-NP	Solenoid controlled globe valves, actuated hydraulically, in response to a 24 VAC electric signal or manually operate using override on solenoid.	3"	Thread	7-232 psi	60 400	1	16 7.30	0.7 0.16	1,181.00
B410-X-04-G-A1		4"	Flange	7-232 psi	90 700	1	71 33.00	1.3 0.04	1,266.00
B410-X-06-G-A1		6"	Flange	7-232 psi	180 1400	1	175 80.00	- -	2,018.00
B410-X-08-G-A1		8"	Flange	7-232 psi	310 2200	1	320 146.00	- -	3,408.00
B410-X-10-G-A1		10"	Flange	7-232 psi	340 2400	1	355 162.00	- -	4,366.00
420 Series - Pressure Reducing, Manual									
B420-XZ-03-G-NP	Pressure Reducing Manually controlled globe valves. Reduces high upstream pressure to lower constant down stream pressure. Manual on off with 3 way selector. (*, #)	3"	Thread	15-100 psi	60 400	1	16 7.30	0.7 0.16	POR
B420-XZ-04-G-A1		4"	Flange	15-100 psi	90 700	1	71 33.00	1.3 0.04	945.00
B420-XZ-06-G-A1		6"	Flange	15-230 psi	180 1400	1	175 80.00	- -	2,343.00
B420-XZ-08-G-A1		8"	Flange	15-230 psi	310 2200	1	320 146.00	- -	3,734.00
B420-XZ-10-G-A1		10"	Flange	15-230 psi	340 2400	1	355 162.00	- -	POR
42055 Series - Pressure Reducing, Electric									
B42055-X-03-G-NP	Pressure Reducing, Electrically controlled globe valve. Reduces high upstream pressure to lower constant down stream pressure in response to 24 VAC electric or manually operated using override on solenoid. (*, #)	3"	Thread	15-100 psi	60 400	1	16 7.30	0.7 0.16	779.00
B42055-X-04-G-A1		4"	Flange	15-100 psi	90 700	1	71 33.00	1.3 0.04	1,086.00
B42055-X-06-G-A1		6"	Flange	15-230 psi	180 1400	1	175 80.00	- -	POR
B42055-X-08-G-A1		8"	Flange	15-230 psi	310 2200	1	320 146.00	- -	POR
B42055-X-10-G-A1		10"	Flange	15-230 psi	340 2400	1	355 162.00	- -	POR

Pressure Relief Valves (Category XII)

Part Number	Description	Size	Connection	Operating Range	Flow Rate gpm From To	Quantity Carton	Carton Weight Lbs. Kilos	Carton Cube Ft. M.	List Price Each
430 Series - Pressure Sustaining and Pressure Relief Valves									
B430-KXZ-02-G-NP	Manually controlled 430 Series Valves maintain a preset minimum upstream pressure in fluctuating flow and pressure conditions. 430 Series valves will relieve excessive line pressure when a maximum set point is reached. Angle valves are available in 2", 3" and 4" models.	2"	Thread	7-232 psi	25 180	1	10 4.5	1.3 0.16	POR
B430-KXZ-03-G-NP		3"	Thread	7-232 psi	60 400	1	33 15	0.7 0.16	POR
B430-KXZ-04-G-A1		4"	Flange	7-232 psi	90 700	1	71 33	1.3 0.04	POR
B430-KXZ-06-G-A1		6"	Flange	7-232 psi	180 1400	1	175 80	- -	POR
B430-KXZ-08-G-A1		8"	Flange	7-232 psi	310 2200	1	320 146	- -	POR
B430-KXZ-10-G-A1		10"	Flange	7-232 psi	340 2400	1	355 162	- -	POR

Bermad Valve Solenoids (Category XII)

Part Number	Description	Quantity	List Price Each
B-S402-3W	DC LATCH SOL 9-24V DCL 3 WAY	1	94.00
B-S982-3W	DC LATCH SOL 12-24V DCL 3 WAY	1	126.00
B-S390-3WNO24VAC-R	SOL S-390 3WAY NO 24VAC R	Call Toro Ag Customer Service	

Upgrade Options for Metal Valves (Category XII)

TO UPGRADE A PLASTIC VALVE, PLEASE CONTACT OUR CUSTOMER SERVICE FOR THE CORRECT PART NUMBER

Option Code	Description	Quantity	List Price Each
-CB	Brass fittings and copper tubing upgrade	1	339.00
-R	Brass pilot upgrade for 1 1/2"-4" Valves	1	201.00
-SP	Steel Shielded Plastic Tubing & Plastic Fittings	1	127.00
-PB	Push-Connect Fittings and Nylon Tubing	1	286.00

Standard Configuration:

- Main Valve: Cast iron
- Standard Rating: max inlet 230 psi
- Valves 1" - 4": Plastic pilots, tubing and fittings
- Valves 6" and larger: Nylon tubing, push lock brass fittings and brass pilots
- Schrader gauge fittings and outlet isolation ball valves are furnished standard on all sizes of pressure reducing valves
- Remote control electric and hydraulic valves are normally closed

To ensure correct valve assembly, specify all valve options

Pilot Spring Options: Optional Pilot springs may be required for peak valve performance. Specify the desired spring code for all pilot configurations.

(*) For valves with model PC-X-P plastic mini pilots

Optional pilot springs are available for 2", 3", 3"L, 4" and 6", 120 and 12055 Series plastic valves. Contact Customer Service to obtain the correct part number for a non-standard spring..

Spring Code	Mini Pilot Operating Range
K	7-40 psi Standard
N	11-95 psi
V	15-145 psi

(#) For metal valves with model X metal pilots

Optional pilot springs are available for 6", 8" and 10", 420 and 42055 Series metal valves with metal pilots. Contact Customer Service to obtain the correct part number for a non-standard spring.

Spring Code	X Pilot Operating Range
10	7-150 psi Standard
16	15-230 psi

Other valve options and configurations are available. For inquiries, please consult Toro Ag Customer Service.



To order, call Toro Ag
Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495
List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)

Valves Accessories

Valve Accessories (Category VIII)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Box	Carton	Lbs.	Kilos	Ft.	M.	
Accessories								
A-R811-24VACG	Solenoid 24 VAC 60 HZ, .4 amp inrush, 0.2 amp holding	—	120	30.00	13.60	0.71	0.020	20.50
A-DCL	Solenoid 12v DCL							41.50
LWS	Low Wattage Solenoid 24 VAC; Inrush 0.2A; Holding 0.1A							32.10
SGS-12	Spike Guard Solenoid 24 VAC; Inrush 0.2A; Holding 0.1A; 20kV lightening rating							34.50



OmniReg® Modular Pressure Regulators

A-OMR-30	OmniReg® Modular Pressure Regulators maintain downstream pressure regardless of fluctuating upstream pressures. Two models are available: the A-OMR-30 that operates from 5 to 30 PSI and the A-OMR-100 that operates from 5 to 100 PSI. OmniReg® Modular Pressure Regulators are used with 100 Series, 700 Series, 216B and 217B Valves.	1	6	0.227	0.103	1.32	0.037	78.50
A-OMR-100		1	6	0.227	0.103	1.32	0.037	78.50

Air Release and Vacuum Release Valves

Plastic Air and Vacuum Release Valves (Category VI)

Part Number	Description	Size	Quantity		Carton Weight		Carton Cube		List Price Each
			Bag	Carton	Lbs.	Kilos	Ft.	M.	
1" Air Vent with Colored Cap									
ARV-BBK1	1" Air & Vacuum Release Valve with Colored Cap	1"	—	25	5.00	2.30	—	—	7.50
ARV-BBK1-S	1" Air & Vacuum Release Valve with Colored Cap & Installed Schrader Valve	1"	—	25	6.00	3.00	0.40	0.012	18.80
1" & 2" Air & Vacuum Release Valves									
ARV-1-K	Air & Vacuum Release Valve	1"	—	14	12.00	5.40	0.80	0.024	21.50
ARV-2-K		2"	—	8	14.00	6.40	0.80	0.024	42.70
1" Continuous Air Release									
ARV-1-A	Automatic Continuous Acting Air Release Valve	1"	—	20	15.00	6.70	0.80	0.024	49.40
2" Combination Automatic and Kinetic Air & Vacuum Release									
ARV-2-KA	Combination Large Volume Air & Vacuum Release and Continuous Acting Air Release	2"	—	8	16.00	7.00	0.80	0.024	121.00



To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)

A black and white photograph of a vast agricultural field, likely a vineyard or orchard, with rows of crops stretching towards a range of mountains under a cloudy sky. The word "Controllers" is overlaid in the center.

Controllers

Controllers

Evolution® AG Controller (Category VII)



Part Number	Description	Stations	Quantity		Carton Weight		Carton Cube		Pallet Qty.	List Price Each
			Box	Carton	Lbs.	Kilos	Ft.	M.		
EVO-4AG	Evolution® AG - 4 Station Modular Controller Fertilizer Programming; runtime range 1 sec - 24 hours; 3 independent Programs, 12 start times; Weekday, Interval, Looping schedules; English/Spanish quick-toggle	4	1	6	4.28	1.94	0.229	0.006	96	438.00
A-EMOD-4	Evolution 4-Station Expansion Module		1	10	1.66	0.75	0.10	0.003	-	54.00
A-EMOD-12	Evolution 12-Station Expansion Module		1	4	1.48	0.67	0.09	0.002	-	175.00
A-EVO-SC	Smart Connect® Plug-In Radio Module		1	1	0.20	0.09	0.04	0.001	-	109.00
A-SMRT-T	Wireless Internet Gateway		1	1	0.60	0.27	0.81	0.024	-	150.00
A-PSS-SEN	Wireless Soil Sensor		1	1	0.68	0.31	0.10	0.003	-	113.00
A-EVO-WVS	Wireless Weather Sensor		1	1	0.69	0.31	0.08	0.002	-	109.00
A-EVO-HH	Wireless Handheld Maintenance Remote		1	1	0.45	0.20	0.03	0.001	-	110.00
A-EVO-AR	Wireless Auxiliary Relay		1	1	0.29	0.13	0.02	0.001	-	165.00
EVO-4AG-TM	Replacement Front Panel		1	1	1.23	0.56	0.23	0.007	-	375.00

Total Control® (Outdoor Mount) Controller (Category VII)



Part Number	Description	Stations	Quantity		Carton Weight		Carton Cube		Pallet Qty.	List Price Each
			Carton		Lbs.	Kilos	Ft.	M.		
A-TC-6EX-R	4 independent programs, 4 start times per program, Remote ready, outdoor mount 120VAC 60/50HZ. (**)	6	6		34.00	15.00	2.40	0.068	108	380.00
A-TC-9EX-R		9	6		34.00	15.00	2.40	0.068	108	464.50
A-TC-12EX-R		12	6		34.00	15.00	2.40	0.068	108	498.00
A-TC-15EX-R		15	6		34.00	15.00	2.40	0.068	108	580.50
A-TC-18EX-R		18	6		34.00	15.00	2.40	0.068	108	702.50
A-TC-24EX-R		24	6		34.00	15.00	2.40	0.068	108	892.00
A-TC-36EXM-R	Note: 36 and 48 Station Controllers are pre-installed in metal cabinets	36	1		20	9	1.4	0.040	-	1,884.00
A-TC-48EXM-R		48	1		20	9	1.4	0.040	-	2,144.00
A-TC-6EX-R-50H	4 independent programs, 4 start times per program, Remote ready, outdoor mount 220VAC 50HZ	6	6		34	15	2.4	0.068	108	531.44
A-TC-9EX-R-50H		9	6		34	15	2.4	0.068	108	646.42
A-TC-12EX-R-50H		12	6		34	15	2.4	0.068	108	693.47
A-TC-15EX-R-50H		15	6		34	15	2.4	0.068	108	794.40

KwikDial® Series Controller (Category VII)

A-KD400-INT	4-Station KD2, Indoor	4	6		24	11	-	-	144	105.00
A-KD400-EXT	4-Station KD2, Outdoor	4	6		24	11	-	-	144	137.00
A-KD600-INT	6-Station KD2, Indoor	6	6		24	11	-	-	144	119.00
A-KD600-EXT	6-Station KD2, Outdoor	6	6		24	11	-	-	144	156.00
A-KD900-INT	9-Station KD2, Indoor	9	6		24	11	-	-	144	152.00
A-KD900-EXT	9-Station KD2, Outdoor	9	6		24	11	-	-	144	203.00

Rain Dial® Controller (Category VII)



Part Number	Description	Stations	Quantity		Carton Weight		Carton Cube		Pallet Qty.	List Price Each
			Carton		Lbs.	Kilos	Ft.	M.		
A-RD600-EXT-R	3 independent programs, 9 start times, 365-day calendar, non-volatile memory, Rain Sensor ready, outdoor mount 120VAC 60/50HZ. (*)	6	6		32.00	15.00	1.60	0.045	144	237.00
A-RD900-EXT-R		9	6		32.00	15.00	1.60	0.045	144	335.00
A-RD1200-EXT-R		12	6		32.00	15.00	1.60	0.045	144	460.00

Ordering Information:

(*) Also available 220VAC 60/50hz or 240VAC 60/50hz.

- 240VAC 60/50hz. add "-A" to the part number (example: A-RD1200-EXT-A)
- 220VAC 60/50hz. Add "-E" to the part number (example: A-RD1200-EXT-E)

(**) Also available 220VAC 60/50hz or 240VAC 60/50hz.

- 240VAC 60/50hz. add "-50-A" to the part number (example: A-TC-12EX-B-50-A)
- 220VAC 60/50hz. Add "-50-E" to the part number (example: A-TC-12EX-B-50-E)

To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)


Controllers

MC-E® Series Controller (Category VII)



Part Number	Description	Stations	Quantity		Carton Weight		Carton Cube		Pallet Qty.	List Price Each
			Box	Carton	Lbs.	Kilos	Ft.	M.		
A-MC-4E	8 independent programs; looping on all 8 programs; 11 start times per day; advance calendar features; outdoor	4		3	34.00	15.00	1.50	0.042	81	575.00
A-MC-6E		6		3	34.00	15.00	1.50	0.042	81	659.00
A-MC-8E		8		3	34.00	15.00	1.50	0.042	81	871.00
A-MC-12E		12		3	34.00	15.00	1.50	0.042	81	1,026.00
A-MC-18E		18		1	18.00	8.00	0.70	0.020	64	1,577.00
A-MC-24E		24		1	18.00	8.00	0.70	0.020	64	1,827.00
A-MC-30E		30		1	18.00	8.00	0.70	0.020	64	2,638.00
A-MC-36E		36		1	18.00	8.00	0.70	0.020	64	3,165.00
A-MC-42E		42		1	18.00	8.00	0.70	0.020	64	3,606.00
A-MC-48E		48		1	18.00	8.00	0.70	0.020	64	3,892.00

IBOC® Plus Controllers - Battery or Solar Operated (Category VII)



Part Number	Description	Stations	Quantity		Carton Weight		Carton Cube		Pallet Qty.	List Price Each
			Box	Carton	Lbs.	Kilos	Ft.	M.		
A-IBOC-4Plus	3 independent programs, 24 start times, loop cycling, outdoor mount, powered by one-6Volt alkaline battery or solar panel #SPC-2 (Alkaline battery and/or solar panel Not Included) For use with Latching Solenoid (part number: A-DCL).	4		1	11.00	5.00	0.90	0.025	64	1,710.00
A-IBOC-8Plus		8		1	11.00	5.00	0.90	0.025	64	2,064.00
A-IBOC-12Plus		12		1	11.00	5.00	0.90	0.025	64	2,318.00

DC Controllers (Category VII)



DDCWP® DC - Waterproof Battery Operated Controllers

Part Number	Description	Stations	Quantity		Carton Weight		Carton Cube		Pallet Qty.	List Price Each
			Box	Carton	Lbs.	Kilos	Ft.	M.		
A-DDCWP-2-9V	2 - 8 station rugged DC battery operated Controller Fully Waterproof (submersible); Easy to Program 3 Independent programs; each with 3 Start Times Valve Runtimes 1 min - 4 hours 3 Year Warranty	2	1	10	25	11.34	1.67	0.047	-	191.00
A-DDCWP-4-9V		4	1	10	25	11.34	1.67	0.047	-	225.00
A-DDCWP-6-9V		6	1	10	25	11.34	1.67	0.047	-	254.00
A-DDCWP-8-9V		8	1	10	25	11.34	1.67	0.047	-	293.00



Junior™ DC - Waterproof Battery-Operated Controllers

Part Number	Description	Stations	Quantity		Carton Weight		Carton Cube		Pallet Qty.	List Price Each
			Box	Carton	Lbs.	Kilos	Ft.	M.		
A-JRDC-1	1 or 4 Station DC battery operated, 2 Independent programs, 3 Start Times, Water budget 10-200%	1	1	12	16.00	7.30	2.06	0.058	-	138.00
A-JRDC-4		4	1	12	32.00	14.60	1.939	0.055	-	171.00

Note: Junior DC controllers are used with A-DCL solenoids. See Controller Accessories.



Low Pressure Battery Operated Tap Timer

Part Number	Description	Stations	Quantity	Carton Weight	Carton Cube	Pallet Qty.	List Price Each
A-53453	Low-Pressure Tap Timer		1 12	11 5.0	1.65 0.047	-	44.10

Controllers Accessories

Controller Accessories (Category VII)

Part Number	Description	Quantity		Carton Weight		Carton Cube		Pallet Qty.	List Price Each
		Box	Carton	Lbs.	Kilos	Ft.	M.		
A-SR-1	Pump start relay			2.1		0.195			141.00
A-DCL	Solenoid DC Latching (used with IBOC controllers & Junior DC controllers)	12		3.24	1.47	0.80	0.002	-	41.50



A black and white photograph of a dense cornfield. The corn plants are tall and have long, pointed leaves. The word "Filtration" is written in a large, bold, white sans-serif font across the middle of the image. The background shows a cloudy sky.

Filtration

Filtration



Manual Screen Filters (Category IX)

Part Number	Description	FlowRate GPM*	Mesh	Connection Type	Connection Size (In.)	Quantity Carton	Carton Weight Lbs. Kilos	Carton Cube Ft. M.	List Price Each
Angle Manual Screen Filters - Series F100									
YF130VRNU-100	F130V-100 MIC/150 MSH 3" MAN SCR FLT	220	150	Grooved	3	1	61.0 27.7	2.00 0.057	\$812.00
YF130VRNU-120	F130V-120 MIC/120 MSH 3" MAN SCR FLT	220	120	Grooved	3	1	61.0 27.7	2.00 0.057	\$812.00
YF130VRNU-200	F130V-200 MIC/80 MSH 3" MAN SCR FLT	220	80	Grooved	3	1	61.0 27.7	2.00 0.057	\$812.00
YF140VRNU-100	F140V-100 MIC/150 MSH 4" MAN SCR FLT	396	150	Grooved	4	1	84.0 38.1	4.25 0.120	\$1,065.00
YF140VRNU-120	F140V-120 MIC/120 MSH 4" MAN SCR FLT	396	120	Grooved	4	1	84.0 38.1	4.25 0.120	\$1,065.00
YF140VRNU-200	F140V-200 MIC/80 MSH 4" MAN SCR FLT	396	80	Grooved	4	1	84.0 38.1	4.25 0.120	\$1,065.00
YF160FNU-100	F160F-100 MIC/150 MSH 6" MAN SCR FLT	969	150	Flange	6	1	168.0 76.2	5.80 0.164	\$1,897.00
YF160FNU-120	F160F-120 MIC/120 MSH 6" MAN SCR FLT	969	120	Flange	6	1	168.0 76.2	5.80 0.164	\$1,897.00
YF160FNU-200	F160F-200 MIC/80 MSH 6" MAN SCR FLT	969	80	Flange	6	1	168.0 76.2	5.80 0.164	\$1,897.00
YF160VNU-100	F160V-100 MIC/150 MSH 6" MAN SCR FLT	969	150	Grooved	6	1	168.0 76.2	5.80 0.164	\$1,897.00
YF160VNU-120	F160V-120 MIC/120 MSH 6" MAN SCR FLT	969	120	Grooved	6	1	168.0 76.2	5.80 0.164	\$1,897.00
YF160VNU-200	F160V-200 MIC/80 MSH 6" MAN SCR FLT	969	80	Grooved	6	1	168.0 76.2	5.80 0.164	\$1,897.00
YF180FNU-100	F180F-100 MIC/150 MSH 8" MAN SCR FLT	1,585	150	Grooved	8	1	218.0 98.9	7.50 0.212	\$2,805.00
YF180FNU-120	F180F-120 MIC/120 MSH 8" MAN SCR FLT	1,585	120	Grooved	8	1	218.0 98.9	7.50 0.212	\$2,805.00
YF180FNU-200	F180F-200 MIC/80 MSH 8" MAN SCR FLT	1,585	80	Grooved	8	1	218.0 98.9	7.50 0.212	\$2,805.00
YF180VNU-100	F180V-100 MIC/150 MSH 8" MAN SCR FLT	1,585	150	Flange	8	1	218.0 98.9	7.50 0.212	\$2,667.00
YF180VNU-120	F180V-120 MIC/120 MSH 8" MAN SCR FLT	1,585	120	Flange	8	1	218.0 98.9	7.50 0.212	\$2,667.00
YF180VNU-200	F180V-200 MIC/80 MSH 8" MAN SCR FLT	1,585	80	Flange	8	1	218.0 98.9	7.50 0.212	\$2,667.00
YF110FNU-100	F110F-100 MIC/150 MSH 10" MAN SCR FLT	2,200	150	Flange	10	1	254.0 115.2	7.50 0.212	\$5,734.00
YF110FNU-120	F110F-120 MIC/120 MSH 10" MAN SCR FLT	2,200	120	Flange	10	1	254.0 115.2	7.50 0.212	\$5,734.00
YF110FNU-200	F110F-200 MIC/80 MSH 10" MAN SCR FLT	2,200	80	Flange	10	1	254.0 115.2	7.50 0.212	\$5,734.00
In-line Manual Screen Filters - Series F200									
YF230VRYU-100	F230VR-100 MIC/150MSH 3" IN-LINESCRFLT	176	150	Grooved	3	1	70.0 31.8	3.70 0.105	\$955.00
YF230VRYU-120	F230VR-120 MIC/120MSH 3" IN-LINESCRFLT	176	120	Grooved	3	1	70.0 31.8	3.70 0.105	\$955.00
YF230VRYU-200	F230VR-200 MIC/80MSH 3" IN-LINE SCRFLT	176	80	Grooved	3	1	70.0 31.8	3.70 0.105	\$955.00
YF240VRYU-100	F240VR-100 MIC/150MSH 4" IN-LINESCRFLT	352	150	Grooved	4	1	97.0 44.0	6.10 0.173	\$1,530.00
YF240VRYU-120	F240VR-120 MIC/120MSH 4" IN-LINESCRFLT	352	120	Grooved	4	1	97.0 44.0	6.10 0.173	\$1,530.00
YF240VRYU-200	F240VR-200 MIC/80MSH 4" IN-LINE SCRFLT	352	80	Grooved	4	1	97.0 44.0	6.10 0.173	\$1,530.00
YF260FYU-100	F260F-100 MIC/150MSH 6" IN-LINE SCRFLT	793	150	Flange	6	1	175.0 79.4	13.10 0.371	\$2,990.00
YF260FYU-120	F260F-120 MIC/120MSH 6" IN-LINE SCR FLT	793	120	Flange	6	1	175.0 79.4	13.10 0.371	\$2,990.00
YF260FYU-200	F260F-200 MIC/80MSH 6" IN-LINE SCR FLT	793	80	Flange	6	1	175.0 79.4	13.10 0.371	\$2,990.00
YF260VYU-100	F260V-100 MIC/150MSH 6" IN-LINE SCRFLT	793	150	Grooved	6	1	175.0 79.4	13.10 0.371	\$2,990.00
YF260VYU-120	F260V-120 MIC/120MSH 6" IN-LINE SCRFLT	793	120	Grooved	6	1	175.0 79.4	13.10 0.371	\$2,990.00
YF260VYU-200	F260V-200 MIC/80MSH 6" IN-LINE SCR FLT	793	80	Grooved	6	1	175.0 79.4	13.10 0.371	\$2,990.00
YF280FYU-100	F280F-100 MIC/150MSH 8" IN-LINE SCRFLT	1,321	150	Flange	8	1	240.0 108.9	10.90 0.308	\$4,920.00
YF280FYU-120	F280F-120 MIC/120MSH 8" IN-LINE SCRFLT	1,321	120	Flange	8	1	240.0 108.9	10.90 0.308	\$4,920.00
YF280FYU-200	F280F-200 MIC/80MSH 8" IN-LINE SCR FLT	1,321	80	Flange	8	1	240.0 108.9	10.90 0.308	\$4,920.00
YF280VYU-100	F280V-100 MIC/150MSH 8" IN-LINE SCRFLT	1,321	150	Grooved	8	1	240.0 108.9	10.90 0.308	\$4,920.00
YF280VYU-120	F280V-120 MIC/120MSH 8" IN-LINE SCRFLT	1,321	120	Grooved	8	1	240.0 108.9	10.90 0.308	\$4,920.00
YF280VYU-200	F280V-200 MIC/80MSH 8" IN-LINE SCR FLT	1,321	80	Grooved	8	1	240.0 108.9	10.90 0.308	\$4,920.00
YF210FYU-100	F210F-100 MIC/150MSH 10" IN-LINESCRFLT	2,200	150	Flange	10	1	298.0 135.2	51.70 1.463	\$5,904.00
YF210FYU-120	F210F-120 MIC/120MSH 10" IN-LINESCRFLT	2,200	120	Flange	10	1	298.0 135.2	51.70 1.463	\$5,904.00
YF210FYU-200	F210F-200 MIC/80MSH 10" IN-LINE SCRFLT	2,200	80	Flange	10	1	298.0 135.2	51.70 1.463	\$5,904.00

* Flow rates are based on good water quality and 120 mesh screens



Filtration



Manual Screen Filters (Category IX)

Part Number	Description	FlowRate GPM*	Mesh	Connection Type	Connection Size (In.)	Quantity Carton	Carton Weight Lbs.	Weight Kilos	Carton Cube Ft.	Cube M.	List Price Each
Circulating Manual Screen Filters - Series F400											
YF420VNU-100	F420V-100 MIC/150 MSH 2" CIRC SCR FLT	48-123	150	Grooved	2	1	34.0	15.4	2.70	0.076	\$1,085.00
YF420VNU-120	F420V-120 MIC/120 MSH 2" CIRC SCR FLT	48-123	120	Grooved	2	1	34.0	15.4	2.70	0.076	\$1,085.00
YF420VNU-200	F420V-200 MIC/80 MSH 2" CIRC SCR FLT	48-123	80	Grooved	2	1	34.0	15.4	2.70	0.076	\$1,085.00
YF430FNU-100	F430F-100 MIC/150 MSH 3" CIRC SCR FLT	53-172	150	Flange	3	1	66.0	29.9	3.60	0.102	\$1,383.00
YF430FNU-100-01	F430F-100 MIC/150 MSH 3"Q FLG CIRC FLT	53-172	150	Quick Flange	3	1	66.0	29.9	3.60	0.102	\$1,383.00
YF430FNU-120	F430F-120 MIC/120 MSH 3"CIRC SCR FLT	53-172	120	Flange	3	1	66.0	29.9	3.60	0.102	\$1,383.00
YF430FNU-120-01	F430F-120 MIC/120 MSH 3"Q FLG CIRC FLT	53-172	120	Quick Flange	3	1	66.0	29.9	3.60	0.102	\$1,383.00
YF430FNU-200	F430F-200 MIC/80 MSH 3" CIRC SCR FLT	53-172	80	Flange	3	1	66.0	29.9	3.60	0.102	\$1,383.00
YF430FNU-200-01	F430F-200 MIC/80 MSH 3"Q FLG CIRC FLT	53-172	80	Quick Flange	3	1	66.0	29.9	3.60	0.102	\$1,383.00
YF430VNU-100	F430V-100 MIC/150 MSH 3"CIRC SCR FLT	53-172	150	Grooved	3	1	66.0	29.9	3.60	0.102	\$1,383.00
YF430VNU-120	F430V-120 MIC/120 MSH 3" CIRC SCR FLT	53-172	120	Grooved	3	1	66.0	29.9	3.60	0.102	\$1,383.00
YF430VNU-200	F430V-200 MIC/80 MSH 3" CIRC SCR FLT	53-172	80	Grooved	3	1	66.0	29.9	3.60	0.102	\$1,383.00
YF440FNU-100	F440F-100 MIC/150 MSH 4" CIRC SCR FLT	80-308	150	Flange	4	1	96.0	43.5	6.50	0.184	\$1,697.00
YF440FNU-100-01	F440F-100 MIC/150 MSH 4"Q FLG CIRC FLT	80-308	150	Quick Flange	4	1	96.0	43.5	6.50	0.184	\$1,697.00
YF440FNU-120	F440F-120 MIC/120 MSH 4" CIRC SCR FLT	80-308	120	Flange	4	1	96.0	43.5	6.50	0.184	\$1,697.00
YF440FNU-120-01	F440F-120 MIC/120 MSH 4"Q FLG CIRC FLT	80-308	120	Quick Flange	4	1	96.0	43.5	6.50	0.184	\$1,697.00
YF440FNU-200	F440F-200 MIC/80 MSH 4" CIRC SCR FLT	80-308	80	Flange	4	1	96.0	43.5	6.50	0.184	\$1,697.00
YF440FNU-200-01	F440F-200 MIC/80 MSH 4"Q FLG CIRC FLT	80-308	80	Quick Flange	4	1	96.0	43.5	6.50	0.184	\$1,697.00
YF440VNU-100	F440V-100 MIC/150 MSH 4" CIRC SCR FLT	80-308	150	Grooved	4	1	96.0	43.5	6.50	0.184	\$1,697.00
YF440VNU-120	F440V-120 MIC/120 MSH 4" CIRC SCR FLT	80-308	120	Grooved	4	1	96.0	43.5	6.50	0.184	\$1,697.00
YF440VNU-200	F440V-200 MIC/80 MSH 4" CIRC SCR FLT	80-308	80	Grooved	4	1	96.0	43.5	6.50	0.184	\$1,697.00
YF460FNU-100	F460F-100 MIC/150 MSH 6" CIRC SCR FLT	136-925	150	Flange	6	1	258.0	117.0	15.40	0.436	\$3,200.00
YF460FNU-100-01	F460F-100 MIC/150 MSH 6"Q FLG CIRC FLT	136-925	150	Quick Flange	6	1	258.0	117.0	15.40	0.436	\$3,200.00
YF460FNU-120	F460F-120 MIC/120 MSH 6" CIRC SCR FLT	136-925	120	Flange	6	1	258.0	117.0	15.40	0.436	\$3,200.00
YF460FNU-120-01	F460F-120-01 MIC 6" Q FLG CIRC SCR FLT	136-925	120	Quick Flange	6	1	258.0	117.0	15.40	0.436	\$3,200.00
YF460FNU-200	F460F-200 MIC 6" CIRC SCR FILTER	136-925	80	Flange	6	1	258.0	117.0	15.40	0.436	\$3,200.00
YF460FNU-200-01	F460F-200 MIC/80 MSH 6"Q FLG CIRC FLT	136-925	80	Quick Flange	6	1	258.0	117.0	15.40	0.436	\$3,200.00
YF460VNU-100	F460V-100 MIC/150 MSH 6" CIRC SCR FLT	136-925	150	Grooved	6	1	258.0	117.0	15.40	0.436	\$3,200.00
YF460VNU-120	F460V-120 MIC/120 MSH 6" CIRC SCR FLT	136-925	120	Grooved	6	1	258.0	117.0	15.40	0.436	\$3,200.00
YF460VNU-200	F460V-200 MIC/80 MSH 6" CIRC SCR FLT	136-925	80	Grooved	6	1	258.0	117.0	15.40	0.436	\$3,200.00
YF480FNU-100	F480F-100 MIC/150 MSH 8" CIRC SCR FLT	720-1320	150	Flange	8	1	419.0	190.1	26.70	0.756	\$4,850.00
YF480FNU-100-01	F480F-100 MIC/150 MSH 8"Q FLG CIRC FLT	720-1320	150	Flange	8	1	419.0	190.1	26.70	0.756	\$4,850.00
YF480FNU-120	F480F-120 MIC/120 MSH 8" CIRC SCR FLT	720-1320	120	Flange	8	1	419.0	190.1	26.70	0.756	\$4,850.00
YF480FNU-120-01	F480F-120 MIC/120 MSH 8"Q FLG CIRC FLT	720-1320	120	Flange	8	1	419.0	190.1	26.70	0.756	\$4,850.00
YF480FNU-200	F480F-200 MIC/80 MSH 8" CIRC SCR FLT	720-1320	80	Flange	8	1	419.0	190.1	26.70	0.756	\$4,850.00
YF480FNU-200-01	F480F-200 MIC/80 MSH 8"Q FLG CIRC FLT	720-1320	80	Flange	8	1	419.0	190.1	26.70	0.756	\$4,850.00
YF410FNU-100	F410F-100 MIC/150 MSH 10" CIRC SCR FLT	1,189-2,205	150	Flange	10	1	463.0	210.0	26.70	0.756	\$6,693.00
YF410FNU-120	F410F-120 MIC/120 MSH 10" CIRC SCR FLT	1,189-2,205	120	Flange	10	1	463.0	210.0	26.70	0.756	\$6,693.00
YF410FNU-200	F410F-200 MIC/80 MSH 10" CIRC SCR FLT	1,189-2,205	80	Flange	10	1	463.0	210.0	26.70	0.756	\$6,693.00

* Flow rates are based on good water quality and 120 mesh screens



Filtration



NEW!

Sand Media Filters - Carbon Steel (Category IX)

Part Number	Description	FlowRate GPM*	Connection Config	Manifold Size (In.)	Quantity Carton	Carton Weight Lbs.	Carton Weight Kilos	Carton Cube Ft.	Carton Cube M.	List Price Each
Double Chamber - F600 Series										
YF620L2002SCDC	SMF 20"x2 (S) CST DC CONTROLLER	46-78	Straight - End Feed	4	1	370.0	167.8	51.00	1.443	\$7,708.00
YF635L2402SCDC	SMF 24"x2 (S) CST DC CONTROLLER	118-176	Straight - End Feed	4	1	600.0	272.2	51.00	1.443	\$8,600.00
YF635L2403SATC	SMF 24"x3 (S) CST AT CONTROLLER	177-264	Straight - End Feed	4	1	850.0	385.6	110.00	3.113	\$13,510.00
YF635L2403SCDC	SMF 24"x3 (S) CST DC CONTROLLER	177-264	Straight - End Feed	4	1	850.0	385.6	110.00	3.113	\$12,400.00
YF635L2404TCDC	SMF 24"x4 (T) CST DC CONTROLLER	236-352	Center Feed	4	1	1200.0	544.3	127.00	3.594	\$17,200.00
YF640L3002SCDC	SMF 30"x2 (S) CST DC CONTROLLER	176-264	Straight - End Feed	4	1	860.0	390.1	104.00	2.943	\$9,188.00
YF650L3602SCDC	SMF 36"x2 (S) CST DC CONTROLLER	280-386	Straight - End Feed	4	1	1125.0	510.3	71.00	2.009	\$10,688.00
YF650L3603SATCGEMS	SMF 36"x3 (S) CST ALEX-TRONIX GEMSOL	420-579	Straight - End Feed	6	1	1700.0	771.1	125.00	3.538	\$15,245.00
YF650L3603SCDC	SMF 36"x3 (S) CST DC CONTROLLER	420-579	Straight - End Feed	6	1	1700.0	771.1	125.00	3.538	\$15,245.00
YF650L3604TCDC	SMF 36"x4 (T) CST DC CONTROLLER	560-772	Center Feed	6	1	2250.0	1020.6	145.00	4.104	\$18,808.00
YF650L3605TCDC	SMF 36"x5 (T) CST DC CONTROLLER	700-965	Center Feed	6	1	2800.0	1270.1	355.00	10.047	\$23,980.00
YF650L3606TCDC	SMF 36"x6 (T) CST DC CONTROLLER	840-1158	Center Feed	8	1	3350.0	1519.6	521.00	14.744	\$29,052.00
Single Chamber - F600 Series										
YF660IVL-MC	SMF 48"x4" VIC SNGL CHAM TANK ONLY	295	-	4	1	542.0	245.9	59.00	1.670	\$3,750.00
YF660L4802SCDC	SMF 48"x2 (S) CST DC CONTROLLER	396-660	Straight - End Feed	6	1	1105.0	501.2	105.00	2.972	\$12,723.00
YF660L4803SATCGEMS	SMF 48"x3 (S) CST ALEX-TRONIX GEMSOL	594-990	Straight - End Feed	6	1	1500.0	680.4	158.00	4.471	\$18,091.00
YF660L4803SCDC	SMF 48"x3 (S) CST DC CONTROLLER	594-991	Straight - End Feed	6	1	1500.0	680.4	158.00	4.471	\$18,091.00
YF660L4804TCDC	SMF 48"x4 (T) CST DC CONTROLLER	792-1,320	Center Feed	8	1	2210.0	1002.5	210.00	5.943	\$23,004.00
YF660L4805TCDC	SMF 48"x5 (T) CST DC CONTROLLER	990-1,650	Center Feed	8	1	2800.0	1270.1	270.00	7.641	\$27,974.00
YF660L4806HCDC	SMF 48"x6 (H) CST DC CONTROLLER	1,188-1,980	H-Pattern	10	1	3400.0	1542.2	330.00	9.339	\$36,423.00
YF660L4808HCDC	SMF 48"x8 (H) CST DC CONTROLLER	1,584-2,640	H-Pattern	12	1	4500.0	2041.2	440.00	12.452	\$46,079.00
YF660L4812HATCGEMS	SMF 48"x12 (H) CST ALEX-TRONIX GEMSOL	2,376-3,960	H-Pattern	12	1	6700.0	3039.1	640.00	18.112	\$66,071.00
YF660L4812HCDC	SMF 48"x12 (H) CST DC CONTROLLER	2,376-3,961	H-Pattern	12	1	6700.0	3039.1	640.00	18.112	\$66,071.00

NEW!

Sand Media Filters - Stainless Steel (Category IX)

Part Number	Description	FlowRate GPM*	Connection Config	Manifold Size (In.)	Quantity Carton	Carton Weight Lbs.	Carton Weight Kilos	Carton Cube Ft.	Carton Cube M.	List Price Each
Single Chamber - F600 Series										
YF660IVL-SS-MC-WP	SMF 48"x4" VIC SS304 WP SNGL CHM TANK ONLY	295	-	4	1	364.0	165.1	59.00	1.670	\$5,180.00
YF660L54802SPCDC	SMF 48"x2 (S) SST W/PASS DC CONT	396-660	Straight - End Feed	6	1	1055.0	478.5	105.00	2.972	\$15,260.00
YF660L54802SPNCA	SMF 48"x2 (S) SST W/PASS N CONT AC SOL	396-660	Straight - End Feed	6	1	1044.0	473.6	105.00	2.972	\$14,460.00
YF660L54803SPCDC	SMF 48"x3 (S) SST W/PASS DC CONT	594-991	Straight - End Feed	6	1	1590.0	721.2	158.00	4.471	\$21,832.00
YF660L54804SPCDC	SMF 48"x4 (S) SST W/PASS DC CONT	792-1,320	Straight - End Feed	8	1	2110.0	957.1	210.00	5.943	\$28,772.00
YF660L54804TPCDC	SMF 48"x4 (T) SST W/PASS DC CONT	792-1,320	Center Feed	8	1	2110.0	957.1	210.00	5.943	\$27,762.00
YF660L54805TPCDC	SMF 48"x5 (T) SST W/PASS DC CONT	990-1,650	Center Feed	8	1	2625.0	1190.7	270.00	7.641	\$34,332.00
YF660L54806HPCDC	SMF 48"x6 (H) SST W/PASS DC CONT	1,188-1,980	H-Pattern	10	1	3220.0	1460.6	330.00	9.339	\$47,972.00
YF660L54808HPCDC	SMF 48"x8 (H) SST W/PASS DC CONT	1,584-2,640	H-Pattern	12	1	4305.0	1952.7	440.00	12.452	\$65,561.00

NEW!

Sand Media Filters - Kits (Category IX)

Part Number	Description	FlowRate GPM*	Connection Config	Manifold Size (In.)	Quantity Carton	Carton Weight Lbs.	Carton Weight Kilos	Carton Cube Ft.	Carton Cube M.	List Price Each
Manifold and Accessory Kits - F600 Series										
YFMAN660L-02-SS-01	KIT MAN SST F/SYS 48"x2 (S) SNGL CHMBR	-	Straight - End Feed	6	1	218.0	98.9	50.00	1.415	\$814.00
YFMAN660L-03-SS-01	KIT MAN SST F/SYS 48"x3 (S) SNGL CHMBR	-	Straight - End Feed	6	1	288.0	130.6	50.00	1.415	\$1,400.00
YFMAN660L-04-SS-01	KIT MAN SST F/SYS 48"x4 (T) SNGL CHMBR	-	Center Feed	8	1	570.0	258.6	63.20	1.789	\$2,607.00
YFMAN660L-04-SS-02	KIT MAN SST F/SYS 48"x4 (S) SNGL CHMBR	-	Straight - End Feed	8	1	520.0	235.9	63.20	1.789	\$3,157.00
YFACCS660L-02-01	KIT ACC F/SYS 48"x2 (S) SNGL CHMBR	-	Straight - End Feed	-	1	117.0	53.1	13.20	0.374	\$4,443.00
YFACCS660L-03-01	KIT ACC F/SYS 48"x3 (S) SNGL CHMBR	-	Straight - End Feed	-	1	175.0	79.4	13.20	0.374	\$6,064.00
YFACCS660L-04-01	KIT ACC F/SYS 48"x4 (T) SNGL CHMBR	-	Center Feed	-	1	270.0	122.5	13.20	0.374	\$7,793.00
YFACCS660L-04-02	KIT ACC F/SYS 48"x4 (S) SNGL CHMBR	-	Straight - End Feed	-	1	225.0	102.1	13.20	0.374	\$7,554.00

Filtration



NEW!

Hydrocyclones - F700 Series (Category IX)

Part Number	Description	FlowRate GPM*	Connection Type	Connection Size (In.)	Cyclone Diameter (in.)	Quantity Carton	Carton Lbs.	Weight Kilos	Carton Cube Ft.	Cube M.	List Price Each
YF710N0015MYU	H.CYCLONE 3"x3/4"NPT W/TANK 0.4 GAL	11-17	NPT	3/4	3	1	18.0	8.2	0.70	0.020	\$562.00
YF720N0015MYU	H.CYCLONE 4"x1"NPT W/TANK 0.4 GAL	15-26	NPT	1	4	1	22.0	10.0	1.20	0.034	\$616.00
YF730N010MYU	H.CYCLONE 6"x1.5"NPT W/TANK 2.5 GAL	28.6-44	NPT	1.5	6	1	34.0	15.5	1.80	0.050	\$911.00
YF740V010MYU	H.CYCLONE 8"x2"VIC W/TANK 2.5 GAL	48-84	Grooved	2	8	1	52.0	23.6	2.70	0.076	\$1,013.00
YF750VLF010VYU	H.CYCLONE 8"x3"VIC LF W/TANK 2.5 GAL	88-154	Grooved	3	8	1	72.0	32.7	3.70	0.105	\$1,220.00
YF750V010VYU	H.CYCLONE 8"x3" VIC W/TANK 2.5 GAL	128-198	Grooved	3	8	1	72.0	32.7	3.70	0.105	\$1,220.00
YF755V030FYU	H.CYCLONE 12"x4"x3" VIC W/TANK 8 GAL	198-321	Grooved	4 / 3	12	1	165.0	74.8	8.20	0.232	\$2,755.00
YF760F060FYU	H.CYCLONE 16"x4"FL W/TANK 16 GAL	264-409	Flange	4	16	1	215.0	97.5	8.90	0.252	\$3,316.00
YF760V060FYU	H.CYCLONE 16" X4" VIC W/TANK 16 GAL	264-409	Grooved	4	16	1	215.0	97.5	8.90	0.252	\$3,316.00
YF770F150FYU	H.CYCLONE 20"x6"FL W/TANK 40 GAL	409-682	Flange	6	20	1	412.0	186.9	59.90	1.695	\$4,169.00
YF770V150FYU	H.CYCLONE 20"x6" VIC W/TANK 40 GAL	409-682	Grooved	6	20	1	412.0	186.9	59.50	1.684	\$4,169.00
YF775F150FYU	H.CYCLONE 24"x6" FL W/TANK 40 GAL	638-990	Flange	6	24	1	507.0	230.0	78.40	2.219	\$4,439.00
YF775F150FYU-01	H.CYCLONE 24"x6"Q FLG W/TANK 40 GAL	638-990	Quick Flange	6	24	1	507.0	230.0	78.40	2.219	\$4,439.00
YF775V150FYU	H.CYCLONE 24"x6" VIC W/TANK 40 GAL	638-990	Grooved	6	24	1	507.0	230.0	78.40	2.219	\$4,439.00
YF775F220FYU-01	H.CYCLONE 24"x6"Q FLG W/TANK 60 GAL	638-990	Quick Flange	6	24	1	650.0	294.8	105.00	2.972	\$5,703.00
YF780F220FYU	H.CYCLONE 30"x8"FL W/TANK 60 GAL	880-1,452	Flange	8	30	1	723.0	328.0	119.30	3.376	\$7,900.00
YF780F220FYU-01	H.CYCLONE 30"x8"Q FLG W/TANK 60 GAL	880-1,452	Quick Flange	8	30	1	723.0	328.0	119.30	3.376	\$7,900.00
YF780V220FYU	H.CYCLONE 30"x8"VIC W/TANK 60 GAL	880-1,452	Flange	8	30	1	723.0	328.0	119.30	3.376	\$7,720.00

NEW!

Semi-Automatic Suction Scanner Screen Filters (Category IX)

Part Number	Description	FlowRate GPM*	Mesh	Connection Type	Connection Size (In.)	Quantity Carton	Carton Lbs.	Weight Kilos	Carton Cube Ft.	Cube M.	List Price Each
SA500C/S - Series SA500Compact and SA500Suction											
YFSA504CF-2AS2	SA504 SEMI-AUTO COMP 4"FL 200MIC/80MSH	350	120	Flange	4	1	66.0	29.9	3.90	0.110	\$2,470.00
YFSA504CF-2AT2	SA504 SEMI-AUTO COMP 4"FL120MIC/120MSH	350	80	Flange	4	1	66.0	29.9	3.90	0.110	\$2,470.00
YFSA504SF-2AS2	SA504 SEMI-AUTO SUC 4" FL120MIC/120MSH	350	120	Flange	4	1	183.0	83.0	14.70	0.416	\$4,160.00
YFSA504SF-2AT2	SA504 SEMI-AUTO SUC 4" FL 200MIC/80MSH	350	80	Flange	4	1	183.0	83.0	14.70	0.416	\$4,160.00
YFSA506SF-2AS2	SA506 SEMI-AUTO SUC 6" FL120MIC/120MSH	660	120	Flange	6	1	225.0	102.1	18.50	0.524	\$4,700.00
YFSA506SF-2AT2	SA506 SEMI-AUTO SUC 6" FL 200MIC/80MSH	660	80	Flange	6	1	225.0	102.1	18.50	0.524	\$4,700.00
YFSA508SF-2AS2	SA508 SEMI-AUTO SUC 8" FL120MIC/120MSH	1,100	120	Flange	8	1	262.0	118.8	20.60	0.583	\$4,900.00
YFSA508SF-2AT2	SA508 SEMI-AUTO SUC 8" FL 200MIC/80MSH	1,100	80	Flange	8	1	262.0	118.8	20.60	0.583	\$4,900.00
YFSA510SIF-2AS2	SA510 SEMI-A SUC 10"(2x6")FL120MIC/120	2,200	120	Flange	10	1	505.0	229.1	61.00	1.726	\$9,900.00
YFSA510SIF-2AT2	SA510 SEMI-A SUC 10"(2x6")FL200MIC/80M	2,200	80	Flange	10	1	505.0	229.1	61.00	1.726	\$9,900.00
YFSA512SIF-2AS2	SA512 SEMI-A SUC 12"(2x8")FL120MIC/120	2,640	120	Flange	12	1	578.0	262.2	69.60	1.970	\$10,300.00
YFSA512SIF-2AT2	SA512 SEMI-A SUC 12"(2x8")FL200MIC/80M	2,640	80	Flange	12	1	578.0	262.2	69.60	1.970	\$10,300.00
YFSA514SIF-2AS2	SA514 SEMI-A SUC 14"(3x8")FL120MIC/120	3,300	120	Flange	14	1	778.0	352.9	89.80	2.541	\$15,450.00
YFSA514SIF-2AT2	SA514 SEMI-A SUC 14"(3x8")FL200MIC/80M	3,300	80	Flange	14	1	778.0	352.9	89.80	2.541	\$15,450.00

* Flow rates are based on good water quality and 120 mesh screens



Filtration



Hydraulic Automatic Screen Filters (Category IX)

Part Number	Description	FlowRate GPM*	Screen Area (In ²)	Mesh	Connection Type	Connection Size (In.)	Carton Weight QTY	Carton Weight Lbs.Kilos	Carton Cube Ft. M.	List Price Each
Angle - Series AF200										
YFAF202XM-2MS0D1	AF202XM AUTO FLT 2" NPT 100MIC/150M DC	132	253	150	NPT	2	1	103.046.7	10.500.297	\$6,512.00
YFAF202XM-2MS2D1	AF202XM AUTO SCR FLT 2" NPT 120 MIC DC	132	253	120	NPT	2	1	103.046.7	10.500.297	\$6,512.00
YFAF203XM-2MS0D1	AF203XM AUTO SCR FLT 3" NPT 100 MIC DC	220	253	150	NPT	3	1	105.047.6	10.500.297	\$6,696.00
YFAF203XM-2MS2D1	AF203XM AUTO SCR FLT 3" NPT 120 MIC DC	220	253	120	NPT	3	1	105.047.6	10.500.297	\$6,696.00
YFAF204XF-2AS0D1	AF204XF AUTO SCR FLT 4" FL 100 MIC DC	396	430	150	Flange	4	1	154.069.9	19.400.549	\$7,803.00
YFAF204XF-2AS2D1	AF204XF AUTO SCR FLT 4" FL 120 MIC DC	396	430	120	Flange	4	1	154.069.9	19.400.549	\$7,803.00
YFAF204XF-ATC-S2	AF204XF AUTO FLT 4"FL120MIC/120MSH ATC	396	430	120	Flange	4	1	154.069.9	19.400.549	\$8,392.00
YFAF206F-2AS0D1	AF206F AUTO SCR FLT 6" FL 100 MIC DC	572	640	150	Flange	6	1	198.089.8	20.800.589	\$8,073.00
YFAF206F-2AS2D1	AF206F AUTO SCR FLT 6" FL 120 MIC DC	572	640	120	Flange	6	1	198.089.8	20.800.589	\$8,073.00
YFAF208F-2AS0D1	AF208F AUTO SCR FLT 8" FL 100 MIC DC	880	812	150	Flange	8	1	331.0150.1	36.801.041	\$11,367.00
YFAF208F-2AS2D1	AF208F AUTO SCR FLT 8" FL 120 MIC DC	880	812	120	Flange	8	1	331.0150.1	36.801.041	\$11,367.00



Hydraulic Automatic Screen Filters - Carbon Steel (Category IX)

Part Number	Description	FlowRate GPM*	Screen Area (In ²)	Mesh	Connection Type	Connection Size (In.)	Carton Weight QTY	Carton Weight Lbs.Kilos	Carton Cube Ft. M.	List Price Each
Parallel - Series AF800										
YFAF804NLF-SL2AS0	AUTO FLT 4"NIL FL SCR 100MIC/150MSH DC	325	896	150	Flange	4	1	298.0135.2	30.900.874	\$11,114.00
YFAF804NLF-SL2AS2	AUTO FLT 4"NIL FL SCR 120MIC/120MSH DC	325	896	120	Flange	4	1	298.0135.2	30.900.874	\$11,114.00
YFAF804NLF-SL2AS5	AUTO FLT 4"NIL FL SCR 150MIC/100MSH DC	325	896	100	Flange	4	1	298.0135.2	30.900.874	\$11,114.00
YFAF804NXFB-SL2AS0	AUTO FLT 4"NX FL SCR 100MIC/150MSH DC	450	1,300	150	Flange	4	1	340.0154.2	37.601.064	\$13,120.00
YFAF804NXFB-SL2AS2	AUTO FLT 4"NX FL SCR 120MIC/120MSH DC	450	1,300	120	Flange	4	1	340.0154.2	37.601.064	\$13,120.00
YFAF804NXFB-SL2AS5	AUTO FLT 4"NX FL SCR 150MIC/100MSH DC	450	1,300	100	Flange	4	1	340.0154.2	37.601.064	\$13,120.00
YFAF806NLF-SL2AS0	AUTO FLT 6"NIL FL SCR 100MIC/150MSH DC	550	896	150	Flange	6	1	324.0147.0	30.900.874	\$14,344.00
YFAF806NLF-SL2AS2	AUTO FLT 6"NIL FL SCR 120MIC/120MSH DC	550	896	120	Flange	6	1	324.0147.0	30.900.874	\$14,344.00
YFAF806NLF-SL2AS5	AUTO FLT 6"NIL FL SCR 150MIC/100MSH DC	550	896	100	Flange	6	1	324.0147.0	30.900.874	\$14,344.00
YFAF806NX-ATC-S2	AUTO FLT 6"NX FL SCR 120MIC/120MSH ATC	650	1,300	120	Flange	6	1	346.0156.9	37.601.064	\$15,980.00
YFAF806NXFB-SL2AR8	AUTO FLT 6"NX FL SCR 80MIC/200MSH DC	650	1,300	200	Flange	6	1	346.0156.9	37.601.064	\$14,670.00
YFAF806NXFB-SL2AS0	AUTO FLT 6"NX FL SCR 100MIC/150MSH DC	650	1,300	150	Flange	6	1	346.0156.9	37.601.064	\$14,670.00
YFAF806NXFB-SL2AS2	AUTO FLT 6"NX FL SCR 120MIC/120MSH DC	650	1,300	120	Flange	6	1	346.0156.9	37.601.064	\$14,670.00
YFAF806NXFB-SL2AS5	AUTO FLT 6"NX FL SCR 150MIC/100MSH DC	650	1,300	100	Flange	6	1	346.0156.9	37.601.064	\$14,670.00
YFAF808NLF-SL2AR8	AUTO FLT 8"NIL FL SCR 80MIC/200MSH DC	1,100	1,300	200	Flange	8	1	412.0186.9	51.801.466	\$17,116.00
YFAF808NLF-SL2AS0	AUTO FLT 8"NIL FL SCR 100MIC/150MSH DC	1,100	1,300	150	Flange	8	1	412.0186.9	51.801.466	\$17,116.00
YFAF808NLF-SL2AS2	AUTO FLT 8"NIL FL SCR 120MIC/120MSH DC	1,100	1,300	120	Flange	8	1	412.0186.9	51.801.466	\$17,116.00
YFAF808NLF-SL2AS5	AUTO FLT 8"NIL FL SCR 150MIC/100MSH DC	1,100	1,300	100	Flange	8	1	412.0186.9	51.801.466	\$17,116.00
YFAF810XFB-SL2AS0	AUTO FLT 10"X FL SCR 100MIC/150MSH DC	1,800	1,815	150	Flange	10	1	893.0405.1	88.002.490	\$22,000.00
YFAF810XFB-SL2AS2	AUTO FLT 10"X FL SCR 120MIC/120MSH DC	1,800	1,815	120	Flange	10	1	893.0405.1	88.002.490	\$22,000.00
YFAF810XFB-SL2AS5	AUTO FLT 10"X FL SCR 150MIC/100MSH DC	1,800	1,815	100	Flange	10	1	893.0405.1	88.002.490	\$22,000.00
YF808-02-10-SL2AS0	AUTO FLT 10"(2x8")FL SCR100MIC/150M DC	2,200	2,600	150	Flange	10	1	1236.0560.6	208.005.886	\$35,714.00
YF808-02-10-SL2AS2	AUTO FLT 10"(2x8")FL SCR120MIC/120M DC	2,200	2,600	120	Flange	10	1	1236.0560.6	208.005.886	\$35,714.00
YF808-02-10-SL2AS5	AUTO FLT 10"(2x8")FL SCR150MIC/100M DC	2,200	2,600	100	Flange	10	1	1236.0560.6	208.005.886	\$35,714.00
YF808-03-12-SL2AS0	AUTO FLT 12"(3x8")FL SCR100MIC/150M DC	3,300	3,900	150	Flange	12	1	1750.0793.8	216.006.113	\$52,857.00
YF808-03-12-SL2AS2	AUTO FLT 12"(3x8")FL SCR120MIC/120M DC	3,300	3,900	120	Flange	12	1	1750.0793.8	216.006.113	\$52,857.00
YF808-03-12-SL2AS5	AUTO FLT 12"(3x8")FL SCR150MIC/100M DC	3,300	3,900	100	Flange	12	1	1750.0793.8	216.006.113	\$52,857.00



Filtration



Hydraulic Automatic Screen Filters - Stainless Steel (Category IX)

Part Number	Description	FlowRate GPM*	Screen Area (In ²)	Mesh	Connection Type	Connection Size (In.)	Quantity	Carton Weight Lbs./Kilos	Carton Cube Ft. M.	List Price Each
Parallel - Series AF800-SS										
YFAF804NL-SS 100M	AUTO FLT 4"NL SS FLT 100MIC/150MSH DC	325	896	150	Flange	4	1	298.0135.2	30.900.874	\$12,780.00
YFAF804NL-SS 120M	AUTO FLT 4"NL SS FLT 120MIC/120MSH DC	325	896	120	Flange	4	1	298.0135.2	30.900.874	\$12,780.00
YFAF804NL-SS 150M	AUTO FLT 4"NL SS FLT 150MIC/100MSH DC	325	896	100	Flange	4	1	298.0135.2	30.900.874	\$12,780.00
YFAF804NX-SS 100M	AUTO FLT 4"NX SS FLT 100MIC/150MSH DC	450	1,300	150	Flange	4	1	340.0154.2	37.601.064	\$14,956.00
YFAF804NX-SS 120M	AUTO FLT 4"NX SS FLT 120MIC/120MSH DC	450	1,300	120	Flange	4	1	340.0154.2	37.601.064	\$14,956.00
YFAF804NX-SS 150M	AUTO FLT 4"NX SS FLT 150MIC/100MSH DC	450	1,300	100	Flange	4	1	340.0154.2	37.601.064	\$14,956.00
YFAF806NL-SS 100M	AUTO FLT 6"NL SS FLT 100MIC/150MSH DC	550	896	150	Flange	6	1	324.0147.0	30.900.874	\$16,352.00
YFAF806NL-SS 120M	AUTO FLT 6"NL SS FLT 120MIC/120MSH DC	550	896	120	Flange	6	1	324.0147.0	30.900.874	\$16,352.00
YFAF806NL-SS 150M	AUTO FLT 6"NL SS FLT 150MIC/100MSH DC	550	896	100	Flange	6	1	324.0147.0	30.900.874	\$16,352.00
YFAF806NX-SS 100M	AUTO FLT 6"NX SS FLT 100MIC/150MSH DC	650	1,300	150	Flange	6	1	346.0156.9	37.601.064	\$16,870.00
YFAF806NX-SS 120M	AUTO FLT 6"NX SS FLT 120MIC/120MSH DC	650	1,300	120	Flange	6	1	346.0156.9	37.601.064	\$16,870.00
YFAF806NX-SS 150M	AUTO FLT 6"NX SS FLT 150MIC/100MSH DC	650	1,300	100	Flange	6	1	346.0156.9	37.601.064	\$16,870.00
YFAF808NL-SS 100M	AUTO FLT 8"NL SS FLT 100MIC/150MSH DC	1,100	1,300	150	Flange	8	1	412.0186.9	51.801.466	\$19,715.00
YFAF808NL-SS 120M	AUTO FLT 8"NL SS FLT 120MIC/120MSH DC	1,100	1,300	120	Flange	8	1	412.0186.9	51.801.466	\$19,715.00
YFAF808NL-SS 150M	AUTO FLT 8"NL SS FLT 150MIC/100MSH DC	1,100	1,300	100	Flange	8	1	412.0186.9	51.801.466	\$19,715.00
YFAF810X-SS 100M	AUTO FLT 10"X SS FLT 100MIC/150MSH DC	1,800	1,815	150	Flange	10	1	893.0405.1	88.002.490	\$25,300.00
YFAF810X-SS 120M	AUTO FLT 10"X SS FLT 120MIC/120MSH DC	1,800	1,815	120	Flange	10	1	893.0405.1	88.002.490	\$25,300.00
YFAF810X-SS 150M	AUTO FLT 10"X SS FLT 150MIC/100MSH DC	1,800	1,815	100	Flange	10	1	893.0405.1	88.002.490	\$25,300.00

* Flow rates are based on good water quality and 120 mesh screens



Pre-Pump Strainer - PPS Series (Category IX)

Part Number	Description	FlowRate GPM*	Mesh	Connection Type	Connection Size (In.)	Quantity	Carton Weight Lbs./Kilos	Carton Cube Ft. M.	List Price Each
YFPPS1004-1200	PRE PUMP STRAINER 4" 1200 MIC/16 MSH	350	16	Flange	4	1	132.059.9	22.000.623	\$2,410.00
YFPPS1004-2500	PRE PUMP STRAINER 4" 2500 MIC/8 MSH	440	8	Flange	4	1	132.059.9	22.000.623	\$2,410.00
YFPPS1006-1200	PRE PUMP STRAINER 6" 1200 MIC/16 MSH	660	16	Flange	6	1	165.074.8	22.000.623	\$3,035.00
YFPPS1006-2500	PRE PUMP STRAINER 6" 2500 MIC/8 MSH	840	8	Flange	6	1	165.074.8	22.000.623	\$3,035.00
YFPPS1008-1200	PRE PUMP STRAINER 8" 1200 MIC/16 MSH	1,320	16	Flange	8	1	176.079.8	27.500.778	\$3,883.00
YFPPS1008-2500	PRE PUMP STRAINER 8" 2500 MIC/8 MSH	1,670	8	Flange	8	1	176.079.8	27.500.778	\$3,883.00
YFPPS1010-1200	PRE PUMP STRAINER 10" 1200 MIC/16 MSH	2,200	16	Flange	10	1	282.0127.9	33.800.957	\$4,595.00
YFPPS1010-2500	PRE PUMP STRAINER 10" 2500 MIC/8 MSH	2,770	8	Flange	10	1	282.0127.9	33.800.957	\$4,595.00
YFPPS1012-1200	PRE PUMP STRAINER 12" 1200 MIC/16 MSH	3,080	16	Flange	12	1	311.0141.1	41.401.172	\$5,313.00
YFPPS1012-2500	PRE PUMP STRAINER 12" 2500 MIC/8 MSH	3,870	8	Flange	12	1	311.0141.1	41.401.172	\$5,313.00

* Flow rates are based on good water quality and 16 mesh screens



Filtration

Fiberglass Sand Media Filters - Automatic Systems (Category IX)

Part Number	Description	Solenoid Type	Tank Size In.	Flow Rate GPM	Connection Size	Quantity Carton	Carton Lbs.	Weight Kilos	Carton Ft.	Cube M.	List Price Each
-------------	-------------	---------------	---------------	---------------	-----------------	-----------------	-------------	--------------	------------	---------	-----------------

Aqua-Clear Fiberglass Sand Media Filters: TWO-TANK AUTOMATIC SYSTEMS*

INCLUDED: Filter Body, Backwash valves, Air Vent, Controller, and Hydraulic Kit. 30" & 36" filters also includes 3" Fitting Kit.

ACS-218-12VDCL	2 x 18" Aqua Clear automated filter station	DCL	18	75	2"	—	—	—	—	—	5,290.00
ACS-218-24VAC		AC				—	—	—	—	—	5,300.00
ACS-224-12VDCL	2 x 24" Aqua Clear automated filter station	DCL	24	120	2"	—	—	—	—	—	6,100.00
ACS-224-24VAC		AC				—	—	—	—	—	6,110.00
ACS-230-12VDCL	2 x 30" Aqua Clear automated filter station	DCL	30	150	2"	—	—	—	—	—	7,850.00
ACS-230-24VAC		AC				—	—	—	—	—	7,850.00
ACS-236-12VDCL	2 x 36" Aqua Clear automated filter station	DCL	36	210	2"	—	—	—	—	—	9,540.00
ACS-236-24VAC		AC				—	—	—	—	—	9,530.00


Aqua-Clear Fiberglass Sand Media Filters: ONE-TANK EXPANSION FOR AUTOMATIC SYSTEMS

INCLUDED: Filter Body, Bulkhead adapters, Backwash valves, Air Vent, Hydraulic tube & Fittings sufficient to add one filter to an existing Aqua-Clear system of the same filter size.

ACX-118-12VDCL	1 x 18" Aqua Clear automated filter station	DCL	18	See Sizing Recommendations Chart	2"	—	—	—	—	—	1,830.00
ACX-118-24VAC		AC				—	—	—	—	—	1,840.00
ACX-124-12VDCL	1 x 24" Aqua Clear automated filter station	DCL	24		2"	—	—	—	—	—	2,260.00
ACX-124-24VAC		AC				—	—	—	—	—	2,270.00
ACX-130-12VDCL	1 x 30" Aqua Clear automated filter station	DCL	30		2"	—	—	—	—	—	3,410.00
ACX-130-24VAC		AC				—	—	—	—	—	3,410.00
ACX-136-12VDCL	1 x 36" Aqua Clear automated filter station	DCL	36		2"	—	—	—	—	—	4,280.00
ACX-136-24VAC		AC				—	—	—	—	—	4,290.00

Sizing Recommendations:

Flow (gpm)	50	75	100	125	150	175	200	225	250	275	300	325	375	400
Liters/Sec	3	5	6	8	9	11	13	14	16	17	19	21	24	25
Filter Quantity x Tank Size	2 x 18"		2 x 24"	3 x 24"			3 x 30"				3 x 36"			




To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)

Filtration



Fiberglass Sand Media Filters - Single Filters & Components (Category IX)


Part Number	Description	Solenoid Type	Fits Filter Sizes	Flow Rate GPM	Quantity Carton	Carton Weight Lbs.	Carton Weight Kilos	Carton Cube Ft.	Carton Cube M.	List Price Each
Aqua-Clear Fiberglass Sand Media Filters: SINGLE FILTER TANKS										
AC-40	18" Sand Media Filter	—	18	38	1	26	11.8	6.9	0.20	974.00
AC-60	24" Sand Media Filter	—	24	62	1	42	19.1	11.6	0.33	1,400.00
AC-100	30" Sand Media Filter	—	30	74	1	66	29.9	22.5	0.64	2,100.00
AC-140	36" Sand Media Filter	—	36	106	1	76	34.5	38.9	1.10	3,050.00
Automatic Backwash Controllers & Valves for Aqua-Clear Filters										
B-EXFP111002DP	Backwash Controller - 12v DCL	DC	18; 24; 30; 36	—	1	4	1.8	0.4	0.01	POR
B-EXFP211002DP	Backwash Controller - 24v AC	AC	18; 24; 30; 36	—	1	4	1.8	0.4	0.01	POR
B-S-TG-0208	Backwash Controller Expansion board 12v DCL	DC	18; 24; 30; 36	—	1	0.01	0.004	—	—	POR
B-S-TG-0215	Backwash Controller Expansion board 24v AC	AC	18; 24; 30; 36	—	1	0.01	0.004	—	—	POR
B2x2350S551DSPBVI	2" Electric Backwash Valve (12v DCL)	DC	18; 24	—	1	7.9	3.6	1.0	0.03	POR
B2x2350S554ROPBVI	2" Electric Backwash Valve (24v AC)	AC	18; 24	—	1	7.9	3.6	1.0	0.03	POR
B3x3350S551DSPBVI	3" Electric Backwash Valve (12v DCL)	DC	30; 36	—	1	13.5	6.1	0.8	0.02	POR
B3x3350S554ROPBVI	3" Electric Backwash Valve (24v AC)	AC	30; 36	—	1	13.5	6.1	0.8	0.02	POR
Hydraulic Kit Components for Aqua-Clear Filters*										
ACK-HYD1	Aqua-Clear Hydraulic Kit (Complete)	—	18; 24; 30; 36	—	1	5.5	2.5	0.6	0.02	366.00
GPM0100	Pressure gauge (0-100 psi)	—	—	—	96	—	—	—	—	47.10
B-8MMHYD-10	Hydraulic control tubing (8mm) (10 FT)	—	—	—	1	0.3	0.1	0.2	0.00	POR
AC-BHA2	Bulkhead Adapters (2")	—	—	—	1	1.1	0.5	0.2	0.01	99.50
ALFD75150-L	3/4" disc filter	—	—	—	20	32	14.5	2.7	0.08	23.90
ARV-BBK1	Air release valve	—	—	—	25	5	2.3	—	—	7.50
28-102	Reducing Bushing 1/4" x 1/8", Brass	—	—	—	1	—	—	—	—	2.20
B-FT98-1T	Tee, Plastic [8mm Compression X 1/8" NPT]	—	—	—	1	—	—	—	—	POR
B-FT28-EL	Elbow, Plastic [8mm Compression X 1/8" NPT]	—	—	—	1	—	—	—	—	3.00
B-FT98-T	Tee, Plastic [8mm Compression]	—	—	—	1	—	—	—	—	POR
*Included with the Automatic Filter station. Part numbers are provided here for parts reference.										
3" Fitting Kit Components for Aqua-Clear Filters**										
ACK-3F	3" Fitting Kit (Complete)	—	30; 36	—	1	6.7	3.0	0.3	0.01	283.00
B-DS-V2030	Grooved Couplings (3")	—	—	—	1	3.5	1.6	—	—	POR
VG03PE	Grooved Nipples	—	—	—	48	31	14.1	—	—	10.65
T-60403	Air Vent Cover Adapter	—	—	—	1	0.2	0.1	—	—	POR
**Included with the Automatic Filter station. Part numbers are provided here for parts reference.										
Manual Filter Valves for Manual Operation of Aqua-Clear Filters										
AC-DV3P	2" PVC 3-Way Diverter Valve	—	—	2" spigot or 2½" slip	12	24	10.9	—	—	95.20
AC-STS	Single Tank Backflush Valve (slide type)	—	—	2" slip	1	4.5	2.0	0.6	0.02	233.00
B-S4003WR24ACNCBBB	AC Solenoid for Backwash Valve	—	—	—	1	—	—	—	—	84.00
B-S982-3W	DC Latching Solenoid for Backwash Valve	—	—	—	1	—	—	—	—	126.00

Parts Needed to Complete a Manual Filter Station				
	# Filters	1	2	3
	SKU	Qty Needed		
Filter Body	AC-40; AC-60; AC-100; AC-140	1	2	3
Bulkhead Adapter	AC-BHA2	1	2	3
Backwash Valve	AC-STS	1	-	-
	AC-DV3P	-	2	3
Gate Valve (to restrict backwash manifold)	obtain locally	1	1	1

Filtration


Manual Disc Filters - NPT Thread (Category IX)

Part Number	Description	Ring Type	Flow Rate Max. gpm	Mesh note (*)	Connection Size (In.)	Quantity Carton	Carton Weight Lbs.	Carton Weight Kilos	Carton Cube Ft.	Carton Cube M.	List Price Each
-------------	-------------	-----------	--------------------	---------------	-----------------------	-----------------	--------------------	---------------------	-----------------	----------------	-----------------




F-Series Plastic Y Filters

ALFD75150-L	Manual Disc Plastic Y Filters (Large Body)		25	150	3/4" MPT	20	32.00	14.50	2.72	0.077	23.90
ALFD10150-L			35	150	1" MPT	20	32.00	14.50	2.72	0.077	28.40
ALFD15150-L			80	150	1-1/2" MPT	20	32.00	14.50	2.72	0.077	39.50



SD Standard Disc Series Plastic Disc Filters 2" NPT Thread (Short Body)

IT-ABF5012-3SN	2" Disc Manual Plastic Filters with Short Body & Male NPT Thread	SD	110	120 (Blue)	2" MPT	1	20.00	9.10	1.80	0.051	224.00
IT-ABF5015-3SN		SD	110	150 (Red)	2" MPT	1	20.00	9.10	1.80	0.051	224.00
IT-ABF5020-3X-N		XD	110	200 (Brown)	2" MPT	1	20.00	9.10	1.80	0.051	247.00



SD Standard Disc Series Plastic Disc Filters 2" NPT Thread (Long Body)

IT-ABF5012-3SLN	2" Disc Manual Plastic Filters with Long Body & Male NPT Thread	SD	110	120 (Blue)	2" MPT	1	26	11.8	2.5	0.071	300.00
IT-ABF5015-3SLN		SD	110	150 (Red)	2" MPT	1	26	11.8	2.5	0.071	300.00

SD Standard Disc Series Plastic Disc Filters 3" NPT Thread (Short Body)

IT-ABF7512-3SSN	3" Disc Manual Plastic Filters with Short Body & Male NPT Thread	SD	170	120 (Blue)	3" MPT	1	22.00	10.00	1.80	0.051	275.00
IT-ABF7515-3SSN		SD	170	150 (Red)	3" MPT	1	22.00	10.00	1.80	0.051	275.00

SD Standard Disc Series Plastic Disc Filters 3" NPT Thread (Long Body)

IT-ABF7512-3SN	3" Disc Manual Plastic Filters with Long Body & Male NPT Thread	SD	220	120 (Blue)	3" MPT	1	28.00	12.70	2.50	0.071	310.00
IT-ABF7515-3SN		SD	220	150 (Red)	3" MPT	1	28.00	12.70	2.50	0.071	310.00
IT-ABF7520-3X-N		XD	220	200 (Brown)	3" MPT	1	28.00	12.70	2.50	0.071	351.00


Filter Replacement Elements (Category IX)

Part Number	Description	Mesh Size	Quantity Each	Quantity Carton	Carton Weight Lbs.	Carton Weight Kilos	Carton Cube Ft.	Carton Cube M.	List Price Each
-------------	-------------	-----------	---------------	-----------------	--------------------	---------------------	-----------------	----------------	-----------------




IT-AMPS204-120	2" & 3" SD CARTRIDGE 120 MESH w/ O-Ring (Blue) SHORT BODY	120	1	6	60.00	27.20	57.00	2.40	110.00
IT-AMPS204-150	2" & 3" SD CARTRIDGE 150 MESH w/ O-Ring (Red) SHORT BODY	150	1	6	60.00	27.20	57.00	2.40	110.00
IT-AMPX0204-200	2" & 3" XD CARTRIDGE 200 MESH w/ O-Ring (Brown) SHORT BODY	200	1	6	60.00	27.20	57.00	2.40	119.00
IT-AMPS304-120	2" & 3" SD CARTRIDGE 120 MESH w/ O-Ring (Blue) LONG BODY	120	1	4	60.00	27.20	57.00	2.40	154.00
IT-AMPS304-150	2" & 3" SD CARTRIDGE 150 MESH w/ O-Ring (Red) LONG BODY	150	1	4	60.00	27.20	57.00	2.40	154.00
IT-AMPX0304-200	2" & 3" XD CARTRIDGE 200 MESH w/ O-Ring (Brown) LONG BODY	200	1	4	60.00	27.20	57.00	2.40	200.00

SD Disc Rings



Available in 120 and 150 mesh

XD Disc Rings



Available in 200 mesh

Filtration

Manual Screen Filters (Category IX)

Part Number	Description	Flow Rate Max. gpm	Mesh note (*)	Connection Size (In.)	Quantity Carton	Carton Weight		Carton Cube		List Price Each
						Lbs.	Kilos	Ft.	M.	
3/4" Plastic In-Line Hose Filters										
 AHI2000	In-Line Manual Plastic Screen; 3/4" FHT	—	34	3/4" FHT	200	56.00	25.00	1.35	0.038	18.40
AHS2000	Element for 3/4" In-Line Hose Screen Filter	—	34		1	—	—	—	—	5.50
F-Series Plastic Y-Filters										
 ALFS75150-S		18	150	3/4" MPT	60	32.0	14.5	2.72	0.077	12.40
ALFS75150-L		25	150	3/4" MPT	20	32.0	14.5	2.72	0.077	17.90
ALFS10050-S		25	50	1" MPT	60	32.0	14.5	2.72	0.077	16.10
ALFS10150-S		25	150	1" MPT	60	32.0	14.5	2.72	0.077	16.10
ALFS10050-L		35	50	1" MPT	20	32.0	14.5	2.72	0.077	19.80
ALFS10150-L		35	150	1" MPT	20	32.0	14.5	2.72	0.077	19.80
ALFS15150-L		80	150	1-1/2" MPT	20	32.0	14.5	2.72	0.077	24.70

Filter Replacement Elements (Category IX)


Part Number	Description	Mesh Size	Quantity Carton	Carton Weight		Carton Cube		List Price Each
				Lbs.	Kilos	Ft.	M.	
F-Series Plastic Y Filter Cartridges (Small Body)								
AMP0004-1S	Screen Cartridge for 3/4" & 1" Small Body Filter	150	1	—	—	—	—	7.23
F-Series Plastic Y Filter Cartridges (Large Body)								
AMP0004-2F	Screen Cartridge for 3/4"; 1" & 1-1/2" Large Body Filter	150	1	—	—	—	—	9.25
AMP0004-4F	Disc Cartridge for 3/4"; 1" & 1-1/2" Large Body Filter	150	1	—	—	—	—	12.40

Ordering Information:

Shaded area indicates products being discontinued. Limited to available stocks on hand.

For replacement elements & parts, please refer to the Filter Replacement Parts.





Replacement Parts

Replacement Parts

Turbo Emitters Replacement Parts (Category IV)

Turbo Emitters Replacement Parts (Category IV)								
Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Turbo-SC® Plus Emitter Diaphragm								
◇ DSP0304	Diaphragm	—	—	—	—	—	—	0.12
Turbo-Key® Emitter Turbulent Flow Path Pill								
DNP0108	2.0 gph (8 lph) @ 15 psi (1 Bar) Pill (Green)	—	—	—	—	—	—	0.10
Turbo-Key® II Emitter Turbulent Flow Path Pill								
◇ DNP0102	0.53 gph (2 lph) @ 15 psi (1 Bar) Pill (White)	—	—	—	—	—	—	0.10
◇ DNP0104	1.06 gph (4 lph) @ 15 psi (1 Bar) Pill (Blue/Black)	—	—	—	—	—	—	0.10
◇ DNP0108	2.11 gph (8 lph) @ 15 psi (1 Bar) Pill (Green)	—	—	—	—	—	—	0.10

Micro-Sprinkler V Classic Replacement Parts (Category V)

Micro-Sprinkler V Classic Replacement Parts (Category V)								
Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Micro-Sprinkler V Classic Nozzles								
SPP4102	Nozzle - Black	1,000	—	—	—	—	—	0.20
SPP4103	Nozzle - White	1,000	—	—	—	—	—	0.20
SPP4104	Nozzle - Maroon	1,000	—	—	—	—	—	0.20
SPP4105	Nozzle - Green	1,000	—	—	—	—	—	0.20
SPP4106	Nozzle - Blue	1,000	—	—	—	—	—	0.20
SPP4107	Nozzle - Gray	1,000	—	—	—	—	—	0.20
SPP4108	Nozzle - Yellow	1,000	—	—	—	—	—	0.20
SPP4109	Nozzle - Red	1,000	—	—	—	—	—	0.20

Ordering Information:

◇ = MADE TO ORDER. Please consult Toro Ag Customer Service for availability.

Replacement Parts

Micro-Sprinkler VI Classic Replacement Parts (Category V)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Micro-Sprinkler VI Classic Bearing & Spinners								
SPP2600M	Bearing	1,000	—	—	—	—	—	0.23
SPP410L	Spinner	1,000	—	—	—	—	—	0.15
SPP412L	Spinner with Deflector Tab	1,000	—	—	—	—	—	0.15
SPP413L	Spinner - Low Trajectory	1,000	—	—	—	—	—	0.15
Note: To ensure optimal operation, it is recommended to replace both Bearing & Spinner.								
Micro-Sprinkler VI Classic Nozzles								
SPP4102	Nozzle - Black	1,000	—	—	—	—	—	0.20
SPP4103	Nozzle - White	1,000	—	—	—	—	—	0.20
SPP4104	Nozzle - Maroon	1,000	—	—	—	—	—	0.20
SPP4105	Nozzle - Green	1,000	—	—	—	—	—	0.20
SPP4106	Nozzle - Blue	1,000	—	—	—	—	—	0.20
SPP4107	Nozzle - Gray	1,000	—	—	—	—	—	0.20
SPP4108	Nozzle - Yellow	1,000	—	—	—	—	—	0.20
SPP4109	Nozzle - Red	1,000	—	—	—	—	—	0.20

Micro-Sprinkler VI PC Replacement Parts (Category V)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price Each
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Micro-Sprinkler VI PC Bearing & Spinners								
SPP2600M	Bearing	1,000	—	—	—	—	—	0.23
SPP250L	Spinner	1,000	—	—	—	—	—	0.15
SPP251L	Spinner with Deflector Tab	1,000	—	—	—	—	—	0.15
Note: To ensure optimal operation, it is recommended to replace both Bearing & Spinner.								
Micro-Sprinkler VI PC Nozzles (Nozzle Only)								
SPP2035	Nozzle - Brown	1,000	—	—	—	—	—	0.34
SPP2047	Nozzle - Light Blue	1,000	—	—	—	—	—	0.34
SPP2055	Nozzle - Light Green	1,000	—	—	—	—	—	0.34
SPP2070	Nozzle - Orange	1,000	—	—	—	—	—	0.34
SPP2090	Nozzle - Gray*	1,000	—	—	—	—	—	0.34
Micro-Sprinkler VI PC Diaphragm								
DSP2000	Diaphragm	1,000	—	—	—	—	—	0.34
Micro-Sprinkler VI Frame								
SPP2999	Frame	1,000	—	—	—	—	—	0.20
Note: *Use Spinner (Part No. SPP410L or SPP412L)								

Micro-Sprinkler 7 PC Replacement Parts (Category V)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price Each
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Micro-Sprinkler 7 PC Bearing & Spinners								
SPP2600M	Bearing	1,000	—	—	—	—	—	0.23
SPP410L	Spinner	1,000	—	—	—	—	—	0.15
SPP412L	Spinner with Deflector Tab	1,000	—	—	—	—	—	0.15
SPP413L	Spinner - Low Trajectory	1,000	—	—	—	—	—	0.15
Note: To insure optimal operation, it is recommended to replace both Bearing & Spinner.								
Micro-Sprinkler 7 PC Nozzles (Nozzle Only)								
SPC2036	Nozzle - Black	1,000	—	—	—	—	—	0.34
SPC2047	Nozzle - Light Blue	1,000	—	—	—	—	—	0.34
SPC2057	Nozzle - White	1,000	—	—	—	—	—	0.34
SPC2076	Nozzle - Maroon	1,000	—	—	—	—	—	0.34
SPC2099	Nozzle - Green	1,000	—	—	—	—	—	0.34
SPC2118	Nozzle - Purple	1,000	—	—	—	—	—	0.34
SPC2134	Nozzle - Blue	1,000	—	—	—	—	—	0.34
SPC2155	Nozzle - Grey	1,000	—	—	—	—	—	0.34
Micro-Sprinkler 7 PC Diaphragm								
DSP2000	Diaphragm	1,000	—	—	—	—	—	0.34
Micro-Sprinkler 7 Frame								
SPP2999	Frame	1,000	—	—	—	—	—	0.20

Ordering Information:

◇ = MADE TO ORDER. Please consult Toro Ag Customer Service for availability.



Replacement Parts

Valve Replacement Parts (Category Parts)

Part Number	Description	Quantity Bag	Carton	Carton Weight Lbs.	Kilos	Carton Cube Ft.	M.	List Price Each
Common Accessories & Replacement Parts								
A-R811-24VACG	Solenoid, 24v AC 60 HZ		10	—	—	—	—	20.50
A-DCL	Solenoid, 12v DCL	Fits all Valve series except: Bernad, 102, 600						41.50
A-R606902	Manual bleed assembly	—	1	—	—	—	—	3.25
PVC Valves 2400 & 2500								
A-100236	Diaphragm Assembly, 2400	—	5	—	—	—	—	5.44
539001	Diaphragm Assembly, 2500	—	5	—	—	—	—	8.00
100237-H	Divider 2400, 2500 Series	—	5	—	—	—	—	2.00
R1074601	Cover Assembly 2500TF	—	1	—	—	—	—	8.30
534801	Cover Assembly, 2400 Series (w/Flow)	—	1	—	—	—	—	17.20
R153201	Spring, 2500 Series	—	5	—	—	—	—	1.20
100235	Spring, 2400 Series	—	5	—	—	—	—	0.60
PVC Valves 216B								
114401-H	Diaphragm Assembly, 216B	—	2	—	—	—	—	26.00
113401	Flow Shaft Assembly, 216B	—	5	—	—	—	—	3.70
R216101	Cover Assembly Kit, 216B	—	1	—	—	—	—	29.10
113801-H	Spring, 216B	—	5	—	—	—	—	1.00
PVC Valves 217B								
A-114601-H	Diaphragm Assembly, 217B	—	2	—	—	—	—	24.10
120601	Divider, 217B	—	2	—	—	—	—	9.00
113401	Flow Shaft Assembly, 217B	—	5	—	—	—	—	3.70
114001	Spring, 217B	—	2	—	—	—	—	2.10
100P Series								
A-R606902	Manual bleed assembly	—	1	—	—	—	—	3.25
R1572	Manual bleed adapter. Used in place of solenoid on manual valves.	—	5	—	—	—	—	18.25
R933601	Bonnet Assembly for 100P1 and 100P1.5	—	1	—	—	—	—	37.70
A-R934601	Bonnet Assembly for 100P2 and 100P3	—	1	—	—	—	—	39.20
R933501	Diaphragm Assembly for 100P1	—	1	—	—	—	—	19.40
A-R934201	Diaphragm Assembly for 100P1.5	—	1	—	—	—	—	17.50
A-R934501	Diaphragm Assembly for 100P2	—	1	—	—	—	—	58.10
A-R935001	Diaphragm Assembly for 100P3	—	1	—	—	—	—	61.10
*Includes: Diaphragm Assembly and Spring								
R100P1	Repair Kit, 100P1	—	1	—	—	—	—	47.63
R100P1.5	Repair Kit, 100P1.5	—	1	—	—	—	—	47.63
A-R100P2	Repair Kit, 100P2	—	1	—	—	—	—	131.00
A-R100P3	Repair Kit, 100P3	—	1	—	—	—	—	152.00
*Includes: Metering Rod & Diaphragm Assemblies, O-rings, Hex Nuts or Screws								
R-1552	Metering Rod Assembly, 100 and 100P Series	—	5	—	—	—	—	2.50
Fits Valves Series								
A-P220S-KIT-04	Converts a 100 or 220 Series Standard Valve to a Scrubber Valve	1"	1	0.3	0.1	-	-	57.00
A-P220S-KIT-06		1½"	1	0.3	0.1	-	-	76.00
A-P220S-KIT-08		2"	1	1.1	0.5	0.05	0.001	101.00
A-P220S-KIT-00		3"	1	1.1	0.5	0.05	0.001	111.00
100 Series (manufactured prior to 1996)								
SPK-100-1	Repair Kit for 100-1 Valve.	—	1	—	—	—	—	48.25
SPK-100-1.5	Repair Kit for 100-1.5 Valve.	—	1	—	—	—	—	48.25
SPK-100-2	Repair Kit for 100-2 Valve.	—	1	—	—	—	—	132.50
SPK-100-3	Repair Kit for 100-3 Valve.	—	1	—	—	—	—	153.75
*Includes: Diaphragm Assemblies, Spring, Bleed Plug handle, O-ring, Hex Nuts or Screws.								
R936001	Retrofit from 100-1 to 100P1 Valve.	—	1	—	—	—	—	53.80
R936101	Retrofit from 100-1.5 to 100P1.5 Valve.	—	1	—	—	—	—	56.40
A-R936201	Retrofit from 100-2 to 100P2 Valve.	—	1	—	—	—	—	120.00
A-R936301	Retrofit from 100-3 to 100P3 Valve.	—	1	—	—	—	-	120.00
*Includes: Bonnet & Diaphragm Assemblies, Spring, Bleed Pluq handle, O-ring, Hex Nuts.								


To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)

Replacement Parts

Valve Replacement Parts (Category Parts)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	Each
102P Series								
	A-R606902	Manual bleed assembly	—	1	—	—	—	3.25
	R1572	Manual bleed adapter. Used in place of solenoid on manual valves.	—	5	—	—	—	18.25
	R794101	"Solenoid only (no plunger/spring) for models 102P1, 102P1.5, 102P2 and 102P3, 24 VAC 60 HZ, .4 amp inrush, 2 amp holding."	—	1	—	—	—	16.00
	R532503	Spring and Plunger Assy for Solenoid part # R794101 (above).	—	1	—	—	—	9.20
	R-1340	3-Way Pilot Assembly for all 102P valves.	—	1	—	—	—	72.00
	R685201	Bleed Plug for all 102P valves.	—	1	—	—	—	1.80
	R955601	Bonnet Assembly for 102P1 and 102P1.5 valves.	—	1	—	—	—	20.30
	R955801	Bonnet Assembly for 102P2 and 102P3 valves.	—	1	—	—	—	45.20
	R956001	Diaphragm Assembly for 102P1	—	1	—	—	—	15.50
	R956101	Diaphragm Assembly for 102P1.5	—	1	—	—	—	18.00
	R956201-H	Diaphragm Assembly for 102P2	—	1	—	—	—	64.00
	R956301	Diaphragm Assembly for 102P3	—	1	—	—	—	70.00
	*Includes: Diaphragm Assembly and Spring							
	A-R1146-2	Anti-Contamination Kit	—	1	—	—	—	41.20
	199901	Connector, male, 90 deg 1/8" NPT	—	1	—	—	—	13.00
213P Series								
	A-R606902	Manual bleed assembly	—	1	—	—	—	3.25
	R1572	Manual bleed adapter. Used in place of solenoid on manual valves.	—	5	—	—	—	18.25
	R933601	Bonnet Assembly for 213P1 and 213P1.5	—	1	—	—	—	37.70
	A-R934601	Bonnet Assembly for 213P2 and 213P3	—	1	—	—	—	39.20
	R933501	Diaphragm Assembly for 213P1	—	1	—	—	—	19.40
	A-R934201	Diaphragm Assembly for 213P1.5	—	1	—	—	—	17.50
	A-R934501	Diaphragm Assembly for 213P2	—	1	—	—	—	58.10
	A-R935001	Diaphragm Assembly for 213P3	—	1	—	—	—	61.10
	SPK-100	0-100 PSI Pressure Gauge 1/4" MPT with adapter 1/4" FPT X 1/8" MPT, with 0-100 PSI spring (Green)	1	—	—	—	—	95.75
	A-1069502	Pressure Regulator only 0-30 psi (used on 213 and 713 valves)						117.00
	A-1069501	Pressure Regulator only 0-100 psi (used on 213 and 713 valves)						95.00
	A-R688601	In-valve sensing pressure regulating assembly 0-30PSI (to use with 100 series valves)	—	1	—	—	—	169.00
	A-R688602	In-valve sensing pressure regulating assembly 0-100PSI (to use with 100 & 700 series valves)	—	1	—	—	—	164.00
	R2658	Adapter, Pressure Regulating, 2 Prong (10)	—	10	—	—	—	7.48
	199901	Connector, male, 90 deg 1/8" NPT	—	1	—	—	—	13.00
	799801	Connector, male, 1/8" NPT	—	1	—	—	—	9.00



Replacement Parts

Valve Replacement Parts (Category Parts)


Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
600 Series (models 600, 601, 602 and 603)								
VRP60023	Bonnet Assembly for all 600 Series 2" and 3" valves.	—	1	—	—	—	—	POR
R956201-H	Diaphragm Assembly for 600 Series 2" valves.	—	1	—	—	—	—	64.00
R956301	Diaphragm Assembly for 600 Series 3" valves.	—	1	—	—	—	—	70.00
ZCP9548-01	Filter, inline 1/4" X 1/8" NPT	—	1	—	—	—	—	30.50
ZCP9572-02	3-way pilot valve 5-21PSI (blue)	—	1	—	—	—	—	213.00
ZCP9572-03	3-way pilot valve 9-35PSI (green)	—	1	—	—	—	—	187.00
ZCP9572-04	3-way pilot valve 21-113PSI (silver)	—	1	—	—	—	—	187.00
199901	Connector, male, 90 deg 1/8" NPT	—	1	—	—	—	—	13.00
ZCP9513-37	Tee, Brass FNPT 1/8"	—	1	—	—	—	—	8.50
ZCP9513-39	Tee, Plastic 4mm x 4mm x 4mm barbed	—	1	—	—	—	—	5.12
SOL2401	Solenoid, 24VAC (Three Way)	—	1	—	—	—	—	66.80
SOL2402	Solenoid, 24V DC Latching (Three Way)	—	1	—	—	—	—	79.20
SOL2403	Solenoid, 9-12 V DC Latching (Three Way)	—	1	—	—	—	—	72.30
ZCP9561-07	Plug 1/8" NPT, Plastic, Blue	—	1	—	—	—	—	0.92
ZCP9512-21	Bushing Reducer 1/8" F x 1/4" M	—	1	—	—	—	—	2.06
ZCP9513-38	Tee, Brass 1/8" NPT MxFxF	—	1	—	—	—	—	7.67
ZCP9530-32	Shuttle valve pressure selecting	—	1	—	—	—	—	59.00
700 & 713 Series								
A-R606902	Manual bleed assembly	—	1	—	—	—	—	3.25
R1572	Manual bleed adapter. Used in place of solenoid on manual valves.	—	5	—	—	—	—	17.40
R1874	Seat Seal, 700-2	—	5	—	—	—	—	14.00
R2360	Filter Screen, 700-1	—	10	—	—	—	—	0.39
SPK-700B-.75	Repair kit for 700B-.75 valve	—	1	—	—	—	—	48.70
SPK-700-1	Repair kit for 700-1	—	1	—	—	—	—	40.40
A-SPK-700-1.5	Repair kit for 700-1.5	—	1	—	—	—	—	69.60
A-SPK-700-2	Repair kit for 700-2	—	1	—	—	—	—	119.00
R691901	Bonnet Assembly for 700-1	—	1	—	—	—	—	13.50
R691701	Bonnet Assembly for 700-1.5	—	1	—	—	—	—	27.00
R691801	Bonnet Assembly for 700-2	—	1	—	—	—	—	38.70
R2026	Diaphragm for 700B-.75 valve	—	1	—	—	—	—	5.50
R2357	Diaphragm for 700-1	—	1	—	—	—	—	9.79
R2383	Diaphragm for 700-1.5	—	1	—	—	—	—	25.00
R1869	Diaphragm for 700-2	—	1	—	—	—	—	60.90

Ordering Information:

Shaded area indicates products being discontinued. Limited to available stocks on hand.

Replacement Parts

Valve Replacement Parts (Category Parts)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price Each
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
SPK-100	0-100 PSI Pressure Gauge 1/4" MPT with adapter 1/4" FPT X 1/8" MPT, with 0-100 PSI spring (Green)	1	—	—	—	—	—	95.75
	A-R688601 In-valve sensing pressure regulating assembly 0-30PSI (to use with 100 & 700 series valves)	—	1	—	—	—	—	169.00
	A-R688602 In-valve sensing pressure regulating assembly 0-100PSI (to use with 100 & 700 series valves)	—	1	—	—	—	—	164.00
R2658	Adapter, Pressure Regulating, 2 Prong (10)	—	10	—	—	—	—	9.10
199901	Connector, male, 90 deg 1/8" NPT	—	1	—	—	—	—	13.00
799801	Connector, male, 1/8" NPT	—	1	—	—	—	—	9.00

Replacement Parts

Valve Replacement Parts (Category Parts)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Air Release Valve Parts								
ARV01765	ARV-1-A and ARV-1-K Base O-Ring	1	—	—	—	—	—	2.12
ARV01764	ARV-1-A Main Seal	1	—	—	—	—	—	5.31
ARV01769	ARV-1-K Main Seal	1	—	—	—	—	—	3.18
ARV01787	ARV-2-KA and ARV-2-K Base O-Ring	1	—	—	—	—	—	2.65
ARV01785	ARV-2-KA and ARV-2-K Main Seal	1	—	—	—	—	—	5.31
ARV01786	ARV-2-KA Secondary Seal	1	—	—	—	—	—	6.37
707PR Series								
147501-H	Cover Assembly	—	1	—	—	—	—	8.49
147301	Bib Washer Assembly	—	5	—	—	—	—	2.39
147701	O-Ring	—	20	—	—	—	—	0.26

Bermad Valve Replacement Parts (Category XII)

Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
400 Series Metal Valves								
B-2920064691	Valve Diaphragm 2" 400 SER	—	1	—	—	—	—	80.00
B-2930064691	Valve Diaphragm 3" 400 SER	—	1	—	—	—	—	189.00
B-2940064691	Valve Diaphragm 4" 400 SER	—	1	—	—	—	—	756.00
B-2960064691	Valve Diaphragm 6" 400 SER	—	1	—	—	—	—	756.00
B-298004090	Valve Diaphragm 8" 400 SER	—	1	—	—	—	—	POR
B-298004090	Valve Diaphragm 10" 400 SER	—	1	—	—	—	—	POR

100 Series Plastic Valves

B-112L060190	Valve Diaphragm / Plug 2" 3" 100 SER	—	1	—	—	—	—	96.00
B-113L060090	Valve Diaphragm / Plug 3"L4"6" 100 SER	—	1	—	—	—	—	208.00

Plastic Tube & Fittings

	B-FT088MMNUT VLV PLASTIC FT08 8MM NUT	—	1	—	—	—	—	POR
	B-FT18-MA Vlv Plastic FT18 MA 1/8"x 8mm	—	1	—	—	—	—	2.00
	B-FT28-EL VLV PLASTIC FT28 EL 1/8" X 8MM	—	1	—	—	—	—	3.00
	B-FT58-EL VLV PLASTIC FT58 EL 1/4" X 8MM	—	1	—	—	—	—	3.00
	B-FT98-1T VLV PLASTIC FT98/1 T 1/8"x8MMx8MM	—	1	—	—	—	—	3.78
	B-FT98-T Vlv Plastic FT98 Tee 8mmx8mmx8mm	—	1	—	—	—	—	3.78
	B-FTUBE8MM VLV PLASTIC TUBE FTUBE 8MMx1FT	—	1	—	—	—	—	6.00

Bermad Solenoids

	B-S390-3WNO24VAC-R Solenoid S-390 3WAY NO 24VAC R	—	1	—	—	—	—	POR
	B-S402-3W DC Latch Solenoid 9-24V DCL 3-way	—	1	—	—	—	—	94.00
	B-S982-3W DC Latch Solenoid 12-24V DCL 3-way	—	1	—	—	—	—	126.00

Repair Information:

Call Controller Repair Services for flat rate repairs or Refurbished Module / Panel Assembly (limited availability). Tel: +1 (800) 899-2058

Replacement Parts

Controller Replacement Modules (Category VII)



Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Evolution AG Controller								
EVO-4AG-TM	Front Panel Assembly for EVO-4AG	—	1	1.23				375.00
Total Control® Controller Module Assembly								
TC-6MOD-R	6-Station Module Assembly for TC-6EX-B.	—	1	—	—	—	—	235.00
TC-9MOD-R	9-Station Module Assembly for TC-9EX-B.	—	1	—	—	—	—	341.00
TC-12MOD-R	12-Station Module Assembly for TC-12EX-B.	—	1	—	—	—	—	377.00
TC-15MOD-R	15-Station Module Assembly for TC-15EX-B.	—	1	—	—	—	—	427.00
TC-18MOD-R	18-Station Module Assembly for TC-18EX-B.	—	1	—	—	—	—	488.00
TC-24MOD-R	24-Station Module Assembly for TC-24EX-B.	—	1	—	—	—	—	579.00
Rain Dial® Controller Module Assembly								
RD-6 MOD-R	6-Station Module Assembly for RD600-EXT.	—	1	—	—	—	—	194.00
RD-9 MOD-R	9-Station Module Assembly for RD900-EXT.	—	1	—	—	—	—	286.00
RD-12 MOD-R	12-Station Module Assembly for RD1200-EXT.	—	1	—	—	—	—	344.00
IBOC Plus Series								
89-9554	Front Panel for 4-station model IBOC4 PLUS.	—	1	—	—	—	—	828.00
89-9553	Front Panel for 8-station model IBOC8 PLUS.	—	1	—	—	—	—	942.00
89-9386	Front Panel for 12-station model IBOC12 PLUS.	—	1	—	—	—	—	864.00
MC-E Series Controllers								
MC-4E-PAN	A-MC-4E & MC-4 PLUS-B Panel Assembly	—	1	—	—	—	—	455.00
MC-6E-PAN	A-MC-6E & MC-6 PLUS-B Panel Assembly	—	1	—	—	—	—	458.00
MC-8E-PAN	A-MC-8E & MC-8 PLUS-B Panel Assembly	—	1	—	—	—	—	546.00
MC-12E-PAN	A-MC-12E & MC-12 PLUS-B Panel Assembly	—	1	—	—	—	—	614.00
MC-18E-PAN	A-MC-18E & MC-18 PLUS-B Panel Assembly	—	1	—	—	—	—	883.00
MC-24E-PAN	A-MC-24E & MC-24 PLUS-B Panel Assembly	—	1	—	—	—	—	1,080.00
MC-30E-PAN	A-MC-30E & MC-30 PLUS-B Panel Assembly	—	1	—	—	—	—	1,540.00
MC-36E-PAN	A-MC-36E & MC-36 PLUS-B Panel Assembly	—	1	—	—	—	—	1,950.00
MC-42E-PAN	A-MC-42E & MC-42 PLUS-B Panel Assembly	—	1	—	—	—	—	2,220.00
MC-48E-PAN	A-MC-48E Panel Assembly	—	1	—	—	—	—	2,490.00

Controller Replacement Parts (Category Parts)



Part Number	Description	Quantity		Carton Weight		Carton Cube		List Price Each
		Bag	Carton	Lbs.	Kilos	Ft.	M.	
Evolution® AG Controller Parts								
A-118-3130	Kit, XFMR, 120V, Evolution-AG		1	1.54	0.70	0.031	0.001	65.00
Total Control® Controller Parts								
A-R614201	Transformer Assy, 120VAC, 60Hz for 6-18 station Total Control® Controllers.	—	1	—	—	—	—	56.30
Rain Dial® Controller Parts								
R201902	Transformer Assembly, 120 VAC, RD, RD PLUS	—	1	—	—	—	—	44.00
R102-5476	Ribbon Cable converter for new Rain Dial-R panel to older Rain Dials	—	5	—	—	—	—	10.70
R8969	Key, Rain Dial Series	—	1	—	—	—	—	1.30
Kwik Dial® Controller Parts								
102-4975	Transformer, 115-120 VAC, 60 Hz, Service Kit, KwikDial Series	—	1	—	—	—	—	38.10
IBOC Plus Series								
R671101	Lock Assembly.	—	1	—	—	—	—	11.70
683503	Control box keys.	—	1	—	—	—	—	1.40
MC-E Series Controllers								
R636901	Header Cable, 6", MC-E Series, MC Plus Series (4 cables per pack)	—	4	—	—	—	—	9.90
R615901	Transformer, 115 VAC, 50VA, MC-E and MC Plus Series	—	1	—	—	—	—	68.40
R671101	Lock & Key Assy., Dial, MC Plus, MC-E and IBOC Plus Series	—	1	—	—	—	—	11.70
683503	Key (HL238), 508/512, MC-E, MC Plus, Dial and IBOC Plus Series	—	1	—	—	—	—	1.40

*Upgraded MC-E series controllers are backward compatible to MC-Plus controllers



Replacement Parts

Filter Replacement Parts (Category IX)

Part Number	Description	Mesh* Size	Quantity Carton	Carton Weight Lbs. Kilos	Carton Cube Ft. M.	List Price Each
3/4" Plastic In-Line Hose Filters						
AHP2431	In-Line plastic body only, 3/4" FHT inlet X 3/4" FHT outlet	—	200	45 20.4	1.35 0.038	12.80
AHS1000	Element for 3/4" In-Line Hose Screen Filter	200	1	— —	— —	4.22
AHS2000	Element for 3/4" In-Line Hose Screen Filter	34	1	— —	— —	5.26
F-Series Plastic Y Filters						
AMP0004-1S	Screen Cartridge for 3/4" & 1" Small Body Filter	150	1	— —	— —	7.23
AMP0004-4F	Disc Cartridge for 3/4"; 1" & 1-1/2" Large Body Filter	150	1	— —	— —	12.40
AMP0004-2F	Screen Cartridge for 3/4"; 1" & 1-1/2" Large Body Filter	150	1	— —	— —	9.25
1KLF2	O-Ring for Small Body Filter	—	1	— —	— —	1.05
1KLG1	O-Ring for Large Body Filter	—	1	— —	— —	2.75
2" & 3" Plastic Disc Filters						
Replacement Cartridges						
IT-AMPS204-120	2" & 3" SD CARTRIDGE 120 MESH w/ O-Ring (Blue) SHORT BODY	120	1	10 4.5	14.13 0.400	110.00
IT-AMPS204-150	2" & 3" SD CARTRIDGE 150 MESH w/ O-Ring (Red) SHORT BODY	150	1	10 4.5	14.13 0.400	110.00
IT-AMPX0204-200	2" & 3" XD CARTRIDGE 200 MESH w/ O-Ring (Brown) SHORT BODY	200	1	10 4.5	14.13 0.400	119.00
IT-AMPX0204-085	2" & 3" XD CARTRIDGE 85 MESH w/ O-Ring (Gray) SHORT BODY	85	1	10 4.5	14.13 0.400	119.00
IT-AMPX0204-120	2" & 3" XD CARTRIDGE 120 MESH w/ O-Ring (Blue) SHORT BODY	120	1	10 4.5	14.13 0.400	119.00
IT-AMPX0204-150	2" & 3" XD CARTRIDGE 150 MESH w/ O-Ring (Red) SHORT BODY	150	1	10 4.5	14.13 0.400	119.00
IT-AMPS304-120	2" & 3" SD CARTRIDGE 120 MESH w/ O-Ring (Blue) LONG BODY	120	1	15.0 6.804	14.1259 0.400	154.00
IT-AMPS304-150	2" & 3" SD CARTRIDGE 150 MESH w/ O-Ring (Red) LONG BODY	150	1	15.0 6.804	14.1259 0.400	154.00
IT-AMPX0304-200	2" & 3" SD CARTRIDGE 200 MESH w/ O-Ring (Brown) LONG BODY	200	1	15.0 6.804	14.1259 0.400	200.00
IT-AMPX0304-050	2" & 3" XD CARTRIDGE 50 MESH w/ O-Ring (Yellow) LONG BODY	50	1	15 6.8	14.13 0.400	200.00
IT-AMPX0304-085	2" & 3" XD CARTRIDGE 85 MESH w/ O-Ring (Gray) LONG BODY	85	1	15 6.8	14.13 0.400	200.00
IT-AMPX0304-120	2" & 3" XD CARTRIDGE 120 MESH w/ O-Ring (Blue) LONG BODY	120	1	15 6.8	14.13 0.400	200.00
IT-AMPX0304-150	2" & 3" XD CARTRIDGE 150 MESH w/ O-Ring (Red) LONG BODY	150	1	15 6.8	14.13 0.400	200.00
IT-ABF5000-3N	2" NPT Filter Body & Bonnet; no Cartridge	—	1	— —	— —	159.00
IT-AMPX0201-N	2" NPT Thread Filter Body with O-Ring	—	1	— —	— —	89.40
IT-AMPX0202	2" Filter Bonnet with O-Ring	—	1	— —	— —	89.40
IT-AMPX0203-N	2" NPT Thread Cap with O-Ring	—	1	— —	— —	3.57
IT-ATP1316	O-Ring for 2" Cap	—	1	— —	— —	1.85
IT-ABF7500-3SN	3" NPT Filter Body & Bonnet; no Cartridge	—	1	— —	— —	195.00
IT-AMPX0301-N	3" NPT Thread Filter Body with O-Ring	—	1	— —	— —	126.00
IT-AMPX0302	3" Filter Bonnet with O-Ring	—	1	— —	— —	126.00
IT-AMPX0303-N	3" NPT Thread Cap with O-Ring	—	1	— —	— —	5.22
IT-ATP1317	O-Ring for 3" Cap	—	1	— —	— —	1.85
IT-ATP1313	O-Ring for 2" & 3" Filter Bonnet	—	1	— —	— —	1.85
IT-ATP1314	O-Ring for 2" & 3" Filter Disc Cartridge	—	1	— —	— —	1.85
IT-ATP1330	Filter Locking Ring	—	1	— —	— —	15.90
IT-VBP025	1" Female BSP Thread (Flush) Ball Valve	—	1	— —	— —	7.79
IT-VBP025-N	1" Female NPT Thread (Flush) Ball Valve	—	1	— —	— —	19.50

Ordering Information:

Shaded area indicates products being discontinued. Limited to available stocks on hand.

Replacement Parts

Filter Replacement Parts (Category IX)

Part Number	Description	Mesh* Size	Quantity Carton	Carton Weight		Carton Cube		List Price Each
				Lbs.	Kilos	Ft.	M.	
Aqua-Clear Filters								
AC-154689	Air bleeder/tee assembly (18" & 24")	—	1	—	—	—	—	43.30
AC-273564	Air bleeder/tee assembly (30" & 36")	—	1	—	—	—	—	140.00
AC-154700	Adapter, brass air bleeder	—	1	—	—	—	—	19.40
AC-190059	Gauge, pressure back mount	—	1	—	—	—	—	69.90
AC-154661	O-ring, air bleeder adapter	—	1	—	—	—	—	2.70
AC-154664	Nut, 3/8 in., 16 SS	—	1	—	—	—	—	2.60
AC-151007	Filter Top Closure Kit 18", 24"	—	1	—	—	—	—	249.00
AC-151008	Filter Top Closure Kit 30", 36"	—	1	—	—	—	—	309.00
AC-154575	Filter Top Closure Cap only 18", 24"	—	1	—	—	—	—	89.00
AC-154570	Filter Top Closure Cap only 30", 36"	—	1	—	—	—	—	109.00
AC-154493	O-ring closure, 6 in. white	—	1	—	—	—	—	7.90
AC-150035	SAC-ainer air relief, 3/8 in.	—	1	—	—	—	—	13.80
AC-154763	Hub Lateral for 18", 24"	—	1	—	—	—	—	46.80
AC-154453	Hub Lateral for 30", 36"	—	1	—	—	—	—	140.00
AC-154598	Diffuser assembly AC-40 (18")	—	1	—	—	—	—	78.10
AC-154599	Diffuser assembly AC-60 (24")	—	1	—	—	—	—	67.90
AC-154462	Diffuser assembly AC-100 (30")	—	1	—	—	—	—	67.90
AC-154906	Diffuser assembly AC-140 (36")	—	1	—	—	—	—	69.80
AC-154412	Locknut 2 in. internal (2 required)	—	1	—	—	—	—	14.40
AC-154416	Spacer, 2 in. internal (2 required)	—	1	—	—	—	—	20.90
AC-154492	O-ring 2 in. bulkhead (2 required)	—	1	—	—	—	—	3.80
AC-154408	Spacer, 2 in. external (2 required)	—	1	—	—	—	—	20.90
AC-154538	Gasket, 2 in. bulkhead (2 required)	—	1	—	—	—	—	3.20
AC-154405	Bulkhead, 2 in. (2 required)	—	1	—	—	—	—	107.00
AC-154402	Adhesive tape, filter base attachment	—	1	—	—	—	—	9.80
AC-51016200	Diverter Valve O-ring 2-151 Buna N 70SH	—	1	—	—	—	—	4.88
AC-270038	Diverter Valve Spacer Split Ring	—	1	—	—	—	—	1.40
AC-192039	Diverter Valve O-ring 2-116 Buna 70	—	1	—	—	—	—	0.36
AC-270056	2 & 3-Way Diverter Valve assembly - 2"	—	1	—	—	—	—	89.60
AC-270141	Slide Valve nut - BLK SF PMP/VLV PSHPL	—	1	—	—	—	—	30.90
AC-273062	Slide Valve O-ring #2-227 CAP	—	1	—	—	—	—	2.12
AC-51005000	Slide Valve O-ring 2-325 EP DM	—	1	—	—	—	—	11.30
AC-263055	Slide Valve Kit Shaft Replacement Valve - push pull	—	1	—	—	—	—	155.00
B-S4003WR24ACNCBBB	AC Solenoid for Backwash Valve	—	1	—	—	—	—	84.00
B-S982-3W	DC Latching Solenoid for Backwash Valve	—	1	—	—	—	—	126.00



To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)

A black and white photograph of a strawberry field. The foreground is filled with rows of strawberry plants, showing their leaves and small white flowers. In the background, there is a line of trees and a utility pole, with hills visible in the distance under a cloudy sky.

Promotional Items & Sales Policy Information

Literature

Product Literature (Category XI)

Part Number	Description	Quantity Pack	Pack Lbs.	Weight Kilos	Pack Ft.	Cube M.	Net Price per Pack
Product Catalog							
ALT001	Toro Ag Product Catalog	1	—	—	—	—	11.00
Drip Tape							
ALT046-1	Aqua-Traxx® Sell Sheet	25	—	—	—	—	50.00
ALT003	Aqua-Traxx® 8 1/2 x 11 Tri-fold brochure with samples of the sizes and wall thickness for the Aqua-Traxx product line	1	—	—	—	—	3.00
ALT253	FlowControl® Testimonials	25	—	—	—	—	50.00
ALT258	FlowControl Sell Sheet	25	—	—	—	—	50.00
ALT276	Aqua-Traxx and Aqua-Traxx Azul™ Family Brochure	25	—	—	—	—	50.000
ALT277	Aqua-Traxx Azul Sell Sheet	25	—	—	—	—	50.00
Neptune Flat Emitter Dripline							
ALT203	Neptune Sell Sheet	25	—	—	—	—	50.00
ALT240	Neptune Sampler	1	—	—	—	—	3.00
Dripline							
ALT107	BlueLine™ Classic Inline Dripline Brochure	25	—	—	—	—	50.00
ALT106	BlueLine™ PC Inline Dripline Brochure	25	—	—	—	—	50.00
Hose							
ALT022-1	Oval Hose Sell Sheet	25	—	—	—	—	50.00
ALT007-1	Round Hose Sell Sheet	25	—	—	—	—	50.00
ALT156	Layflat Hose Sell Sheet	25	—	—	—	—	50.00
ALT184	IPS Flex PVC Tubing Sell Sheet	25	—	—	—	—	50.00
ALT234	Micro Distribution Tubing Sell Sheet	25	—	—	—	—	50.00
On-Line Emitters							
ALT014-1	Turbo SC™ / Turbo Key™ Sell Sheet	25	—	—	—	—	50.00
ALT016-1	E-2® Emitter Sell Sheet	25	—	—	—	—	50.00
Fogger's, Snap-Jets & Micro-Sprinklers							
ALT018	Fogger Sell Sheet	25	—	—	—	—	50.00
ALT020	Snap-Jet®II Sell Sheet	25	—	—	—	—	50.00
ALT065-1	Micro-Sprinkler VI Classic Sell Sheet	25	—	—	—	—	50.00
ALT209	Micro Sprinkler PC Sell Sheet	25	—	—	—	—	50.00
ALT031	Pot Spray Stake Sell Sheet	25	—	—	—	—	50.00
Valves							
ALT011	100 Series Valves Sell Sheet	25	—	—	—	—	50.00
ALT012-1	700 Series Valves Sell Sheet	25	—	—	—	—	50.00
ALT087	Air Release Valve Brochure	25	—	—	—	—	50.00
ALT146	Bermad Valves Booklet	25	—	—	—	—	50.00
ALT148	PVC Valves Sell Sheet	25	—	—	—	—	50.00
Controllers							
ALT260	Evolution AG Controller Brochure	25	—	—	—	—	50.00
ALT009	Rain Dial® Controller Sell Sheet	25	—	—	—	—	50.00
ALT058	MC-E® Series Controller Sell Sheet	25	—	—	—	—	50.00
ALT008-1	IBOC® Plus Controller Sell Sheet	25	—	—	—	—	50.00
ALT136	KwikDial® Series Controller Sell Sheet	25	—	—	—	—	50.00
ALT167	Junior DC® Sell Sheet (English & Spanish)	25	—	—	—	—	50.00
ALT055	Total Control® Controller	25	—	—	—	—	50.00
Chemical Injection							
ALT032	Mazzei® Chemical Injection Brochure	25	—	—	—	—	50.00
Filtration							
ALT010	Plastic Y Filters Sell Sheet	25	—	—	—	—	50.00
ALT103	XD Filter Sell Sheet	25	—	—	—	—	50.00
ALT199	Aqua-Clear™ Fiberglass Sand Filters	25	—	—	—	—	50.00
ALT227	Aqua-Clear™ Automation Manual	1	—	—	—	—	5.00
Accessories							
ALT177	Pro-Loc Fittings Brochure	25	—	—	—	—	50.00
ALT202	Tools & Accessories	25	—	—	—	—	50.00
ALT052-1	Hose & Tape Fittings Sell Sheet	25	—	—	—	—	50.00
ALT158	Xpando® Take-Off Fittings Sell Sheet	25	—	—	—	—	50.00
ALT173	Oval and Layflat Connection Fittinas Sell Sheet	25	—	—	—	—	50.00

To order, call Toro Ag

Customer Service: + 1(877) 373-0087 or +1 (619) 596-2495

List Prices are US\$, FCA Distribution Center. Effective May 4, 2020 (ALT002)

Literature

Product Literature - Spanish (Category XI)

Part Number	Description	Quantity Pack	Pack Weight Lbs.	Pack Weight Kilos	Pack Cube Ft.	Pack Cube M.	Net Price per Pack
Product Catalog							
ALT207	Toro Ag Product Catalog (Spanish)	1	—	—	—	—	11.00
Drip Tape							
ALT101	Aqua-Traxx® 8 1/2 x 11 Tri-fold brochure with samples of the sizes and wall thickness for the Aqua-Traxx product line (Spanish)	1	—	—	—	—	3.00
ALT061-1	Aqua-Traxx® Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT256	FlowControl® Testimonials (Spanish)	25	—	—	—	—	50.00
ALT259	FlowControl Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT279	Aqua-Traxx and Aqua-Traxx Azul™ Family Brochure (Spanish)	25	—	—	—	—	50.00
ALT280	Aqua-Traxx Azul Sell Sheet (Spanish)	25	—	—	—	—	50.00
Neptune Flat Emitter Dripline							
ALT204	Neptune Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT241	Neptune Sampler (Spanish)	1	—	—	—	—	3.00
Dripline							
ALT188	BlueLine™ Classic Inline Dripline Brochure	25	—	—	—	—	50.00
ALT212	BlueLine™ PC Dripline Brochure	25	—	—	—	—	50.00
Hose							
ALT037	Blue Stripe® Round Hose Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT064-1	Oval Hose Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT164	Layflat Hose Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT187	IPS Flex PVC Tubing Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT239	Micro Distribution Tubing Sell Sheet (Spanish)	25	—	—	—	—	50.00
Fogger's, Snap-Jets & Micro-Sprinklers							
ALT113	Fogger Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT213	Micro Sprinkler PC Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT017	Micro-Sprinkler VI Classic Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT041	Pot Spray Stake Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT220	E2 Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT221	Snap Jet Sell Sheet (Spanish)	25	—	—	—	—	50.00
Valves							
ALT117	100 Series Valves Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT034	600 Series Valve Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT035	Air Release Valve Brochure (Spanish)	25	—	—	—	—	50.00
ALT151	PVC Valves Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT222	700 Series Valves Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT223	Bermad Valves Sell Sheet (Spanish)	25	—	—	—	—	50.00
Controllers							
ALT118	Total Control® Controller Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT167	Junior DC® Sell Sheet (English & Spanish)	25	—	—	—	—	50.00
ALT216	IBOC Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT217	Kwik Dial Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT218	MCE Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT219	Rain Dial Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT255	Evolution® AG Controller Brochure	25	—	—	—	—	50.00
Chemical Injection							
ALT036	Mazzei® Chemical Injection Brochure (Spanish)	25	—	—	—	—	50.00
Filters							
ALT024	XD Filter Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT039	Plastic Y Filter Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT201	Aqua-Clear™ Fiberglass Sand Filters (Spanish)	25	—	—	—	—	50.00
Accessories							
ALT178	Pro-Loc Fittings Brochure (Spanish)	25	—	—	—	—	50.00
ALT119	Hose & Tape Fittings Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT170	Xpando® Take-Off Fittings Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT176	Oval and Layflat Connection Fittings Sell Sheet (Spanish)	25	—	—	—	—	50.00
ALT205	Tools & Accessories (Spanish)	25	—	—	—	—	50.00

Literature

Educational Literature (Category XI)

Part Number	Description	Quantity Carton	Carton Weight		Carton Cubic		Net Price Each
			Lbs.	Kilos	Ft.	M.	
Education							
ALT179	Drip Irrigation Owner's Manual	1	—	—	—	—	11.00
ALT180	Quick Start Guide - Owner's Manual	1	—	—	—	—	10.00
ALT142	Irrigation Solutions - What is Drip Irrigation?	25	—	—	—	—	50.00
ALT143	Crop Solutions - Drip Irrigation on Corn	25	—	—	—	—	50.00
ALT144	Grower Solutions - Cox Valley View Farms Testimonial	25	—	—	—	—	50.00
ALT152	Grower Solutions - Weilmunster Farms Testimonial	25	—	—	—	—	50.00
ALT153	Grower Solutions - Standage Farms Testimonial	25	—	—	—	—	50.00
ALT154	Grower Solutions - Reiter Berry Farms Testimonial	25	—	—	—	—	50.00
ALT155	Irrigation Solutions - The Advantages of Closely Spaced Emitters	25	—	—	—	—	50.00
ALT159	Grower Solutions - Naumann Ranch Testimonial	25	—	—	—	—	50.00
ALT160	Grower Solutions - Craig Andrus Farms Testimonial	25	—	—	—	—	50.00
ALT161	Irrigation Solutions - Typical Drip System Layout	25	—	—	—	—	50.00
ALT182	Crop Solutions - Drip Irrigation on Potatoes	25	—	—	—	—	50.00
ALT183	Grower Solutions - Worth Farms Testimonial	25	—	—	—	—	50.00
ALT185	Crop Solutions - Drip Irrigation on Alfalfa	25	—	—	—	—	50.00
ALT186	Crop Solutions - Drip Irrigation on Cotton	25	—	—	—	—	50.00
ALT186	Crop Solutions - Drip Irrigation on Mint	25	—	—	—	—	50.00
ALT208	Irrigation Solutions - Subsurface Drip Irrigation for Field Crops	25	—	—	—	—	50.00
ALT228	Irrigation Solutions - Micro-Sprinklers for Integrated Pest Management (IPM)	25	—	—	—	—	50.00
ALT263	Drip Systems for Greenhouses	25	—	—	—	—	50.00
Finance							
ALT165	Grower Finance Brochure	25	—	—	—	—	50.00
ALT166	Dealer Finance Brochure	25	—	—	—	—	50.00

Educational Literature - Spanish (Category XI)

Part Number	Description	Quantity Carton	Carton Weight		Carton Cubic		Net Price Each
			Lbs.	Kilos	Ft.	M.	
Education							
ALT195	Drip Irrigation Owner's Manual (Spanish)	1	—	—	—	—	11.00
ALT181	Quick Start Guide - Owner's Manual (Spanish)	1	—	—	—	—	10.00
ALT150	Irrigation Solutions - What is Drip Irrigation? (Spanish)	25	—	—	—	—	50.00
ALT157	Crop Solutions - Drip Irrigation on Corn (Spanish)	25	—	—	—	—	50.00
ALT171	Grower Solutions - Cox Valley View Farms Testimonial (Spanish)	25	—	—	—	—	50.00
ALT189	Grower Solutions - Standage Farms Testimonial (Spanish)	25	—	—	—	—	50.00
ALT190	Grower Solutions - Weilmunster Farms Testimonial (Spanish)	25	—	—	—	—	50.00
ALT191	Grower Solutions - Reiter Berry Farms Testimonial (Spanish)	25	—	—	—	—	50.00
ALT192	Irrigation Solutions - The Advantages of Closely Spaced Emitters (Spanish)	25	—	—	—	—	50.00
ALT193	Grower Solutions - Craig Andrus Farms Testimonial (Spanish)	25	—	—	—	—	50.00
ALT194	Grower Solutions - Naumann Ranch Testimonial (Spanish)	25	—	—	—	—	50.00
ALT196	Crop Solutions - Drip Irrigation on Alfalfa (Spanish)	25	—	—	—	—	50.00
ALT197	Crop Solutions - Drip Irrigation on Potatoes (Spanish)	25	—	—	—	—	50.00
ALT198	Crop Solutions - Drip Irrigation on Cotton (Spanish)	25	—	—	—	—	50.00
ALT214	Crop Solutions - Drip Irrigation on Mint (Spanish)	25	—	—	—	—	50.00
ALT215	Irrigation Solutions - Subsurface Drip Irrigation (Spanish)	25	—	—	—	—	50.00
ALT224	Grower Solutions - Worth Farms Testimonial (Spanish)	25	—	—	—	—	50.00
ALT231	Irrigation Solutions - Micro-Sprinklers for Integrated Pest Management (IPM)	25	—	—	—	—	50.00
ALT266	Drip Systems for Greenhouses (Spanish)	25	—	—	—	—	50.00
Finance							
ALT168	Grower Finance Brochure (Spanish)	25	—	—	—	—	50.00
ALT169	Dealer Finance Brochure (Spanish)	25	—	—	—	—	50.00

Toro Ag literature is also available on our Print-on-Demand website at:
<https://custompoint.rrd.com/xs2/prelogin?CMPID=4284&&qwert=14102202>

Additional promotional items are available from The Toro Company e-Store at:
<http://store.4imprint.com/toro>

Promotional Items

Promotional Items (Category XI)							
Part Number	Description	Quantity Carton	Carton Weight		Carton Cubic		Net Price Each
			Lbs.	Kilos	Ft.	M.	
Giveaways							
ALT229	Aqua-Traxx Notepads	1	—	—	—	—	3.50
Posters							
ALT174	Typical Drip System Layout Poster	1	—	—	—	—	25.00
ALT175	Typical Drip System Layout Poster (Sp)	1	—	—	—	—	25.00
Banners							
ALT047	Aqua-Traxx Banner	1	—	—	—	—	50.00
ALT269	Toro Ag Vinyl Banner	1	—	—	—	—	17.69
Product Displays							
ALT145	Display Aqua-Traxx Reels. Lightweight reels for easy handling at events. Specify PC or Classic.	1	5.00	2.27	2.80	—	35.00
Merchandising							
490-8261	4' x 10' Toro Logo Floor Mat - Black	1	—	—	—	—	133.00
490-5961	50' Toro Pennant String	1	—	—	—	—	18.00
490-6980	Toro Ballons (50/pack)	50	—	—	—	—	5.00
490-6957	Toro Count on It Black Folder (25)	1	—	—	—	—	0.50
490-5974	Toro Tacker Sign 26.5"x18"	1	—	—	—	—	10.00
490-8281	Toro Counter Mat for Insert	1	—	—	—	—	10.00
490-5761	Toro Counter Stool	1	—	—	—	—	43.00
490-4094	Toro Logo Banner 5'x3'	1	—	—	—	—	4.00
490-6909	Toro Flag 5'x3', 100% Nylon	3	—	—	—	—	10.00
200-1864	Red Lanyard with Toro Logo	1	—	—	—	—	0.70
490-3146	Toro Table Cloth, black w/ Toro shield, fits 8' table	1	—	—	—	—	75.00
490-7748	Open/Close Toro Sign	1	—	—	—	—	10.00
490-7123	Toro Vehicle Decal, 12" x 8", set of 2	1	—	—	—	—	4.00
490-7124	Toro Trailer Decal, 21" x 13.75", set of 2	1	—	—	—	—	8.00
490-7339	Toro Product Clock, Toro logo, (requires one AA battery), 12.75" Diameter	1	—	—	—	—	13.00

Toro Ag literature is also available on our Print-on-Demand website at:
<https://custompoint.rrd.com/xs2/prelogin?CMPID=4284&&qwerty=14102202>

Additional promotional items are available from The Toro Company e-Store at:
<http://store.4imprint.com/toro>



Terms and Conditions

2020 Toro Ag Terms and Conditions of Sale – USA

In addition to the Terms and Conditions set forth in any P.O. Acknowledgement issued by Toro Ag or otherwise brought to the dealer's attention, the following terms and conditions shall apply to any purchase of Toro Ag products:

Terms: Payment is due net thirty (30) days from date of invoice, upon credit approval, at the following address:

Toro Ag
36346 Treasury Center
Chicago, IL, 60694-6300
USA

Minimum Order: USD \$500 net per shipping location (< USD \$500 orders are subject to a USD \$50 processing fee). This minimum applies to whole goods. There is no minimum order value for replacement parts.

Overrun Policy: For products that fall under the made to order classification, up to five (5) additional reels will be added to the ordered quantity. If the quantity of reels produced is greater than the ordered quantity, the sales order and the final invoice will be modified to match the produced quantity.

Late Charge: Overdue accounts shall bear interest at the rate of 1.5% per month or the maximum rate allowed by law.

Pricing: All list prices are USD \$, FCA Toro Distribution Center and subject to change without notice. Order confirmations will be sent upon acceptance of purchase order, confirming terms and conditions of sale in addition to those set forth herein.

Freight Policy Domestic Dealers: Freight is FCA Toro Distribution Center. Shipping policy is with a Toro Ag selected carrier. Shipments are made to physical dealer location. Shipments or drop shipments outside dealer location are only allowed within a 100 mile radius of dealer location. Shipped prepaid and added to the customer invoice, unless one of the following exceptions applies:

- Free freight for truckload orders of Tape or Flat Emitter Dripline
- Any combination of products greater than \$20,000 will receive a freight allowance of 3% of invoice amount.
 - Freight allowance will be given on invoice and not to exceed shipping cost.
 - Freight allowance does not apply to will call orders.
- Free freight for Accessories orders above \$5,000 (any combination of products excluding Tape, Flat Emitter Dripline, Hose, Microtubing, Dripline and Metal Filters)
- Free freight for Layflat or IPS orders above \$4,000

• Freight Carrier Surcharges are not paid by Toro Ag and are the responsibility of the dealer.

• Multiple drop shipments to dealer locations are billed at actual cost plus USD \$100 service charge. Please call Customer Service for a freight quotation.

Freight Policy International Dealers: Shipment destinations are to the domestic freight forwarder chosen by the dealer. Freight is FCA Toro Distribution Center. The above policy for freight applies to the domestic component of freight. For International Shipments, if heat treated pallets are requested, a USD \$17 per pallet service charge will apply. Drop shipments are not allowed for international shipments.

Return Goods:

Warranty: The dealer will provide a copy of Toro's written product warranty and any installation instructions or similar product information to its customers at or before the time of sale. In the event of a warranty claim, Toro Ag must be notified in writing within the applicable warranty period and within 30 days after discovering the product is not functioning properly. Toro will review the situation with the dealer and provide an answer within a reasonable time.
Non-Warranty: All returned merchandise requires a Return Goods Authorization (RGA) to insure proper tracking. All made to order, discontinued or special order items are not returnable.

To receive an RGA number the dealer should contact:

Toro Ag Customer Service Department

Phone: +1 (877) 373-0087 or
+1 (619) 596-2495,

Fax: +1 (800) 892-1822 or
+1 (619) 596-4247 or
+1 (619) 258-9973

The material must be returned within 60 days from date of invoice, in the original factory sealed packaging, in saleable condition, full carton quantities and freight pre-paid. A 25% restocking charge may apply to items being returned unless the goods are being returned due to an order entry or shipping error. A credit to the dealers account will be issued providing the goods are not made to order, discontinued items, shopworn or are a special order.

Claims for Shortages: All claims for shortage or damage must be submitted in writing to the freight carrier directly and to Toro Ag Customer Service within 5 days of receipt of goods. A legible copy of the bill of lading must also be included to verify receipt of product. Toro Ag is not liable for damage or loss occurring during shipment. Acceptance of shipped product by dealer or dealer agent is the responsibility of the dealer including proper count of product(s) and inspection of the product.

Delivery: Delivery estimates are made in good faith and are subject to delay due to government restrictions, failure of our suppliers to deliver, fires, strikes or other causes beyond our control. Any equipment needed for unloading is the responsibility of the consignee. It is not the responsibility of the driver to assist in the unloading process.

Additional Conditions of Sale: The laws of the State of California apply to all Toro Ag contracts and commercial dealings. State Laws vary widely on the subject of commercial Credit interest and late charges. The Federal Usury Pre-Exemption Law currently in effect will apply to all transactions wherever applicable. The dealer will not (i) violate any laws prohibiting corrupt business practices; (ii) take any action that will cause Toro Ag or its affiliates to violate any laws, including the U.S. Foreign

Corrupt Practices Act of 1977 as amended; (iii) export, re-export, resell, release, or otherwise transfer, in violation of U.S. law, any Toro Ag supplied item to any country subject to comprehensive U.S. trade sanctions or partial

U.S. trade sanctions; (iv) participate in any illegal customer restrictions or boycotts prohibited under local law or the laws of the U.S.; (v) misuse, register or assert ownership over any Toro trademarks or Toro domain names (i.e. domain names including any Toro names or marks); or (vi) incite, enable, or knowingly allow third parties to commit acts mentioned under subparagraphs (i) – (v), above.

Toro Ag Terms and Conditions of Sale – International

Terms:

1. Direct Bank Transfer In Advance - Wire transfers in U.S. Dollars to US Bank 800 Nicollet Mall, Minneapolis, MN 55402; ABA# 091000022 Swift# USBKUS44 IMT For: Toro Ag, Account# 104791355878 with instruction to advise full details by telephone. Please reference dealer name as the remitter.

--or--

2. Confirmed Irrevocable Letter Of Credit - Letter of credit must be confirmed by a USA bank. Do not use a USA subsidiary of a foreign bank. Letters of credit must be valid for a minimum of 90 days, from date of issue. All bank charges are to be paid by buyer. To ensure the most rapid shipment of your order, please send full text of letter of credit to the U.S. correspondent bank by tested telex.

Minimum Order:

1. Via Direct Bank Transfer In Advance – USD \$500 net.
2. Via Letter of Credit – USD \$10,000 net.

All other terms and conditions set forth in any P.O. Acknowledgement issued by Toro or otherwise brought to the buyer's attention shall apply.

Micro-Irrigation Business

Sales Warranty

Toro Ag and its affiliate, Toro Warranty Company pursuant to an agreement between them, jointly warrant to Toro Ag trade customers that Toro Ag products for agricultural use will be free from original defects in materials and workmanship.

Toro Ag Price list is F.O.B. Factory. Neither Toro Ag nor Toro Warranty Company is liable for loss or damage occurring during shipment. Responsibility for safe delivery is assumed by the customer and freight carrier at the time of shipment. Claims for such damages should be filed with the freight carrier immediately upon identification.

Claims for defects that are not freight related should be filed with Toro Ag no later than five days from date of discovery of defect within the warranty period as stated below. In order to accurately identify the cause of potential warranty defects, the customer shall provide access to the field, system components, design information, maintenance records, and injected compounds (fertilizers, chemicals, etc.) as requested by Toro.

Toro Ag warranty only covers the Toro product itself, and only applies to defects in material or workmanship in that Toro product; warranty does not cover loss or damage to anything else, or loss or damage to the Toro product caused by anything other than a defect in that Toro product. For example and not by way of limitation, this warranty does not apply to loss or damage to the product, vegetation or other property or

personal injury due to improper installation and or application (including non-standard use of product as for example mechanically moved irrigation systems, continuous pressure situations, heated water, waste water, potable water or others), abuse, alteration, mishandling, accident, insects, rodents, mechanical damage, plugging, over pressurization or if the product damage results from service by anyone other than Toro Ag or its authorized service centers or used outside the recommendations of the Toro Ag Owner's Manual.

Many plastic compounds are widely known to be susceptible to environmental stress cracking (ESC) and other forms of material degradation. The use of certain substances may accelerate the process of ESC and/or material degradation, and would invalidate any Toro product warranty.

Neither Toro Ag nor Toro Warranty Company is liable for failure of products not manufactured by Toro Ag even though such products may be sold or used in conjunction with Toro Ag products.

Neither Toro Ag nor Toro Warranty Company is liable for indirect, incidental, or consequential damages, including but not limited to vegetation or crop loss during periods of malfunction or resulting non-use.

Neither Toro Ag nor Toro Warranty Company is liable for any loss or damage, including property damage resulting from installer's negligence.

This warranty is the only warranty made by Toro Ag or Toro Warranty Company. It replaces all other express warranties and all implied warranties are disclaimed, including the implied warranties of merchantability and fitness for use.

Under this warranty, the sole remedy is to direct all claims to an authorized Toro Ag dealer.

Within the warranty period stated below, Toro Ag and Toro Warranty Company agree to repair or replace, at their option and without charge, any parts which are found to have original manufacturing defects, provided the product is returned freight pre-paid. If the warranty period is longer than two years and products are replaced under the warranty after the second year, the remaining warranty will be prorated for the remaining warranty period, equal to the ratio between the period that has passed prior to replacement and the full warranty period. Toro Ag and Toro Warranty Company do not warranty any labor, including but not limited to labor on installation or removal.

This warranty gives you specific legal rights and you may have other rights, which vary from state to state.

Warranty Period from date of delivery:

Aqua-Traxx® Drip Tape:

- 4 mil 6 months
- 5, 6 & 8 mil 1 year
- 10, 12, 13 & 15 mil 2 years

Neptune® Flat Emitter Dripline:

- 6 & 8 mil 1 year
- 10, 13, 15, 18 & 24 mil 2 years

BlueLine™ Dripline:

- Emitters 2 years
- Hose 5 years

Drip In® Dripline:

- Emitters 2 years
- Hose 5 years
- with Rootguard 10 years**

Blue Stripe® Hose:

- Oval 42 psi 7 years
- Oval 21 psi 2 years
- Micro-Distribution 7 years
- Round 7 years

All Other Hose: 1 year*

Fittings:

- All 1 year*

Emission Devices:

- All (except NGE®) 1 year
- NGE® Emitter 2 years

Controllers:

- All 5 years

Valves:

- 100, 600, 700 Series 5 years
- Bermad® Valves 1 year*
- Air Vents 1 year*

Mazzei Injectors:

- Airjection® 1 year*
- Chemical Injectors 1 year*

Filters and components:

- All 1 year*

All Other Products 1 year*

* Products sold by, but not manufactured by Toro Ag are warranted by their respective manufacturers

** Pro-rated warranty for root intrusion by Geoflow Inc.

Notes



For more product information, visit us at:

toro.com

©2020 The Toro Company

Ag Business

1588 N. Marshall Avenue, El Cajon, CA 92020-1523, USA

Tel: +1 (877) 373-0087 or +1 (619) 596-2495

Fax: +1 (800) 892-1822 or +1 (619) 258-9973

toro.com/agriculture

driptips.toro.com

ALT002 05/20

