The Toro Company

HyperCell Battery Pack (UN3171)

The Toro Company

Chemwatch: 5570-83 Version No: 3.1

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: 4

Issue Date: **07/03/2023** Print Date: **13/03/2023** S.GHS.USA.EN

SECTION 1 Identification

Product Identifier

Product name	HyperCell Battery Pack (UN3171)
Chemical Name Not	Not Applicable
Synonyms	144-0250;145-5300; 145-5320
Proper shipping name	Battery-powered vehicle or Battery-powered equipment
Chemical formula	Not Applicable
Other means of identification	Not Available

Recommended use of the chemical and restrictions on use

Relevant identified uses

Battery Pack Note: Hazard statement relates to battery contents. Potential for exposure should not exist unless the battery leaks, is exposed to high temperature or fire.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

······································		
Registered company name	The Toro Company	
Address	8111 Lyndale Avenue South, Bloomington MN 55420 United States	
Telephone	+1-952-888-8801	
Fax	+1-952-887-8258	
Website	www.toro.com	
Email	HealthAndSafety@toro.com	

Emergency phone number

Association / Organisation	CHEMTEL	CHEMWATCH EMERGENCY RESPONSE (24/7)
Emergency telephone numbers	1-800-255-3924	+1 855-237-5573
Other emergency telephone numbers	+1-813-248-0585	+61 3 9573 3188

Once connected and if the message is not in your preferred language then please dial 01

Una vez conectado y si el mensaje no está en su idioma preferido, por favor marque 02

SECTION 2 Hazard(s) identification

Classification of the substance or mixture

Chemwatch Hazard Ratings Max Flammability 0 4 Toxicity 0 = Minimum **Body Contact** 0 1 = Low2 = Moderate Reactivity 2 3 = HighChronic 4 = Extreme



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification

Acute Toxicity (Oral) Category 1, Sensitisation (Skin) Category 1, Serious Eye Damage/Eye Irritation Category 2A, Acute Toxicity (Inhalation) Category 2, Germ Cell Mutagenicity Category 1A, Specific Target Organ Toxicity - Repeated Exposure Category 2, Hazardous to the Aquatic Environment Long-Term Hazard Category 2

Label elements

Hazard pictogram(s)







Signal word

Danger

Chemwatch: 5570-83 Version No: 3.1

Page 2 of 11

HyperCell Battery Pack (UN3171)

Issue Date: 07/03/2023 Print Date: 13/03/2023

Hazard statement(s)

H300	Fatal if swallowed.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H340	May cause genetic defects.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H411	Toxic to aquatic life with long lasting effects.	

Hazard(s) not otherwise classified

Not Applicable

Precautionary statement(s) Prevention

P201	Obtain special instructions before use.
P260	Do not breathe dust/fume.
P264	Wash all exposed external body areas thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves, protective clothing, eye protection and face protection.

Precautionary statement(s) Response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician/first aider.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P313	IF exposed or concerned: Get medical advice/ attention.
P310	Immediately call a POISON CENTER/doctor/physician/first aider.
P330	Rinse mouth.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.

Precautionary statement(s) Storage

P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
Not Available		hermetically sealed case with
7429-90-5.	2-10	APSC Aluminium Foil
24937-79-9	<5	vinylidene fluoride homopolymer
7440-50-8	2-10	copper
Not Available	10-30	carbon, proprietary
63231-64-1	<1	butadiene homopolymer. carboxy-terminated
Not Available	0-80	nickel compound, proprietary
Not Available	0-15	manganese compound, proprietary
Not Available	0-15	cobalt compound,proprietary
Not Available	10-20	electrolyte , proprietary
Not Available	Balance	steel, proprietary
Not Available	Balance	niclkel, proprietary

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 First-aid measures

Description of first aid measures

If this product comes in contact with the eyes: **Eye Contact**

Immediately hold eyelids apart and flush the eye continuously with running water.

Figure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper

Chemwatch: 5570-83 Page 3 of 11 Issue Date: 07/03/2023 Version No: 3.1 Print Date: 13/03/2023

HyperCell Battery Pack (UN3171)

	and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. Generally not applicable.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation Remove patient to fresh air and seek medical attention.	
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. Generally not applicable.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Fire-fighting measures

Extinguishing media

- Dry chemical powder.
- ► BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture		
Fire Incompatibility	None known.	
Special protective equipment and precautions for fire-fighters		
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water courses. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. Slight hazard when exposed to heat, flame and oxidisers. 	
	DO NOT disturb burning dust. Explosion may result if dust is stirred into a cloud, by providing oxygen to a large surface of hot metal. DO NOT use water or foam as generation of explosive hydrogen may result. With the exception of the metals that burn in contact with air or water (for example, sodium), masses of combustible metals do not represent unusual fire risks because they have the ability to conduct heat away from hot spots so efficiently that the heat of combustion cannot be maintained - this means that it will require a lot of heat to ignite a mass of combustible metal. Generally, metal fire risks exist when sawdust, machine shavings and other metal 'fines' are present. Metal powders, while generally regarded as non-combustible:	

Fire/Explosion Hazard

May burn when metal is finely divided and energy input is high. Combustion products include:

carbon monoxide (CO)

carbon dioxide (CO2)

other pyrolysis products typical of burning organic material.

Articles and manufactured articles may constitute a fire hazard where polymers form their outer layers or where combustible packaging remains in place.

Certain substances, found throughout their construction, may degrade or become volatile when heated to high temperatures. This may create a secondary hazard.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up	
Minor Spills	Environmental hazard - contain spillage. Clean up all spills immediately. Secure load if safe to do so. Bundle/collect recoverable product. Collect remaining material in containers with covers for disposal.
Major Spills	 Clean up all spills immediately. Wear protective clothing, safety glasses, dust mask, gloves. Secure load if safe to do so. Bundle/collect recoverable product. Use dry clean up procedures and avoid generating dust.

Version No: 3.1

HyperCell Battery Pack (UN3171)

Issue Date: **07/03/2023**Print Date: **13/03/2023**

Vacuum up (consider explosion-proof machines designed to be grounded during storage and use).

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling

Do not connect the positive terminal to the negative terminal with electrical wire or chain. Avoid polarity reverse connection when installing the battery to an instrument. Do not wet the battery with water, seawater or acid; or expose to strong oxidizer. Do not damage or remove the external tube. Keep the battery away from heat and fire. Do not disassemble or reconstruct the battery; or solder the battery directly. Do not give a mechanical shock or deform. Do not use unauthorized charger or other charging method. Terminate charging when the charging process does not end within specified time.

Avoid physical damage to containers.

Other information

- Store away from incompatible materials.
- ▶ Keep dry.
- Store under cover.
- rmation Protect containers against physical damage.
 - Observe manufacturer's storage and handling recommendations contained within this SDS.

Keep out of reach of children. Store out of direct sunlight

Conditions for safe storage, including any incompatibilities

Suitable container	Store in original containers.	
Storage incompatibility	Avoid reaction with oxidising agents	

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Limits (PELs) Table Z-1	APSC Aluminium Foil	Aluminum Metal (as Al)- Total dust	15 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1	APSC Aluminium Foil	Aluminum Metal (as Al)- Respirable fraction	5 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	APSC Aluminium Foil	Inert or Nuisance Dust: Respirable fraction	5 mg/m3 / 15 mppcf	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	APSC Aluminium Foil	Inert or Nuisance Dust: Total Dust	15 mg/m3 / 50 mppcf	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	APSC Aluminium Foil	Aluminum - total	10 mg/m3	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	APSC Aluminium Foil	Aluminum - respirable	5 mg/m3	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	APSC Aluminium Foil	Aluminum (pyro powders and welding fumes, as Al)	5 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1	vinylidene fluoride homopolymer	Particulates Not Otherwise Regulated (PNOR)- Total dust	15 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1	vinylidene fluoride homopolymer	Particulates Not Otherwise Regulated (PNOR)- Respirable fraction	5 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	vinylidene fluoride homopolymer	Inert or Nuisance Dust: Total Dust	15 mg/m3 / 50 mppcf	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	vinylidene fluoride homopolymer	Inert or Nuisance Dust: Respirable fraction	5 mg/m3 / 15 mppcf	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	vinylidene fluoride homopolymer	Particulates not otherwise regulated	Not Available	Not Available	Not Available	See Appendix D
US OSHA Permissible Exposure Limits (PELs) Table Z-1	copper	Copper- Fume (as Cu)	0.1 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1	copper	Copper- Dusts and mists (as Cu)	1 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	copper	Inert or Nuisance Dust: Respirable fraction	5 mg/m3 / 15 mppcf	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	copper	Inert or Nuisance Dust: Total Dust	15 mg/m3 / 50 mppcf	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	copper	Copper (dusts and mists, as Cu)	1 mg/m3	Not Available	Not Available	[*Note: The REL also applies to other copper compounds (as Cu) except Copper fume.]
US OSHA Permissible Exposure Limits (PELs) Table Z-1	butadiene homopolymer, carboxy-terminated	Particulates Not Otherwise Regulated (PNOR)- Respirable fraction	5 mg/m3	Not Available	Not Available	Not Available

Chemwatch: 5570-83 Page **5** of **11**

Version No: 3.1

HyperCell Battery Pack (UN3171)

Issue Date: 07/03/2023 Print Date: 13/03/2023

Source	Ingredient	Material name		TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Limits (PELs) Table Z-1	butadiene homopolymer, carboxy-terminated	Particulates No Regulated (PNC		15 mg/m	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	butadiene homopolymer, carboxy-terminated	Inert or Nuisand Dust: Respirabl		5 mg/m3 15 mppc		Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	butadiene homopolymer, carboxy-terminated	Inert or Nuisand Dust	ce Dust: Total	15 mg/m 50 mppc		Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	butadiene homopolymer, carboxy-terminated	Particulates not regulated	otherwise	Not Available	Not Available	Not Available	See Appendix D
Emergency Limits							
Ingredient	TEEL-1		TEEL-2			TEEL-3	
copper	3 mg/m3		33 mg/m3			200 mg/m3	
Ingredient	Original IDLH				Revised IDLH		
APSC Aluminium Foil	Not Available			Not Available			
vinylidene fluoride homopolymer	Not Available				Not Available		

Exposure controls

carboxy-terminated

butadiene homopolymer,

copper

Appropriate engineering

controls	General exhaust is adequate under normal operating conditions.		
Individual protection neasures, such as personal protective equipment			

100 mg/m3

Not Available

- Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.
 - Chemical goggles whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted.
 - Full face shield (20 cm, 8 in minimum) may be required for supplementary but never for primary protection of eyes; these afford face protection.
- Alternatively a gas mask may replace splash goggles and face shields.
 - Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.

Not Available

Not Available

No special equipment required due to the physical form of the product.

Skin protection See Hand protection below ► Elbow length PVC gloves

NOTE:

Hands/feet protection

Eye and face protection

- ▶ The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.
- Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.

No special equipment required due to the physical form of the product.

Body protection See Other protection below

No special equipment needed when handling small quantities Other protection

Respiratory protection

Respiratory protection not normally required due to the physical form of the product.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

miorination on basic physical and one mical properties			
Appearance	Coloured solid article with no odour; insoluble in water.		
Physical state	Manufactured	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Available	Taste	Not Available

Chemwatch: 5570-83 Page 6 of 11

Version No: 3.1 HyperCell Battery Pack (UN3171)

Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

illioilliation on toxicological el	116013		
Inhaled	Vapors or fumes may causes respiratory irritation.		
Ingestion	Considered an unlikely route of entry in commercial/industrial environments Ingestion may result in nausea, abdominal irritation, pain and vomiting		
Skin Contact	The electrolyte causes eye irritation and damage. Not normally a hazard due to physical form of product.		
Eye	The electrolyte causes eye irritation and damage.		
Chronic	The chemicals in this products are combined in a sealed case and exposure does not occur during normal handling and use.		
HyperCell Battery Pack	TOXICITY	IRRITATION	
(UN3171)	Not Available	Not Available	

HyperCell Battery Pack	TOXICITY	IRRITATION
(UN3171)	Not Available	Not Available
	TOXICITY	IRRITATION
APSC Aluminium Foil	Inhalation(Rat) LC50: >2.3 mg/l4h ^[1]	Eye: no adverse effect observed (not irritating) ^[1]
	Oral (Rat) LD50: >2000 mg/kg ^[1]	Skin: no adverse effect observed (not irritating) $[1]$
vinylidene fluoride	TOXICITY	IRRITATION
homopolymer	Not Available	Not Available
	тохісіту	IRRITATION
	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye: no adverse effect observed (not irritating) ^[1]
copper	Inhalation(Rat) LC50: 0.733 mg/l4h ^[1]	Skin: no adverse effect observed (not irritating) ^[1]
	Oral (Mouse) LD50; 0.7 mg/kg ^[2]	
	TOXICITY	IRRITATION
outadiene homopolymer,		

carboxy-terminated	Not Available	Not Available
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute to	cicity 2. Value obtained from manufacturer's SDS. Unless otherwise
	specified data extracted from RTECS - Register of Toxic Effect of chemic	al Substances

VINYLIDENE FLUORIDE **HOMOPOLYMER**

COPPER

No significant acute toxicological data identified in literature search.

WARNING: Inhalation of high concentrations of copper fume may cause "metal fume fever", an acute industrial disease of short duration. Symptoms are tiredness, influenza like respiratory tract irritation with fever.

The following information refers to contact allergens as a group and may not be specific to this product.

Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. The significance of the contact allergen is not simply determined by its sensitisation potential: the distribution of the substance and the opportunities for contact with it are equally important. A weakly sensitising substance which is widely distributed can be a more important allergen than one with stronger sensitising potential with which few individuals come into contact. for copper and its compounds (typically copper chloride):

Acute toxicity: There are no reliable acute oral toxicity results available. In an acute dermal toxicity study (OECD TG 402), one group of 5 male rats and 5 groups of 5 female rats received doses of 1000, 1500 and 2000 mg/kg bw via dermal application for 24 hours. The LD50 values of copper monochloride were 2,000 mg/kg bw or greater for male (no deaths observed) and 1,224 mg/kg bw for female. Four females died at both 1500 and 2000 mg/kg bw, and one at 1,000 mg/kg bw. Symptom of the hardness of skin, an exudation of hardness site, the formation of scar and

Continued...

Issue Date: 07/03/2023

Print Date: 13/03/2023

Chemwatch: **5570-83**Version No: **3.1**

Page **7** of **11**

HyperCell Battery Pack (UN3171)

Issue Date: **07/03/2023**Print Date: **13/03/2023**

reddish changes were observed on application sites in all treated animals. Skin inflammation and injury were also noted.

Acute Toxicity

Skin Irritation/Corrosion

Reproductivity

Serious Eye Damage/Irritation

Respiratory or Skin sensitisation

Leaend:

Aspiration Hazard

X − Data either not available or does not fill the criteria for classification
 y − Data available to make classification

SECTION 12 Ecological information

Mutagenicity

V

Toxicity

II	Endpoint	Test Duration (hr)	Species	Value	Source
HyperCell Battery Pack (UN3171)	Not Available	Not Available	Not Available	Not Availabl	Not e Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	48h	Crustacea	>100mg/l	1
	EC50	96h	Algae or other aquatic plants	0.0054mg/l	2
APSC Aluminium Foil	EC50	72h	Algae or other aquatic plants	0.0169mg/l	2
	LC50	96h	Fish	0.078-0.108m	g/l 2
	EC50	48h	Crustacea	0.7364mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
vinylidene fluoride homopolymer	Not Available	Not Available	Not Available	Not Availabl	Not e Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	48h	Fish	0.0009mg/l	4
	EC50	96h	Algae or other aquatic plants	0.03-0.058mg/l	4
copper	EC50	72h	Algae or other aquatic plants	0.011-0.017mg/l	_ 4
	LC50	96h	Fish	0.0028mg/l	2
	EC50	48h	Crustacea	0.0006-0.0017m	g/l 4
	Endpoint	Test Duration (hr)	Species	Value	Source
butadiene homopolymer, carboxy-terminated	Not Available	Not Available	Not Available	Not Availabl	Not e Availabl
carboxy-terminated Legend:	Available Extracted from	1. IUCLID Toxicity Data 2. Europe ECH.	Not Available A Registered Substances - Ecotoxicological Inquatic Hazard Assessment Data 6. NITE (Japa	Availabl	e Avail

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. **DO NOT** discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
vinylidene fluoride homopolymer	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
vinylidene fluoride homopolymer	LOW (LogKOW = 1.24)

Mobility in soil

Ingredient	Mobility
vinylidene fluoride homopolymer	LOW (KOC = 35.04)

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal

- ▶ Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Management Authority for disposal
- Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Management Authority for disposal.
- Bury residue in an authorised landfill.

HyperCell Battery Pack (UN3171)

Issue Date: **07/03/2023**Print Date: **13/03/2023**

▶ Recycle containers if possible, or dispose of in an authorised landfill.

SECTION 14 Transport information

Labels Required



Marine Pollutant



Land transport (DOT)

UN number or ID number	3171		
UN proper shipping name	Battery-powered vehicle or Battery-powered equipment		
Transport hazard class(es)	Class 9 Subsidiary risk Not Applicable		
Packing group	Not Applicable		
Environmental hazard	Environmentally hazardous		
Special precautions for user	Hazard Label 9 Special provisions 134, 360		

Air transport (ICAO-IATA / DGR)

	i			
UN number	3171			
UN proper shipping name	Battery-powered vehicle			
Transport hazard class(es)	ICAO/IATA Class	9		
	ICAO / IATA Subrisk	Not Applicable		
	ERG Code	9L		
Packing group	Not Applicable			
Environmental hazard	Environmentally hazardous			
Special precautions for user	Special provisions		A67 A87 A94 A154 A164 A214	
	Cargo Only Packing Instructions		952	
	Cargo Only Maximum Qty / Pack		No Limit	
	Passenger and Cargo Packing Instructions		952	
	Passenger and Cargo Maximum Qty / Pack		No Limit	
	Passenger and Cargo Limited Quantity Packing Instructions		Forbidden	
	Passenger and Cargo Limited Maximum Qty / Pack		Forbidden	

Sea transport (IMDG-Code / GGVSee)

UN number	3171	3171		
UN proper shipping name	BATTERY-POWERE	D VEHICLE or BATTERY-POWERED EQUIPMENT		
Transport hazard class(es)		9 Not Applicable		
Packing group	Not Applicable			
Environmental hazard	Marine Pollutant			
Special precautions for user	EMS Number Special provisions Limited Quantities			

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
--------------	-------

Page 9 of 11

HyperCell Battery Pack (UN3171)

Issue Date: 07/03/2023 Print Date: 13/03/2023

Product name	Group
APSC Aluminium Foil	Not Available
vinylidene fluoride homopolymer	Not Available
copper	Not Available
butadiene homopolymer, carboxy-terminated	Not Available

Transport in bulk in accordance with the IGC Code

Product name	Ship Type
APSC Aluminium Foil	Not Available
vinylidene fluoride homopolymer	Not Available
copper	Not Available
butadiene homopolymer, carboxy-terminated	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

APSC Aluminium Foil is found on the following regulatory lists

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

US - Alaska Air Quality Control - Concentrations Triggering an Air Quality Episode for Air Pollutants Other Than PM-2.5

US - Massachusetts - Right To Know Listed Chemicals

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Department of Homeland Security (DHS) - Chemical Facility Anti-Terrorism Standards (CFATS) - Chemicals of Interest

US EPCRA Section 313 Chemical List

vinylidene fluoride homopolymer is found on the following regulatory lists International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

US - Alaska Air Quality Control - Concentrations Triggering an Air Quality Episode for Air Pollutants Other Than PM-2.5

US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule

US NIOSH Recommended Exposure Limits (RELs)

copper is found on the following regulatory lists

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

US - Alaska Air Quality Control - Concentrations Triggering an Air Quality Episode for Air Pollutants Other Than PM-2.5

US - Massachusetts - Right To Know Listed Chemicals

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs) US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US DOE Temporary Emergency Exposure Limits (TEELs)

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Limits (PELs) Table Z-1

US OSHA Permissible Exposure Limits (PELs) Table Z-3

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA Chemical Substance Inventory - Interim List of Active Substances

US OSHA Permissible Exposure Limits (PELs) Table Z-1

US OSHA Permissible Exposure Limits (PELs) Table Z-3

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US EPA Integrated Risk Information System (IRIS)

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Limits (PELs) Table Z-1

US OSHA Permissible Exposure Limits (PELs) Table Z-3

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory US TSCA Chemical Substance Inventory - Interim List of Active Substances

butadiene homopolymer, carboxy-terminated is found on the following regulatory lists

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

US - Alaska Air Quality Control - Concentrations Triggering an Air Quality Episode for Air Pollutants Other Than PM-2.5

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Limits (PELs) Table Z-1 US OSHA Permissible Exposure Limits (PELs) Table Z-3

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 311/312 hazard categories

Flammable (Gases, Aerosols, Liquids, or Solids)	No
Gas under pressure	No
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	No

Chemwatch: 5570-83 Page 10 of 11 Issue Date: 07/03/2023 Version No: 3.1 Print Date: 13/03/2023

HyperCell Battery Pack (UN3171)

Combustible Dust	No
Carcinogenicity	No
Acute toxicity (any route of exposure)	Yes
Reproductive toxicity	No
Skin Corrosion or Irritation	No
Respiratory or Skin Sensitization	Yes
Serious eye damage or eye irritation	Yes
Specific target organ toxicity (single or repeated exposure)	Yes
Aspiration Hazard	No
Germ cell mutagenicity	Yes
Simple Asphyxiant	No
Hazards Not Otherwise Classified	No

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
copper	5000	2270

State Regulations

US. California Proposition 65

None listed

National Inventory Status

National Inventory	Status	
Australia - AIIC / Australia Non-Industrial Use	No (butadiene homopolymer, carboxy-terminated)	
Canada - DSL	No (butadiene homopolymer, carboxy-terminated)	
Canada - NDSL	No (APSC Aluminium Foil; vinylidene fluoride homopolymer; copper; butadiene homopolymer, carboxy-terminated)	
China - IECSC	No (butadiene homopolymer, carboxy-terminated)	
Europe - EINEC / ELINCS / NLP	No (vinylidene fluoride homopolymer; butadiene homopolymer, carboxy-terminated)	
Japan - ENCS	No (APSC Aluminium Foil; copper; butadiene homopolymer, carboxy-terminated)	
Korea - KECI	No (butadiene homopolymer, carboxy-terminated)	
New Zealand - NZIoC	No (butadiene homopolymer, carboxy-terminated)	
Philippines - PICCS	No (butadiene homopolymer, carboxy-terminated)	
USA - TSCA	No (butadiene homopolymer, carboxy-terminated)	
Taiwan - TCSI	No (butadiene homopolymer, carboxy-terminated)	
Mexico - INSQ	No (vinylidene fluoride homopolymer; butadiene homopolymer, carboxy-terminated)	
Vietnam - NCI	No (butadiene homopolymer, carboxy-terminated)	
Russia - FBEPH	No (butadiene homopolymer, carboxy-terminated)	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

SECTION 16 Other information

Revision Date	07/03/2023
Initial Date	01/02/2023

SDS Version Summary

•		
Version	Date of Update	Sections Updated
2.1	01/02/2023	Hazards identification - Classification
3.1	07/03/2023	Hazards identification - Classification, Identification of the substance / mixture and of the company / undertaking - Synonyms

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard

Chemwatch: 5570-83 Page 11 of 11 Issue Date: 07/03/2023 Version No: 3.1 Print Date: 13/03/2023

HyperCell Battery Pack (UN3171)

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors

BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.
TEL (+61 3) 9572 4700.