



DIY PRODUCT CATALOG 2024-2025

Table of Contents

570Z Pro Series Fixed Spray Sprinklers	4
570Z Pro Series With Pressure Regulating	5
570 MPR+ Fixed Spray and VAN Sprinkler Nozzles	6
570 Shrub Spray Sprinklers/Bubbler Parts	7
H ₂ FLO™ Precision™ Series Sprinklers and Nozzles	8
Rotor Sprinklers and Nozzles	9
Universal Impact Sprinklers	12
Valves	13
Valve Parts/Accessories	15
Rain and Soil Sensors	16
Funny Pipe® and Fittings	18
Blue Stripe® Drip Products	
<i>Connect 1</i>	19
<i>Distribute 2</i>	22
<i>Water 3</i>	25
<i>Kits</i>	26
Point-of-Purchase Materials	27
Warranty	28

SAVING WATER THROUGH **INNOVATION**

Saving water doesn't mean you have to let your lawn turn brown. With Toro® WaterSmart® products, homeowners can reduce outdoor water usage by 30% or more just by implementing a simple and cost-effective upgrade to their irrigation system...all without sacrificing the beauty of a lush, green yard!



Look for the WaterSmart logo
and start saving today!



**H₂FLO™
NOZZLES**



**MULTI-STREAM
NOZZLES**



**570 MPR+ NOZZLES WITH
PRESSURE COMPENSATION**



**PRECISION™ SOIL
MOISTURE SENSOR**



**RAINSENSOR™
RAIN/FREEZE SENSOR**



**BLUE STRIPE®
DRIP PRODUCTS**

Visit us at: **toro.com/diy**





570Z PRO SERIES FIXED SPRAY

Features

- For small lawn/shrub areas
- Matched precipitation rate (MPR) nozzles allow mixing 5'-15' radius, special pattern nozzles without over-/under watering and are color-coded by radius
- Available in 2", 3", 4", 6" and 12" pop-ups
- Ratcheting riser for fine-tuning alignment after installation
- ½" Female National Pipe Thread (NPT) inlet
- Flush plugs are included on body only sprinklers and keeps debris out when flushing sprinkler lines
- Variable arc nozzle adjusts from 0° to 360° with a 15' radius and is available pre-installed on the 3" and 4" pop-up
- Zero flush: No water loss at system start-up
- Heavy-duty stainless-steel spring and seal prevents water waste and ensures proper retraction

570Z PRO SERIES FIXED SPRAY WITH X-FLOW® WATER SAVER® FEATURE

Features

- Patented X-Flow® water shut off device built into the sprinkler
- Restricts water loss if the nozzle is removed or damaged
- Works with any Toro 570 nozzle and screen
- 4": Ideal for grass and ground cover
- 6": Ideal for tall grass and planter areas

570 Pro Series
Spray Sprinklers



Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
570Z Pro Series Fixed Spray Sprinklers					
53815	3" Pop-Up Fixed Spray w/Nozzle 90 Degree - 15'	15	53815-0	6.5 x 7 x 11.4	2.7 lb
53816	3" Pop-Up Fixed Spray w/Nozzle 180 Degree - 15'	15	53816-7	6.5 x 7 x 11.4	2.7 lb
53817	3" Pop-Up Fixed Spray w/Nozzle 360 Degree - 15'	15	53817-4	6.5 x 7 x 11.4	2.7 lb
53818	3" Pop-Up Fixed Spray w/VAN Nozzle 0-360 - 15'	15	53818-1	6.5 x 7 x 11.4	2.7 lb
53461	3" Pop-Up Fixed Spray w/Nozzle 90 Degree - 15' (5-Pack)	10	53461-9	9 x 9 x 11.5	8.4 lb
53462	3" Pop-Up Fixed Spray w/Nozzle 180 Degree - 15' (5-Pack)	10	53462-6	9 x 9 x 11.5	8.4 lb
53463	3" Pop-Up Fixed Spray w/Nozzle 360 Degree - 15' (5-Pack)	10	53463-3	9 x 9 x 11.5	8.4 lb
53464	3" Pop-Up Fixed Spray w/VAN Nozzle 0-360 Degree - 15' (5-Pack)	10	53460-0	9 x 9 x 11.5	8.4 lb
53711	4" Pop-Up Fixed Spray w/Nozzle 90 Degree - 15'	15	53711-5	6.5 x 7 x 11.4	3.4 lb
53813	4" Pop-Up Fixed Spray w/Nozzle 180 Degree - 15'	15	53813-6	6.5 x 7 x 11.4	3.4 lb
53712	4" Pop-Up Fixed Spray w/Nozzle 360 Degree - 15'	15	53712-2	6.5 x 7 x 11.4	3.4 lb
53814	4" Pop-Up Fixed Spray w/VAN Nozzle 0-360 - 15'	15	53814-3	6.5 x 7 x 11.4	3.4 lb
53457	4" Pop-Up Fixed Spray w/Nozzle 90 Degree - 15' (5-Pack)	10	53457-2	9 x 9 x 14.5	10.3 lb
53458	4" Pop-Up Fixed Spray w/Nozzle 180 Degree - 15' (5-Pack)	10	53458-9	9 x 9 x 14.5	10.3 lb
53459	4" Pop-Up Fixed Spray w/Nozzle 360 Degree - 15' (5-Pack)	10	53459-6	9 x 9 x 14.5	10.3 lb
53460	4" Pop-Up Fixed Spray w/VAN Nozzle 0-360 Degree - 15' (5-Pack)	10	53460-2	9 x 9 x 14.5	10.3 lb
570Z Pro Series Sprinklers (Body Only) with Flush Plugs					
53819	570 2" Pop-up Body Only	15	53819-8	6.5 x 7 x 11.4	2.6 lb
53820	570 3" Pop-up Body Only	15	53820-4	6.5 x 7 x 11.4	2.6 lb
53821	570 4" Pop-up Body Only	15	53821-1	6.5 x 7 x 11.4	3.3 lb
53822	570 6" Pop-up Body Only (Side Inlet)	12	53822-8	5.5 x 6.5 x 15.6	3.4 lb
53710	570 12" Pop-up Body Only (Side Inlet)	12	53710-8	6.3 x 8.8 x 17.5	8.0 lb
53742	570 4" Pop-Up Body Only w/X-Flow	24	53742-9	5.5 x 6.5 x 15.6	5.5 lb
53743	570 6" Pop-Up Body Only w/X-Flow	12	53743-6	5.5 x 6.5 x 15.6	3.4 lb



570Z PRO SERIES PRESSURE-REGULATING SPRAY

Features

- Factory-installed pressure regulator maintains steady output pressure of 30 PSI
- Eliminates water misting and fogging at the nozzle
- Allows for consistent spray head performance across the zone

570 Pro Series
Pressure Regulating
Spray Sprinklers



570 Pro Series
Pressure Regulating
Spray (Body Only)

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
570Z Pro Series Pressure-Regulating Fixed Spray Sprinklers					
54815	3" Pop-Up Fixed Spray w/PR, Qtr Circle – 15' Nozzle	15	54815-9	6.5 x 7 x 11.4	3.0 lb
54816	3" Pop-Up Fixed Spray w/PR, Half Circle – 15' Nozzle	15	54816-6	6.5 x 7 x 11.4	3.0 lb
54817	3" Pop-Up Fixed Spray w/PR, Full Circle – 15' Nozzle	15	54817-3	6.5 x 7 x 11.4	3.0 lb
54818	3" Pop-Up Fixed Spray w/PR, Adjustable 0-360 – 15' Nozzle	15	54818-0	6.5 x 7 x 11.4	3.0 lb
54461	3" Pop-Up Fixed Spray w/PR, Qtr Circle – 15' Nozzle (5-PK)	10	54461-8	9 x 9 x 11.5	9.1 lb
54462	3" Pop-Up Fixed Spray w/PR, Half Circle – 15' Nozzle (5-PK)	10	54462-5	9 x 9 x 11.5	9.1 lb
54463	3" Pop-Up Fixed Spray w/PR, Full Circle – 15' Nozzle (5-PK)	10	54463-2	9 x 9 x 11.5	9.1 lb
54464	3" Pop-Up Fixed Spray w/PR, Adjustable 0-360 – 15' Nozzle (5-PK)	10	54464-9	9 x 9 x 11.5	9.1 lb
54711	4" Pop-Up Fixed Spray w/PR, Qtr Circle – 15' Nozzle	15	54711-4	6.5 x 7 x 11.4	3.7 lb
54813	4" Pop-Up Fixed Spray w/PR, Half Circle – 15' Nozzle	15	54813-5	6.5 x 7 x 11.4	3.7 lb
54712	4" Pop-Up Fixed Spray w/PR, Full Circle – 15' Nozzle	15	54712-1	6.5 x 7 x 11.4	3.6 lb
54814	4" Pop-Up Fixed Spray w/PR, Adjustable 0-360 – 15' Nozzle	15	54814-2	6.5 x 7 x 11.4	3.8 lb
54457	4" Pop-Up Fixed Spray w/PR, Qtr Circle – 15' Nozzle (5-PK)	10	54457-1	9 x 9 x 14.5	10.9 lb
54458	4" Pop-Up Fixed Spray w/PR, Half Circle – 15' Nozzle (5-PK)	10	54458-8	9 x 9 x 14.5	10.9 lb
54459	4" Pop-Up Fixed Spray w/PR, Full Circle – 15' Nozzle (5-PK)	10	54459-5	9 x 9 x 14.5	10.9 lb
54460	4" Pop-Up Fixed Spray w/PR, Adjustable 0-360 – 15' Nozzle (5-PK)	10	54460-1	9 x 9 x 14.5	10.9 lb
570Z Pro Series Pressure-Regulating Sprinklers (Body Only) with Flush Plugs					
54820	3" Pop-Up Fixed Spray w/PR, Body Only	15	54820-3	6.5 x 7 x 11.4	3.2 lb
54821	4" Pop-Up Fixed Spray w/PR, Body Only	15	54821-0	6.5 x 7 x 11.4	3.8 lb
54822	6" Pop-Up Fixed Spray w/PR, Body Only (Side Inlet)	12	54822-7	5.5 x 6.5 x 15.6	4.5 lb
54710	12" Pop-Up Fixed Spray w/PR, Body Only (Side Inlet)	12	54710-7	6.25 x 8.8 x 17.5	8.5 lb
54742	4" Pop-Up Fixed Spray w/PR, Body Only, X-Flow	24	54742-8	5.5 x 6.5 x 15.6	5.8 lb
54743	6" Pop-Up Fixed Spray w/PR, Body Only, X-Flow	12	54743-5	5.5 x 6.5 x 15.6	4.1 lb



570 MPR+ NOZZLES

Features

- Pre-installed pressure-compensating device (PCD) conserves water by eliminating fogging and misting
- Matched precipitation rate (MPR) allows mixing of different radius and pattern nozzles without over-/under-watering
- For small lawn/shrub areas — 5' to 15' spacing
- Use with any 570 sprinkler body or shrub body

RADIUS	COLOR
5'	RED
8'	GREEN
10'	BLUE
12'	BROWN
15'	BLACK
17'	GRAY
Side Strip, End Strip or Center Strip	ORANGE

570 VARIABLE ARC NOZZLES (VAN)

Features

- Radius adjusts from 0° to 360°
- Matched precipitation within a radius family



570 MPR+ Fixed Spray Nozzle
53856-53867
53870-53873
53888-53890

EASY TO ADJUST



570 VAN Nozzle
53730
53734-53736
53744

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53865	570 MPR+ Nozzle 90 Degree - 15'	20	53865-5	8.0 x 4.3 x 5.0	0.6 lb
53866	570 MPR+ Nozzle 180 Degree - 15'	20	53866-2	8.0 x 4.3 x 5.0	0.6 lb
53867	570 MPR+ Nozzle 360 Degree - 15'	20	53867-9	8.0 x 4.3 x 5.0	0.6 lb
53862	570 MPR+ Nozzle 90 Degree - 12'	20	53862-4	8.0 x 4.3 x 5.0	0.6 lb
53863	570 MPR+ Nozzle 180 Degree - 12'	20	53863-1	8.0 x 4.3 x 5.0	0.6 lb
53864	570 MPR+ Nozzle 360 Degree - 12'	20	53864-8	8.0 x 4.3 x 5.0	0.6 lb
53888	570 MPR+ Nozzle 90 Degree - 10'	20	53888-4	8.0 x 4.3 x 5.0	0.6 lb
53889	570 MPR+ Nozzle 180 Degree - 10'	20	53889-1	8.0 x 4.3 x 5.0	0.6 lb
53890	570 MPR+ Nozzle 360 Degree - 10'	20	53890-7	8.0 x 4.3 x 5.0	0.6 lb
53859	570 MPR+ Nozzle 90 Degree - 8'	20	53859-4	8.0 x 4.3 x 5.0	0.6 lb
53860	570 MPR+ Nozzle 180 Degree - 8'	20	53860-0	8.0 x 4.3 x 5.0	0.6 lb
53861	570 MPR+ Nozzle 360 Degree - 8'	20	53861-7	8.0 x 4.3 x 5.0	0.6 lb
53856	570 MPR+ Nozzle 90 Degree - 5'	20	53856-3	8.0 x 4.3 x 5.0	0.6 lb
53857	570 MPR+ Nozzle 180 Degree - 5'	20	53857-0	8.0 x 4.3 x 5.0	0.6 lb
53858	570 MPR+ Nozzle 360 Degree - 5'	20	53858-7	8.0 x 4.3 x 5.0	0.6 lb
53870	570 MPR+ Nozzle Side Strip 9' x 18'	20	53870-9	8.0 x 4.3 x 5.0	0.6 lb
53871	570 MPR+ Nozzle Center Strip 4' x 30'	20	53871-6	8.0 x 4.3 x 5.0	0.6 lb
53872	570 MPR+ Nozzle End Strip 4' x 15'	20	53872-3	8.0 x 4.3 x 5.0	0.6 lb
53873	570 MPR+ Nozzle Side Strip 4' x 30'	20	53873-0	8.0 x 4.3 x 5.0	0.6 lb
53744	570 MPR+ Nozzle Adjustable 0-360, 17' - (2 pk)	10	53744-3	8.0 x 4.3 x 5.0	0.7 lb
53730	570 MPR+ Nozzle Adjustable 0-360, 15' - (2 pk)	10	53730-6	8.0 x 4.3 x 5.0	0.7 lb
53734	570 MPR+ Nozzle Adjustable 0-360, 12' - (2 pk)	10	53734-4	8.0 x 4.3 x 5.0	0.7 lb
53735	570 MPR+ Nozzle Adjustable 0-360, 10' - (2 pk)	10	53735-1	8.0 x 4.3 x 5.0	0.7 lb
53736	570 MPR+ Nozzle Adjustable 0-360, 8' - (2 pk)	10	53736-8	8.0 x 4.3 x 5.0	0.7 lb
53465	570 MPR+ Nozzle 90 Degree - 10' (5-Pack)	20	53465-7	5.5 x 6.0 x 7.25	2.0 lb
53466	570 MPR+ Nozzle 180 Degree - 10' (5-Pack)	20	53466-4	5.5 x 6.0 x 7.25	2.0 lb
53467	570 MPR+ Nozzle 360 Degree - 10' (5-Pack)	20	53467-1	5.5 x 6.0 x 7.25	2.0 lb
53469	570 MPR+ Nozzle 90 Degree - 15' (5-Pack)	20	53469-5	5.5 x 6.0 x 7.25	2.0 lb
53470	570 MPR+ Nozzle 180 Degree - 15' (5-Pack)	20	53460-1	5.5 x 6.0 x 7.25	2.0 lb
53471	570 MPR+ Nozzle 360 Degree - 15' (5-Pack)	20	53461-8	5.5 x 6.0 x 7.25	2.0 lb
53472	570 MPR Nozzle Adjustable 0-360 - 15' (5-Pack)	20	53462-5	5.5 x 6.0 x 7.25	2.0 lb



570 SHRUB SPRAY SPRINKLERS

Mount these shrub spray sprinklers on 1/2" National Pipe Thread (NPT) risers with any 570Z fixed spray nozzle to effectively irrigate small shrubs and planters without water waste.

Features

- Accepts all Toro 570Z MPR+ or VAN nozzles
- Ideal for small shrub or planter areas – 15' spacing
- 1/2" Female National Pipe Thread (NPT) inlet

Pressure-Regulating Models

- Factory-installed pressure regulator maintains steady output pressure of 30 PSI
- Eliminates water misting and fogging at the nozzle
- Allows for consistent spray head performance across the zone

FLOOD BUBBLER

Features

- Full circle pattern for slow, deep watering around trees, shrubs, vegetable and flower gardens
- Fully adjustable from 0 to 2 GPM and 0' to 2' radius
- Removable filter screen

570 PLUG CAP

Features

- Used to pac off unused Toro spray bodies (sold separately)



570 Shrub Spray
53113-53115
53122-53124
53731



570 Shrub Spray (Body Only)
53299



570 Pressure Shrub Regulating Spray
54113-54115
54122-54124
54731



570 Pressure Shrub Regulating Spray (Body Only)
54299



Flood Bubbler
53692



570 Plug Cap
53504

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53113	Shrub Spray w/Nozzle 90 Degree - 15'	50	53113-7	8.0 x 6.0 x 5.0	1.9 lb
53114	Shrub Spray w/Nozzle 180 Degree - 15'	50	53114-4	8.0 x 6.0 x 5.0	1.9 lb
53115	Shrub Spray w/Nozzle 360 Degree - 15'	50	53115-1	8.0 x 6.0 x 5.0	1.9 lb
53122	Shrub Spray w/Nozzle Center Strip 4' x 30'	50	53122-9	8.0 x 6.0 x 5.0	1.7 lb
53123	Shrub Spray w/Nozzle End Strip 4' x 15'	50	53123-6	8.0 x 6.0 x 5.0	1.7 lb
53124	Shrub Spray w/Nozzle Side Strip 4' x 30'	50	53124-3	8.0 x 6.0 x 5.0	1.7 lb
53731	Shrub Spray w/Adjustable Nozzle 0-360, 15'	25	53731-3	8.0 x 4.3 x 5.0	1.1 lb
53299	Shrub Spray Body Only	50	53299-8	8.0 x 6.0 x 5.0	1.2 lb
54113	Shrub Spray PR w/Nozzle 90 Degree - 15'	25	54113-6	4.75 x 6.375 x 8.625	2.0 lb
54114	Shrub Spray PR w/Nozzle 180 Degree - 15'	25	54114-3	4.75 x 6.375 x 8.625	2.0 lb
54115	Shrub Spray PR w/Nozzle 360 Degree - 15'	25	54115-0	4.75 x 6.375 x 8.625	2.0 lb
54122	Shrub Spray PR w/Nozzle Center Strip 4' x 30'	25	54122-8	4.75 x 6.375 x 8.625	2.0 lb
54123	Shrub Spray PR w/Nozzle End Strip 4' x 15'	25	54123-5	4.75 x 6.375 x 8.625	2.0 lb
54124	Shrub Spray PR w/Nozzle Side Strip 4' x 30'	25	54124-2	4.75 x 6.375 x 8.625	2.0 lb
54731	Shrub Spray PR w/Adjustable Nozzle 0-360, 15'	25	54731-2	4.75 x 6.375 x 8.625	2.0 lb
54299	Shrub Spray PR Body Only	25	54299-7	4.75 x 6.375 x 8.625	2.0 lb
53692	Flood Bubbler, Fully Adjustable, Full Circle 0-2 GPM	50	53692-7	8.0 x 6.0 x 5.0	3.3 lb
53504	570 Plug Cap (5 pack)	10	53504-3	6.0 x 6.75 x 12.75	30.7 lb

**H₂FLO™ PRECISION™ SPRAY SERIES****Features**

- **Fixed spray breakthrough** — patented H₂O chip technology creates high frequency oscillating streams to achieve coverage using up to 35% less water
- 42% less water flow when compared to standard spray nozzles
- Industry first — 1" per hour precipitation rate best matches with soil absorption rate to reduce run off and maximize irrigation efficiency
- **Industry First** — adjustable spray distance (radius) from 8' to 15'
- Ideal for small lawn or shrub areas

H₂FLO™ SPRINKLER**Features**

- 4" pop-up Height
- 1/2" female national pipe thread (NPT) inlet
- Available in quarter, half and full pattern

Pressure-Regulating Models

- Factory-installed pressure regulator maintains steady output pressure of 30 PSI
- Eliminates water misting and fogging at the nozzle
- Allows for consistent spray head performance across the zone

**H₂FLO™ NOZZLE****Features**

- Ideal upgrade for existing systems to WaterSmart® irrigation technology
- Male thread fits any Toro® fixed spray pop-up body
- Female thread fits Rain Bird®, Hunter® or Orbit® spray head bodies*
- Available in quarter, half and full pattern, male or female thread



Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53892	H ₂ FLO™ Precision™ Spray Sprinkler, 4" Pop-Up with Nozzle, 8' to 15' Quarter	15	53892-1	6.5 x 7.0 x 10.0	3.7 lb
53893	H ₂ FLO™ Precision™ Spray Sprinkler, 4" Pop-Up with Nozzle, 8' to 15' Half	15	53893-8	6.5 x 7.0 x 10.0	3.7 lb
53894	H ₂ FLO™ Precision™ Spray Sprinkler, 4" Pop-Up with Nozzle, 8' to 15' Full	15	53894-5	6.5 x 7.0 x 10.0	3.7 lb
54892	H ₂ FLO™ Precision™ Spray Sprinkler, 4" Pop-Up with PR, Qtr Circle – 15' Nozzle	10	54892-0	6.5 x 7 x 11.4	3.7 lb
54893	H ₂ FLO™ Precision™ Spray Sprinkler, 4" Pop-Up with PR, Half Circle – 15' Nozzle	10	54893-7	6.5 x 7 x 11.4	3.7 lb
54894	H ₂ FLO™ Precision™ Spray Sprinkler, 4" Pop-Up with PR, Full Circle – 15' Nozzle	10	54894-4	6.5 x 7 x 11.4	3.7 lb
53895	H ₂ FLO™ Precision™ Spray Nozzle (Female), 8' to 15' Quarter	10	53895-2	5.7 x 3.6 x 11.8	1.5 lb
53896	H ₂ FLO™ Precision™ Spray Nozzle (Female), 8' to 15' Half	10	53896-9	5.7 x 3.6 x 11.8	1.5 lb
53897	H ₂ FLO™ Precision™ Spray Nozzle (Female), 8' to 15' Full	10	53897-6	5.7 x 3.6 x 11.8	1.5 lb
53926	H ₂ FLO™ Precision™ Spray Nozzle (Male), 8' to 15' Quarter	10	53926-3	5.7 x 3.6 x 11.8	1.5 lb
53927	H ₂ FLO™ Precision™ Spray Nozzle (Male), 8' to 15' Half	10	53927-0	5.7 x 3.6 x 11.8	1.5 lb
53928	H ₂ FLO™ Precision™ Spray Nozzle (Male), 8' to 15' Full	10	53928-7	5.7 x 3.6 x 11.8	1.5 lb

*Hunter®, Orbit®, and Rain Bird® are trademarks of their respective companies.



MINI-8 ½" ROTOR

Features

- For small-to-medium lawns—20' to 35' spacing
- 40° to 360° adjustable pattern—full- and part-circle in one sprinkler
- Top arc indicator ensures easy adjustments
- 1.5 GPM nozzle factory-installed and set to 180° pattern
- 3 ¾" pop-up height
- ½" female-threaded inlet

MINI-8 NOZZLE TREE/ADJUSTMENT TOOL

Features

- For use with Mini-8 Rotor
- Comes with 4 interchangeable nozzles to cover varying flow and distance requirements
- Includes an adjustment tool to easily pull-up the riser, remove the nozzle, reduce the spray distance and adjust the pattern
- Adjustment tool can be used with other Toro rotors



Mini-8 Rotor
53824



Arc setting is visible
from the top of the
sprinkler



Mini-8
Nozzle Tree/Adjustment Tool
53924

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53824	Mini-8 Rotor	12	53824-2	6.0 x 7.1 x 9.6	3.7 lb
53924	Mini-8 Nozzle Tree/Adjustment Tool	12	53924-9	5.5 x 4 x 6	1.0 lb



PROSTREAM XL™ ROTOR SPRINKLER

Features

- For medium-to-large lawns — 25' to 46' spacing
- Three flow rate nozzles included for better watering efficiency
- 40° to 360° adjustable pattern — full- and part-circle in one sprinkler
- 3.0 GPM nozzle factory-installed and set to 180° pattern
- 5" pop-up height
- 3/4" female-threaded inlet
- Replaces impact or gear-driven rotors — including Hunter®, Orbit®, Rain Bird® and K-Rain®*
- Rubber cover for safety
- Quiet, smooth gear-driven rotation

PROSTREAM XL™/T5 NOZZLE TREE

Features

- For use with ProStream XL and T5 lawn sprinklers
- Comes with 8 standard nozzles and 4 low angle nozzles
- Standard nozzles: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, and 8.0 GPM
- Low angle nozzles: 1.0, 1.5, 2.0, and 3.0 GPM



**ProStream XL™
Lawn Sprinkler**
53823



**ProStream XL™/
T5 Nozzle Tree**
53923

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53823	ProStream XL™, 5" Pop-up	12	53823-5	8 x 9 x 12	6.6 lb
53923	ProStream XL™/T5 Nozzle Tree	12	53923-2	5 x 4.5 x 8	0.5 lb

*Hunter®, Orbit®, Rain Bird® and K-Rain® are trademarks of their respective companies.



T5 RAPIDSET® ROTOR

Features

- All the same features of the standard T5 rotor, with the added patented RapidSet® technology for easy, tool-free adjustments!
- RapidSet technology safeguards against gear damage from vandalism and abuse
- Includes a full set of 8 standard nozzles and 4 low angle nozzles that use a patent-pending Airfoil™ technology which creates a zone of low pressure just below the main stream to gently guide water downward for unmatched uniformity, without forcefully washing out seeds
- Pre-installed with 3.0 GPM nozzle
- ¾" female-threaded inlet
- Heavy-duty rubber cover minimizes injuries and reduces liability

T5 ROTOR 4-PACK

Features

- Ideal for medium-to-large lawns—25' to 50' spacing
- Full 5" pop-up, an extra inch of pop-up height over competitive rotors
- Easily replaces existing rotors without any extra digging
- Pre-installed with 3.0 GPM nozzle
- ¾" female-threaded inlet
- Heavy-duty rubber cover minimizes injuries and reduces liability



Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53825	T5 RapidSet® Rotor	12	53825-9	7.8 x 9.8 x 14.4	7.0 lb
53826	T5 Rotor (4-Pack)	4	53826-2	7.8 x 11.0 x 10.0	9.6 lb





UNIVERSAL IMPACT SPRINKLER-40

Features

- Replaces Rain Bird® LG-3 and MG-4 sprinklers*
- Spacing from 25' to 40'
- Low gallon, low flow at a rate of 2.2 GPM at 40 PSI
- Full circle or arc adjustable from 20° to 340°
- 3" pop-up clears tall grass
- Heavy-duty, high-impact case with sturdy, reinforced ribbed design
- Pressure-activated wiper seal assures reliable pop-up and pop-down
- Radius reduction screw breaks water into smaller droplets for uniform watering
- Grit-proof bearing for reliable operation
- Weighted spray guide arm controls stream and prevents side splash onto buildings and walkways
- Pop-up mechanism retracts into lawn when not in operation
- Dimensions: 4 1/8" diameter, 8 5/8" tall
- 1/2" NPT female connection at side or bottom



Universal Impact
Sprinkler-40
53720



Universal Impact
Sprinkler-45
53721

UNIVERSAL IMPACT SPRINKLER-45

Features

- Replaces Rain Bird® AG-5 and Orbit® sprinklers*
- Spacing from 25' to 45'
- Five interchangeable, color-coded matched precipitation rate nozzles from 1.5 to 7.5 GPM
- No tools needed to change nozzles
- Full circle or arc adjustable from 20° to 340°
- 3" pop-up clears tall grass
- Heavy-duty, high-impact case with sturdy, reinforced ribbed design
- Pressure-activated wiper seal assures reliable pop-up and pop-down
- Radius reduction screw breaks water into smaller droplets for uniform watering
- Unique lip case design aids in setting proper installation Height, prevents grass and weeds from growing into head and minimizes backwash
- Weighted spray guide arm controls stream and prevents side splash onto buildings and walkways
- Dimensions: 5" diameter, 9 3/10" tall
- Combination 1/2" or 3/4" NPT female connection at bottom and 1/2" NPT side connection for more flexibility

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53720	Universal Impact Sprinkler - 40	6	53720-7	9.0 x 14.5 x 9.8	6.3 lb
53721	Universal Impact Sprinkler - 45	6	53721-4	9.8 x 17.3 x 11.3	7.2 lb

*Rain Bird® and Orbit® are trademarks of their respective companies.



1" IN-LINE JAR-TOP VALVE WITH FLOW CONTROL

Features

- Popular threaded bonnet "jar-top" system for fast and easy servicing
- Flow control allows for precise adjustment after installation
- Manual internal/external bleed
- Full stainless steel metering system
- Rugged, double-beaded Santoprene® diaphragm provides leak-proof seal
- Encapsulated solenoid
- Available in 1" female-thread, slip, or 1" male NPT x barb connections

1" IN-LINE JAR-TOP VALVE

Features

- Popular threaded bonnet "jar-top" system for fast and easy servicing
- Manual internal/external bleed
- Full stainless steel metering system
- Rugged, double-beaded Santoprene® diaphragm provides leak-proof seal
- Encapsulated solenoid
- Available in 1" female-thread



1" In-Line Jar-Top Valve (Threaded)
53708



1" In-Line Jar-Top Valve with Flow Control (Threaded)
53709



1" In-Line Jar-Top Valve with Flow Control (Male NPT x Barb)
53799



1" In-Line Jar-Top Valve with Flow Control (Slip)
53707



Anti-Siphon Jar-Top Valve with Flow Control (Threaded)
53763
53764

3/4" AND 1" ANTI-SIPHON JAR-TOP VALVES WITH FLOW CONTROL

Features

- Popular threaded bonnet "jar-top" system for fast and easy servicing
- Flow control allows for precise adjustment after installation
- Manual internal/external bleed
- Full stainless steel metering system
- Rugged, double-beaded Santoprene® diaphragm provides leak-proof seal
- Encapsulated solenoid
- Combination jar-top valve and atmospheric backflow preventer
- Available in 3/4" or 1" female-threaded connection

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53707	1" In-Line Jar-Top Valve w/Flow Control (Slip)	5	53707-8	6.3 x 4.3 x 16.1	5.7 lb
53708	1" In-Line Jar-Top Valve (Threaded)	5	53708-5	6.3 x 4.3 x 16.1	5.7 lb
53709	1" In-Line Jar-Top Valve w/Flow Control (Threaded)	5	53709-2	6.3 x 4.3 x 16.1	5.7 lb
53799	1" In-Line Jar-Top Valve w/Flow Control (Male NPT x Barb)	5	53799-3	7.3 x 7.5 x 17.6	6.6 lb
53763	3/4" Anti-Siphon Jar-Top Valve w/Flow Control (Threaded)	5	53763-4	7.3 x 7.5 x 17.6	6.6 lb
53764	1" Anti-Siphon Jar-Top Valve w/Flow Control (Threaded)	5	53764-1	7.3 x 7.5 x 17.6	7.9 lb



3/4" IN-LINE VALVE

Features

- Operates at 0.5 GPM — ideal for drip irrigation
- Manual bleed screw to manually activate at valve box
- Stainless-steel diaphragm spring — valve closes reliably
- 18" lead wires — easy access installation
- 3/4" male NPT inlet and outlet



1" PRESSURE VACUUM BREAKER (PVB)

Features

- Built-in unions
- Easy to winterize — twist-off cap
- Reliable design
- 1" female NPT inlet and outlet



3/4" In-Line Valve
53380



1" Pressure
Vacuum Breaker
53300

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53380	3/4" In-Line Valve (Male Thread)	10	53380-3	4.1 x 9.1 x 11.1	5.2 lb
53300	1" Pressure Vacuum Breaker (PVB)	1	53300-1	5.1 x 8.3 x 8.1	2.0 lb

VALVE REPLACEMENT PARTS



Jar-Top Valve Diaphragm
53804



Automatic Valve Solenoid
53803

	Toro Valve Model					
Toro Replacement Parts	53707	53708	53709	53763	53764	53799
Solenoid 53803	•	•	•	•	•	•
Diaphragm 53804	•	•	•	•	•	•

DRAIN VALVE

Features

- Drains water from pipes to prevent freezing
- Automatically opens when water is turned off, closes when water is turned on



Drain Valve
53740


Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53803	Automatic Valve Solenoid	5	53803-7	6.0 x 2.8 x 8.6	1.4 lb
53804	Toro Jar-Top Valve Diaphragm	5	53804-4	8.4 x 5.9 x 10.6	1.0 lb
53740	Drain Valve	100	53740-5	8.7 x 6.6 x 11.1	2.0 lb



XTRA SMART® PRECISION™ SOIL MOISTURE SENSOR

Features

- Monitors soil moisture levels and suspends watering when levels are sufficient for plant health or if freezing temperatures occur
- Turns most timers into a "smart" timer and satisfies municipal requirements in many areas
- Saves up to 35% in annual water usage
- Works with most irrigation timers including Rain Bird®, Hunter® or Orbit®*
- Easy to install – no digging or tools required
- Wireless – up to 500' line-of-sight range
- Bypass mode switches active sensor off for manual operation
- Large LCD displays sensor readings
- For use with indoor or outdoor timers
- Low-profile design sits flush with soil – does not require removal for mowing



**XTRA SMART® Precision™
Soil Moisture Sensor**
53812

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
* 53812	XTRA Smart® Precision™ Soil Moisture Sensor	2	53812-9	11.0 x 6.5 x 9.0	0.7 lb

* While supplies last.



RAIN SENSORS

Features

- Compatible with most timers
- Sensor uses industry standard hygroscopic discs to sense rain
- Easily adjust the rain sensitivity from 1/8" to 1"
- "Quick-Clip™" gutter bracket for easy one-piece, tool-free mounting
- Operating temperature from -20°F to 140°F
- Saves water and money
- Water conservation device that meets legislative standards in states/municipalities with mandates

WIRED RAINSENSOR™

Features

- Requires wiring between the sensor and the controller
- 25 feet of UL rated connection wire included

WIRED RAIN/FREEZE SENSOR

Features

- Same features as the wired version with the addition of a freeze detection function



Wired Rain/Freeze Sensor
53853



Wired RainSensor™
53769

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53769	Wired RainSensor	5	53769-6	9.5 x 8.5 x 18.0	9.5 lb
53853	Wired Rain/Freeze Sensor	5	53853-2	9.5 x 8.5 x 18.0	9.5 lb



FUNNY PIPE® AND FITTINGS

Features

- Makes installing any sprinkler quick and easy
- Ideal for installing or relocating sprinklers in hard-to-reach areas
- Cushions sprinkler to protect against damage in high traffic areas
- Rated to 120 PSI with no glue or clamps



50' and 100' Roll of
Funny Pipe®
53186, 53338



3/4" Male
Adapter
53389



1/2" Male Elbow
53304, 53270



1/2" Male
Adapter
53388



3/8" x 3/8" x 3/8"
Tee
53390



1/2" Female
Elbow
53306



3/4" Male Elbow
53305, 53271



3/8" Coupling
53307, 53273



24" Funny Pipe®
53265



1/2" and 3/4"
Funny Pipe®
Sprinkler Flex
Assemblies
53784, 53785

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53265	Funny Pipe – 24" (1/2" polyethylene)	50	53265-3	7.8 x 4.3 x 25.0	8.0 lb
53186	Funny Pipe – 50' (1/2" polyethylene)	1	53186-1	3.0 x 17.3 x 17.3	5.1 lb
53338	Funny Pipe – 100' (1/2" polyethylene)	1	53338-4	5.25 x 17 x 17	7.5 lb
53270	Funny Pipe Male Elbow 3/8" Insert by 1/2" Male NPT - 10-pack	10	53270-7	8.0 x 6.5 x 8.9	3.3 lb
53271	Funny Pipe Male Elbow 3/8" Insert by 3/4" Male NPT - 10-pack	10	53271-4	5.0 x 8.3 x 8.9	3.3 lb
53273	Funny Pipe 3/8" Coupling - 10-pack	10	53273-8	5.0 x 8.3 x 8.9	2.0 lb
53304	Funny Pipe Male Elbow 3/8" Insert by 1/2" Male NPT	50	53304-9	8.0 x 6.0 x 5.0	1.6 lb
53305	Funny Pipe Male Elbow 3/8" Insert by 3/4" Male NPT	50	53305-6	8.0 x 6.0 x 5.0	1.8 lb
53306	Funny Pipe Elbow 3/8" Insert by 1/2" Female NPT	50	53306-3	8.0 x 6.0 x 5.0	1.8 lb
53307	Funny Pipe 3/8" Coupling	50	53307-0	8.0 x 6.0 x 5.0	1.1 lb
53388	Funny Pipe 1/2" Male Adapter	50	53388-9	8.0 x 6.0 x 5.0	1.6 lb
53389	Funny Pipe 3/4" Male Adapter	50	53389-6	8.0 x 6.0 x 5.0	1.6 lb
53390	Funny Pipe 3/8" x 3/8" x 3/8" Tee	50	53390-2	8.0 x 6.0 x 5.0	1.6 lb
53784	Funny Pipe 1/2" Assembly	50	53784-9	8.0 x 6.0 x 25.0	7.2 lb
53785	Funny Pipe 3/4" Assembly	50	53785-6	8.0 x 6.0 x 25.0	8.1 lb

CONNECT 1



1/2" HOSE ADAPTER

Features

- 1/2" tubing fitting x 3/4" female swivel
- Connects Toro Blue Stripe® Drip 1/2" Tubing to 3/4" outdoor water source
- Easy-to-use Loc-Eze® fitting for easy removal and reuse

9-OUTLET DISTRIBUTION MANIFOLD

Features

- A 9-outlet distribution manifold which accepts Toro Blue Stripe® Drip 1/4" Tubing
- Perfect for watering shrubs or trees
- 9 shut-off caps
- Includes filter and 25 PSI pressure regulator
- Contains a 1/2" NPT inlet



Blue Stripe® Drip
9-Outlet Distribution
Manifold
53755



Blue Stripe® Drip
1/2" Hose Swivel
Adapter
53701

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
* 53701	Blue Stripe® Drip 1/2" Hose Swivel Adapter (2 per bag)	20	53701-6	8.0 x 5.0 x 10.0	3.5 lb
53755	Blue Stripe® Drip 9-Outlet Distribution Manifold	10	53755-9	8.0 x 5.0 x 10.0	3.5 lb

* While supplies last.

CONNECT 1



LOW-PRESSURE TAP TIMER

Features

- Durable and consistent watering
- 11 preset watering cycles (intervals)
- Watering duration from 1 to 120 minutes
- Low battery indicator
- Flow rate from 5 to 10.5 GPM
- Recommended operating pressure range from 10-50 PSI
- Max. inlet pressure: 125 PSI
- Min. inlet pressure: 5 PSI



**Low-Pressure
Tap Timer**
53453

BLUETOOTH® HOSE-END TIMER



Features

- Bluetooth technology so you can manually operate the controller from your smart phone or tablet
- Easy to install and ideal for watering lawns, gardens, shrub areas, pots, hanging plants, patio plants, and roof gardens
- Flow range from .18 to 5.3 GPM
- Working pressure range from 14-145 PSI
- Requires one (1) 9V alkaline battery (not included)
- Smartphone/tablet minimum requirements
 - Bluetooth 4.1
 - Android® 4.4
 - Apple® iOS 8



**Bluetooth
Hose-End Timer**
53454

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53453	Low-Pressure Tap Timer	12	53453-4	9.5" x 14" x 21.5"	11.0 lb
53454	Bluetooth Hose-End Timer	6	53454-1	9" x 14.25" x 16"	6.0 lb

CONNECT 1



BLUE STRIPE® DRIP IRRIGATION CONTROL ZONE VALVE KIT

Toro Drip Irrigation Zone Valve Kits are specially designed for low-volume drip applications. These simple, all-in-one kits are available in an anti-siphon valve version. Kit includes a 3/4" automatic control valve, mesh filter, pressure regulator and shut-off valve.

Features

- No need to purchase separate parts — everything needed is included in the kit!
- Minimizes installation time
- Available in anti-siphon with backflow prevention

Kit Includes:

- 3/4" automatic control valve — anti-siphon
- Mesh filter — keeps drip emitters clean
- Pressure regulator — controls pressure to emitters
- Shutoff valve — allows the zone to be shut off for maintenance
- Installation instructions

WATER SOURCE INSTALLATION KIT

Features

- Everything you need to connect Toro Blue Stripe® Drip 1/2" Tubing from a valve, riser or outdoor faucet

Kit Includes:

- 25 PSI pressure regulator (1)
- 125 mesh filter (1)
- Hose bibb vacuum breaker (1)
- Tubing swivel connector (1) (1/2" tubing fitting x 3/4" female swivel)
- 1/2" x 3/4" bushing (1)



Blue Stripe® Drip Irrigation Valve Kit, Anti-Siphon 53749



Blue Stripe™ Drip Water Source Installation Kit 53756

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53749	Blue Stripe® Drip Irrigation Valve Kit, Anti-Siphon 3/4"	1	53749-8	8.0 x 5.0 x 8.0	2.5 lb
53756	Blue Stripe® Drip Water Source Installation Kit	8	53756-6	8.25 x 5.75 x 18.0	4.0 lb

DISTRIBUTE 2



1/2" TUBING

Features

- Larger diameter tubing (.710 O.D. compared to .620 O.D.) means less friction loss to allow for more emitters on the same line
- Blue Stripe® identifier of quality — industry leader
- Linear low density polyethylene tubing is made from high-grade polyethylene resins
- Minimum 2% carbon black (ultraviolet inhibitor) added for resistance to sunlight deterioration
- Shrink-wrapped 50', 100' and 500' rolls
- 3 layer Matrix® technology provides superior strength and flexibility compared to traditional tubing

1/2" TUBING WITH EMITTERS

Features

- 1.0 GPH emitters factory-installed every 18"
- Perfect for ground cover, gardens and flower beds
- Professional quality, durable drip tubing
- Factory-installed emitters cut installation time... JUST DROP AND ROLL!
- Pressure-compensating emitters — efficient and precise... SAVES WATER!
- Minimum 2% carbon black (ultraviolet inhibitor) added for resistance to sunlight deterioration
- 3 layer Matrix® technology provides superior strength and flexibility compared to traditional tubing

1/4" TUBING

Features

- Use for connecting 1/2" tubing to emitters and micro-sprinklers
- Blue Stripe® identifier of quality — industry leader
- Minimum 2% carbon black (ultraviolet inhibitor) added for resistance to sunlight deterioration

1/4" TUBING WITH EMITTERS

Features

- 0.5 GPH emitters factory-installed every 6"
- Perfect for containers, gardens and flower beds
- Factory-installed emitters cut installation time... JUST DROP AND ROLL!
- Minimum 2% carbon black (ultraviolet inhibitor) added for resistance to sunlight deterioration



Blue Stripe® Drip 1/2" Tubing, 50', 100', 500'
53719, 53605, 53616

Blue Stripe® Drip 1/2" Tubing with Emitters, 100'
53618



Blue Stripe® Drip 1/4" Tubing, 100'
53639

Blue Stripe® Drip 1/4" Tubing with emitters, 100'
53640

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53719	Blue Stripe® Drip 1/2" Tubing, 50' Roll (.710 O.D. x .620 I.D.)	1	53719-1	3.5 x 17.5 x 17.5	2.4 lb
53605	Blue Stripe® Drip 1/2" Tubing, 100' Roll (.710 O.D. x .620 I.D.)	1	53605-7	5.0 x 17.0 x 17.0	5.0 lb
53616	Blue Stripe® Drip 1/2" Tubing, 500' Roll (.710 O.D. x .620 I.D.)	1	53616-3	8.0 x 27.0 x 27.0	20.6 lb
53618	Blue Stripe® Drip 1/2" Tubing with Emitters, 100' Roll (1.0 GPH, 18" spacing, .710 O.D. x .620 I.D.)	1	53618-7	5.5 x 24.0 x 24.0	5.0 lb
53639	Blue Stripe® Drip 1/4" Tubing, 100' Roll (.250 O.D. x .170 I.D.)	10	53639-2	27.0 x 10.5 x 10.5	14.0 lb
53640	Blue Stripe® Drip 1/4" Tubing with emitters, 100' Roll (0.5 GPH, 6" Spacing, .250 O.D. x .170 I.D.)	10	53640-2	27.0 x 10.5 x 10.5	15.0 lb



1/2" FITTINGS

Features

- Tri-Loc™ fitting include ergonomic collar to reduce fatigue
- Fits 16, 17, and 18mm OD hose and dripline
- Positive no-leak fit
- Fittings grip tighter as tension increases
- Reusable and easy to remove

HOLE PUNCH

Features

- Use to punch holes in Blue Stripe® Drip 1/2" Tubing for installing emitters
- Easy to use

END CAMP

Features

- Closes off the end of 1/2" tubing
- Easy to install, remove and reuse
- Use with Blue Stripe Drip 1/2" tubing

HOLE PLUGS

Features

- Commonly called "goof" plugs
- Use if a hole is punched in the wrong spot or to relocate emitters

TIE-DOWN STAKES

Features

- Use Blue Stripe Drip 1/2" Tie-Down stakes to secure 1/2" tubing to the ground and prevent drifting



Blue Stripe® Drip
1/2" Coupling
53168



Blue Stripe® Drip
1/2" Elbow
53169



Blue Stripe®
Drip 1/2" Tee
53170



Blue Stripe® Drip
Hole Punch
53679



Blue Stripe® Drip
1/2" End Clamp
53705



Blue Stripe® Drip
Hole Plugs
53777



Blue Stripe® Drip
1/2" Tie-Down Stakes
53620

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53168	Blue Stripe® Drip Tri-Loc™ 1/2" Coupling	15	53168-7	8.0 x 6.0 x 5.0	1.3 lb
53169	Blue Stripe® Drip Tri-Loc™ 1/2" Elbow	15	53169-4	8.0 x 6.0 x 5.0	1.3 lb
53170	Blue Stripe® Drip Tri-Loc™ 1/2" Tee	15	53170-0	8.0 x 6.0 x 5.0	1.7 lb
53705	Blue Stripe® Drip 1/2" End Clamp (4 per bag)	15	53705-4	8.0 x 5.0 x 10.0	0.8 lb
53620	Blue Stripe® Drip 1/2" Tie-Down Stakes (10 per bag)	10	53620-0	8.0 x 6.5 x 15.0	1.0 lb
53679	Blue Stripe® Drip Hole Punch	20	53679-8	8.0 x 4.3 x 5.0	0.8 lb
53777	Blue Stripe® Drip Hole Plugs (12 per bag)	10	53777-1	8.0 x 4.3 x 5.0	0.3 lb



DISTRIBUTE 2



1/4" STAKE

Features

- Easy to install
- Used to place and secure 1/4" tubing exactly where you want it
- Reusable and easy to remove

1/4" FITTINGS

Features

- Great for connecting lengths of 1/4" tubing or connecting to 1/2" tubing
- Easy to install
- Positive no-leak fit



Blue Stripe® Drip
1/4" Tee
53636



Blue Stripe® Drip
1/4" Elbow
53635



Blue Stripe® Drip
1/4" Coupling
53634



Blue Stripe® Drip
1/4" Stake
53637

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53634	Blue Stripe® Drip 1/4" Coupling (15 per bag)	10	53634-7	8.0 x 4.3 x 5.0	1.6 lb
53635	Blue Stripe® Drip 1/4" Elbow (15 per bag)	10	53635-4	8.0 x 4.3 x 5.0	1.6 lb
53636	Blue Stripe® Drip 1/4" Tee (15 per bag)	10	53636-1	8.0 x 4.3 x 5.0	1.6 lb
53637	Blue Stripe® Drip 1/4" Stake (10 per bag)	10	53637-8	8.0 x 4.6 x 5.3	2.5 lb

1.0 GPH PRESSURE COMPENSATING EMITTERS

Features

- Perfect for watering individual plants
- 1.0 GPH — pressure compensating
- Built-in dust cap for protection from debris and insects



Blue Stripe® Drip 1.0 GPH Pressure Compensating Emitters
53621

ADJUSTABLE FLOW EMITTER

Features

- Simple finger-tip cap control for flow adjustment from a gentle stream to a drip action or shut off
- ¼" barb easily installs into ¼" tubing or ½" tubing
- Full circle (up to 3 feet diameter of throw), 0–14 GPH



Blue Stripe® Drip Adjustable Emitter
53681

2.0 GPH PRESSURE COMPENSATING EMITTER

Features

- 2.0 GPH pressure-compensating emitter has a self-flushing mode that clears debris to prevent clogging; works well in any type of water condition
- In case of severe debris, emitter may be taken apart (cap screws off) and then system can be flushed
- Durable emitter is perfect for individual plants, shrubs and trees



Blue Stripe® Drip 2.0 GPH Pressure Compensating Emitters
53690



ADJUSTABLE FLOW STREAM EMITTER WITH STAKE

Features

- Adjustable 0–14 GPH flow rate
- 360° pattern emitter with anchor stake
- Ideal for small flower beds or container plants



Blue Stripe® Drip Adjustable Flow Stream Emitter with Stake
53800

ADJUSTABLE FLOW BUBBLER WITH STAKE

Features

- Adjustable 0–20 GPH flow rate and anchor stake
- Ideal for small trees and shrubs whose growth requires increasing flow rates



Blue Stripe® Drip Adjustable Flow Bubbler with Stake
53836

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53621	Blue Stripe® Drip 1.0 GPH Pressure Compensating Emitter (6 per bag)	10	53621-7	8.0 x 4.3 x 5.0	0.6 lb
53681*	Blue Stripe® Drip Adjustable Emitter (5 per bag)	10	53681-1	8.0 x 4.3 x 5.0	0.5 lb
53690	Blue Stripe® Drip 2.0 GPH Pressure Compensating Emitter (6 per bag)	10	53690-3	8.0 x 4.3 x 5.0	0.5 lb
53800	Blue Stripe® Drip Adjustable Flow Stream Emitter with Stake (5 per bag)	10	53800-6	8.0 x 5.0 x 10.0	1.1 lb
53836	Blue Stripe® Drip Adjustable Flow Bubbler with Stake (5 per bag)	10	53836-5	8.0 x 5.0 x 10.0	1.1 lb



CONNECT 1

DISTRIBUTE 2

WATER 3



1/2" EMITTER KIT

Features

- Use with Toro Blue Stripe® Drip 1/2" Tubing (.710 O.D. x .620 I.D.)
- Contains a selection of frequently used drip emitters and accessories

Kit Includes:

- 0.5 GPH Pressure Compensating Emitters — Blue (10)
- 1.0 GPH Pressure Compensating Emitters — Black (10)
- 2.0 GPH Pressure Compensating Emitters — Red (10)
- 1/2" Tie-Down Stakes (10)
- Hole Punch (1)
- Hole Plugs (24)
- End Clamp (1)
- 1/2" Swivel Adapter (1)

BLUE STRIPE® DRIP STARTER KIT

Features

- The all-in-one drip starter kit for watering plants or containers

Kit Includes:

- 1/4" Tubing — 25' (.250 O.D. x .170 O.D.)
- 2.0 GPH Pressure Compensating Emitters (6)
- 1/4" Coupling (1)
- 1/4" Tees (5)
- 1/4" Stakes (6)
- 1/4" Faucet Adapter (1)



Blue Stripe® Drip
1/2" Emitter Kit
53619



Blue Stripe® Drip
Starter Kit
53724

Model No.	Description	Master Pack Quantity	UPC No. 0-21038-	Master Pack Dimensions (Height x Width x Depth)	Master Pack Weight
53619	Blue Stripe® Drip 1/2" Emitter Kit	9	53619-4	11.5 x 7.5 x 16.3	9.7 lb
53724	Blue Stripe® Drip Starter Kit	8	53724-5	12 x 10.5 x 20.5	6.0 lb



Toro 4' x 3' Vinyl Banner
53280



Toro DIY Catalog 2024-2025
Available to download online

www.toro.com/diy


Model No.	Description	Master Pack Quantity	UPC No. 0-21038-
53850	Blue Stripe® Drip Planning & Installation Guide	25	53850-1
53280	4' x 3' Vinyl Banner	1	N/A





THE TORO PROMISE – LIMITED ONE-YEAR WARRANTY

The Toro Company and its affiliate, Toro Warranty Company, pursuant to an agreement between them, jointly warrants, to the owner, against defects in material and workmanship for a period of one year from the date of purchase.




Neither The Toro Company nor Toro Warranty Company is liable for failure of products not manufactured by it even though such products may be sold or used in conjunction with Toro products.


During such warranty period, we will repair or replace, at our option, any part found to be defective.

Return the defective parts to the place of purchase.

Our liability is limited solely to the replacement or repair of defective parts. There are no other express warranties.



This warranty does not apply where equipment is used, or installation is performed, in any manner contrary to Toro's specifications and instructions, nor where equipment is altered or modified.



NEITHER THE TORO COMPANY NOR TORO WARRANTY COMPANY IS LIABLE FOR INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE USE OF EQUIPMENT, INCLUDING BUT NOT LIMITED TO: VEGETATION LOSS, THE COST OF SUBSTITUTE EQUIPMENT OR SERVICES REQUIRED DURING PERIODS OF MALFUNCTION OR RESULTING NON-USE, PROPERTY DAMAGE OR PERSONAL INJURY RESULTING FROM INSTALLER'S NEGLIGENCE.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

ALL IMPLIED WARRANTIES, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR USE, ARE LIMITED TO THE DURATION OF THIS EXPRESS WARRANTY.

Some states do not allow limitations of how long an implied warranty lasts, so the above limitation may not apply to you.

This warranty gives you specific legal rights and you may have other rights which vary from state to state.

For additional assistance, call our Customer Assistance Hotline at **1-800-348-2424**.





The Toro Company

5825 Jasmine Street
Riverside, CA 92504-1183
Phone: 877-345-8676
Fax: 800-862-8676

©2024 The Toro Company.
All rights reserved.

www.toro.com/diy

We reserve the right to improve our products and make changes in the specifications and designs without notice and without incurring obligation. Products depicted in this brochure are for demonstration purposes only. Actual products offered for sale may vary in design and features.